

Replacement windows will have grids matching existing



Replacement windows will not have grids









STYLE
COMFORT
SAFETY
RELIABILITY

BARRINGTON™ VINYL WINDOWS

 Soft-Lite®
Windows
Bringing quality to light.

Make your home a better, brighter place with Barrington Windows!



Soft-Lite's Barrington Windows will give you everything you want and need for your home—a wide-open view of the outdoors, enhanced comfort and thermal efficiency, and many other benefits you probably never even considered!

A more comfortable home

Barrington windows allow you to enjoy large expanses of glass—yet remain comfortable and draft-free in your home. These windows are designed to be exceptionally thermally efficient and airtight—and these properties are enhanced even further when you select one of our numerous ENERGY STAR® qualified glass options. You'll love the feel of your home—as well as the savings you'll see on your energy costs!

Protect your family—and your home

Our intruder-resistant windows will help to ease your mind. Heavy-duty locks, super-strong frames and sashes, and many other innovative features make Barrington windows some of the safest, most secure products you can install in your home.

Classic beauty and unwavering value

Attractive and stylish color choices. A panoramic view of the outdoors. Easy-to-operate window styles. Long-lasting reliability. Barrington Windows from Soft-Lite will give you all of these benefits and more. They're a practical and economical choice that will add beauty and value to your home for years to come.

Standard features for affordable durability, efficiency and beauty.



1 Fusion welded sashes and frame are built to be exceptionally strong and durable, which helps prevent air and water infiltration.

2 Dual-fin, wool-pile weather stripping protects around the perimeter of all sashes to fight air infiltration.

3 Certa-Force™ balance system provides smooth and easy operation of double hungs—and never requires lubrication or adjustment.

4 Integral lift rail features comfortable, ergonomic design and is significantly stronger and more durable than snap-in lift rails.

5 Intercept® stainless steel spacer and sealant system is fully automated for condensation resistance and seal integrity. Optional metal-free Super Spacer® offers enhanced thermal efficiency and other unique benefits.

6 Extruded metal screen frame features unobtrusive black fabric and matching black spline. *


7 Optional Reinforcement in the meeting rail and bottom sash rail ensures maximum structural performance and enhances the security of the window.

* Feature not shown in photo.


AAMA Gold Label Certification**

Air:	0.10 cfm at 25 mph – 3 times better than industry minimum of 0.30 cfm
Water:	R35 45 mph – 8" rain per hour – 37% over industry minimum 33 mph
Structural:	DP 30 131 mph – 40% over industry minimum 94 mph


** With reinforcement upgrade.




Dura-Sill™ engineered sloped sill, featuring a double-wall sill dam, creates a super-strong bond between sill and jamb for maximum weather protection.



Soft-Seal™ straddle gasket is a closed-cell neoprene cushion-gasket under the sash that straddles the sill rail and helps prevent air and water infiltration.



Cam-Action lock features durable zinc-cast design that pulls sashes and mechanical interlock tightly together to prevent air infiltration.



Vent stop, when deployed, will limit sash travel to allow for ventilation while still providing a degree of safety.

ENERGY STAR® Labeled Glass Options

Soft-Lite® purchases the best available glass products from leaders in the industry that focus exclusively on glass fabrication. We offer an array of technologically advanced insulating glass systems that can be tailored to best perform in your climate region. This ensures that your new Barrington™ Windows will provide the best possible thermal performance for your home, which will save you money on energy costs.

Below are several examples of the performance ratings that Barrington Windows achieve—but the possibilities for various glass, spacer and Low-E combinations are practically endless. Soft-Lite offers an array of options, including double- or triple-glass configurations, Intercept stainless steel spacer or the unique metal-free Super Spacer system, and several different Low-E coatings so that you can select the coating that works best for your climate region. Ask your authorized dealer about the best glass option for your home.

High-Performance Low-E Plus Glass with Argon Gas and Intercept® Stainless Steel Spacer

ENERGY STAR® Qualified in Highlighted Regions




Soft-Lite®
Windows
Bringing quality to light

VINYL DOUBLE HUNG
BARRINGTON
Double Glazing, Argon Fill, Low-e

ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P)	Solar Heat Gain Coefficient
0.29	0.29
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance	Condensation Resistance
0.55	57


Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the applicability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.energystar.gov



Above values are for a Barrington double-hung window with Low-E Plus, featuring single-strength glass, Intercept spacer, argon gas, and without grids.

High-Performance Ultra Glass™ with Argon Gas and Intercept® Stainless Steel Spacer

ENERGY STAR® Qualified in Highlighted Regions




Soft-Lite®
Windows
Bringing quality to light

VINYL DOUBLE HUNG
BARRINGTON
Triple Glazing, Argon Fill, Low E

ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P)	Solar Heat Gain Coefficient
0.23	0.27
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance	Condensation Resistance
0.45	67

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the applicability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.energystar.gov



Above values are for a Barrington double-hung window with Ultra Glass, featuring single-strength glass, Intercept Spacer, argon gas, and without grids.

All NFRC® labels refer to whole-window performance, not just the insulated glass unit.



ENERGY STAR®

Barrington Windows with high-performance glass qualify for the ENERGY STAR label—so they'll help you save money on your energy costs, while protecting the environment.



AAMA GOLD LABEL

Soft-Lite Barrington Windows proudly carry the AAMA Gold Label, which means that they meet stringent performance standards for air, water and structural load.



MOST EFFICIENT

Most Barrington Windows are ENERGY STAR "Most Efficient Products"—a new designation that recognizes the best of the best among ENERGY STAR qualified products.

Any style you want.

Barrington™ Windows from Soft-Lite are available in practically every window operating style available. From traditional double-hungs or horizontal sliders to room-expanding bow and bay models. Easy-to-operate casements and awnings or unique garden window styles. You can replace your old, worn-out windows with the same style—or give your home a fresh new look and feel by selecting a different operating style.



1. DOUBLE-HUNG

Soft-Lite double-hung windows feature two operating sashes—so you can open both the top and bottom parts of the window. Their stylish beauty enhances the look of any home, they provide excellent thermal performance, and tilt-in sashes make cleaning and maintenance a breeze.

2. CASEMENT & AWNING

Casements and awning windows allow you to catch fresh breezes, or open them for easy cleaning, simply with the turn of a handle. A single lever lock that activates multiple locking points ensures these window styles are exceptionally secure as well. Casements open out to the side, while awning windows are top-hinged and open out at the bottom.

3. SLIDER

Sliding windows are beautifully designed to provide an unobstructed view, yet built tough for decades of smooth operation. Our unique Swing & Clean Slider offers all the benefits of a standard slider, but it incorporates swing-in sashes for convenient cleaning of the exterior glass.

4. BOW & BAY

The three-dimensional effects of a bow or bay window will enhance the look of any room by adding space, light and viewing area to your home. You can choose from 3- to 6-lite configurations with casement, double-hung or picture windows, and a wide selection of options.

5. GARDEN

GardenVue™ windows are specifically designed to be a beautiful and structurally sound addition to your home. This unique window style features trapezoidal operating casement windows and adjustable-height, PVC-coated shelves that are an ideal spot to showcase your indoor flowers or other houseplants.

6. PATIO DOOR

Select from several stunning sliding patio door designs to make your home more beautiful and energy efficient. All of our patio door models are designed for long-lasting durability and smooth operation and are offered with an array of options that allow you to customize both the thermal efficiency and appearance of your new door.

CONNECT WITH US!



WWW.SOFT-LITE.COM



Soft-Lite, window partner of the National Crime Prevention Council, offers intruder-resistant windows



VINYL COLORS INTERIOR/EXTERIOR



*GARDEN WINDOWS NOT AVAILABLE IN BEIGE.
** BROWN IS AAMA SILVER LABEL RATED

OPTIONS



Internal grids will give your Barrington™ Windows the look and feel of true divided-lite windows—without the hassles! Because they're between the glass panes, these grids allow for easy cleaning. Our exquisitely beautiful grids are available in both a contoured or flat design and with several distinctive patterns.



Barrington picture windows are available in many specialty shapes, all custom built to fit your home's uniquely shaped openings perfectly. We offer practically any shape you can imagine, from circle-tops to pentagons to octagons and much more.



Optional BetterVue™ screen cloth gives you more airflow and a clearer view of the outdoors while increasing insect protection.

LIFETIME WARRANTY

Our Lifetime Warranty is designed to protect your investment and our reputation. It guarantees that our windows will not rot, rust, warp, pit, corrode or blister, and that our vinyl colors will remain true for the life of your home. Our Lifetime Warranty is non-prorated and is fully transferable. We also warrant all moving parts and the hermetically insulated seal against defects in materials or workmanship. Finally, we offer the ultimate in protection with a lifetime glass breakage rider for extra peace of mind. Ask your Soft-Lite representative for a copy of the warranty to review specific terms and conditions.



BARRINGTON AUTHORIZED DEALER



910 CROMWELL PARK DRIVE
GLEN BURNIE, MD 21061
TOLL FREE: 1-866-446-2846

WWW.WINDOWNATION.COM

CONNECT WITH US!



WWW.SOFT-LITE.COM



Soft-Lite, window partner of the National Crime Prevention Council, offers intruder-resistant windows



VINYL COLORS INTERIOR/EXTERIOR



*GARDEN WINDOWS NOT AVAILABLE IN BEIGE.
** BROWN IS AAMA SILVER LABEL RATED

OPTIONS



Internal grids will give your Barrington™ Windows the look and feel of true divided-lite windows—without the hassles! Because they're between the glass panes, these grids allow for easy cleaning. Our exquisitely beautiful grids are available in both a contoured or flat design and with several distinctive patterns.



Barrington picture windows are available in many specialty shapes, all custom built to fit your home's uniquely shaped openings perfectly. We offer practically any shape you can imagine, from circle-tops to pentagons to octagons and much more.



Optional BetterVue™ screen cloth gives you more airflow and a clearer view of the outdoors while increasing insect protection.

LIFETIME WARRANTY

Our Lifetime Warranty is designed to protect your investment and our reputation. It guarantees that our windows will not rot, rust, warp, pit, corrode or blister, and that our vinyl colors will remain true for the life of your home. Our Lifetime Warranty is non-prorated and is fully transferable. We also warrant all moving parts and the hermetically insulated seal against defects in materials or workmanship. Finally, we offer the ultimate in protection with a lifetime glass breakage rider for extra peace of mind. Ask your Soft-Lite representative for a copy of the warranty to review specific terms and conditions.



BARRINGTON AUTHORIZED DEALER



910 CROMWELL PARK DRIVE
GLEN BURNIE, MD 21061
TOLL FREE: 1-866-446-2846

WWW.WINDOWNATION.COM



Date of Agreement:
March 23, 2024
Customer ID: PR1409616
Sales: 866-446-2846
Service: 866-217-9582

PRODUCT SPECIFICATIONS

Buyer Address: Patrick Bianco 7631 Bendleton Dr Hudson, OH 44236	Buyer Contact Information: (330) 807-8299 Primary Mobile	Buyer Email Information: pbianco7631@gmail.com
--	--	--

Buyer(s) listed above hereby jointly and severally agrees to purchase the goods and/or services listed on the accompanying specification sheets, in accordance with the prices and terms described in the Custom Remodeling and Improvement and the Product Specifications (collectively, this "Agreement").

Windows - Barrington inclusions: Beveled exterior frame with drip-cap, Fusion welded frame and sashes, Limit lock on double hung windows, dual-fin wool pile weather stripping, cam-action lock, special formula uPVC, Certa-Force balance system on double hung window, Integral lift rail, Intercept stainless steel spacer, reinforced meeting rail and bottom sash rail, Dura-Sill engineered sloped sill, Soft-Seal straddle gasket, exterior custom capping, installation by a certified crew, clean up and haul away of all job related debris.

DO NOT SIGN THIS CONTRACT IF THERE ARE ANY BLANK SPACES.

It is agreed and understood by and between parties that the Product Specifications, along with the Custom Remodeling and Improvement Agreement, constitutes the entire understanding between the parties, and replaces any and all prior negotiations, representations, or agreements, either written or oral. The Product Specifications may not be changed, modified, or varied in any way (with exception that installation materials may be substituted with similar products when inventory shortages exist) unless such changes are in writing and signed by both Buyer(s) and Window Nation, LLC. Buyer(s) hereby acknowledge that Buyer(s) has read the Product Specifications.

I have read and received each page of this Product Specification.

Window Nation

Signature of Exterior Design Consultant

Daniel Marfeldi - License #: 2089965

Buyer(s)

Signature

YOU, THE BUYER(S), MAY CANCEL THIS TRANSACTION AT ANY TIME PRIOR TO MIDNIGHT OF THE THIRD BUSINESS DAY AFTER THE DATE OF THIS TRANSACTION. SEE THE ATTACHED NOTICE OF CANCELLATION FORM FOR AN EXPLANATION OF THIS RIGHT.


PRODUCT SPECIFICATIONS

Buyer Address: Patrick Bianco 7631 Bendleton Dr Hudson, OH 44236	Buyer Contact Information: (330) 807-8299 Primary Mobile	Buyer Email Information: pbianco7631@gmail.com
--	--	--

Work Order Details:


1 **Model: Barrington W:32.0" H: 60.0" Location: 1st Floor, Living Room Quantity: 3**

Style: Double Hung
Color: Interior White > Exterior White
Configuration: Standard Sash Configuration
Grids: No Grids
Glass: Extreme 2 Pane/Lowe & Argon > Standard > Not OBS
Screen: Flex Screen (Full)




2 **Model: Barrington W:32.0" H: 62.0" Location: 1st Floor, Family Room Quantity: 2**

Style: Double Hung
Color: Interior White > Exterior White
Configuration: Standard Sash Configuration
Glass: Extreme 2 Pane/Lowe & Argon > Standard > Not OBS
Grids: Full Grids > Match Base > Colonial > Flat Wide
Screen: Flex Screen (Full)




3 **Model: Barrington W:32.0" H: 62.0" Location: 1st Floor, Dining Room Quantity: 2**

Style: Double Hung
Color: Interior White > Exterior White
Configuration: Standard Sash Configuration
Grids: Full Grids > Match Base > Colonial > Flat Wide
Glass: Extreme 2 Pane/Lowe & Argon > Standard > Not OBS
Screen: Flex Screen (Full)



4 **Model: Barrington W:26.0" H: 37.0" Location: 1st Floor, Bathroom Quantity: 1**

Style: Double Hung
Color: Interior White > Exterior White
Configuration: Standard Sash Configuration
Grids: No Grids
Glass: Extreme 2 Pane/Lowe & Argon > Standard > Not OBS
Screen: Flex Screen (Full)




PRODUCT SPECIFICATIONS

Buyer Address: Patrick Bianco 7631 Bendleton Dr Hudson, OH 44236	Buyer Contact Information: (330) 807-8299 Primary Mobile	Buyer Email Information: pbianco7631@gmail.com
--	--	--

Work Order Details:


5 **Model: Barrington W:31.0" H: 60.0" Location: 1st Floor, Office Quantity: 1**

Style: Double Hung
Color: Interior White > Exterior White
Configuration: Standard Sash Configuration
Grids: No Grids
Glass: Extreme 2 Pane/Lowe & Argon > Standard > Not OBS
Screen: Flex Screen (Full)




6 **Model: Barrington W:30.0" H: 45.0" Location: 2nd Floor, Bedroom Quantity: 1**

Style: Double Hung
Color: Interior White > Exterior White
Configuration: Standard Sash Configuration
Grids: Full Grids > Match Base > Colonial > Flat Wide
Glass: Extreme 2 Pane/Lowe & Argon > Standard > Not OBS
Screen: Flex Screen (Full)




7 **Model: Barrington W:18.0" H: 45.0" Location: 2nd Floor, Bedroom Quantity: 2**

Style: Double Hung
Color: Interior White > Exterior White
Configuration: Standard Sash Configuration
Grids: Full Grids > Match Base > Colonial > Flat Wide
Glass: Extreme 2 Pane/Lowe & Argon > Standard > Not OBS
Screen: Flex Screen (Full)



8 **Model: Barrington W:30.0" H: 46.0" Location: 2nd Floor, Bedroom Owner Quantity: 2**

Style: Double Hung
Color: Interior White > Exterior White
Configuration: Standard Sash Configuration
Grids: Full Grids > Match Base > Colonial > Flat Wide
Glass: Extreme 2 Pane/Lowe & Argon > Standard > Not OBS
Screen: Flex Screen (Full)




PRODUCT SPECIFICATIONS

Buyer Address: Patrick Bianco 7631 Bendleton Dr Hudson, OH 44236	Buyer Contact Information: (330) 807-8299 Primary Mobile	Buyer Email Information: pbianco7631@gmail.com
--	--	--

Work Order Details:


9 **Model: Barrington W:28.0" H: 46.0" Location: 2nd Floor, Bathroom Owner Quantity: 1**

Style: Double Hung
Color: Interior White > Exterior White
Configuration: Standard Sash Configuration
Grids: No Grids
Glass: Extreme 2 Pane/Lowe & Argon > Tempered Full > Not OBS
Screen: Flex Screen (Full)




10 **Model: Barrington W:32.0" H: 46.0" Location: 2nd Floor, Bedroom Quantity: 2**

Style: Double Hung
Color: Interior White > Exterior White
Configuration: Standard Sash Configuration
Grids: Full Grids > Match Base > Colonial > Flat Wide
Glass: Extreme 2 Pane/Lowe & Argon > Standard > Not OBS
Screen: Flex Screen (Full)



11 **Model: Barrington W:32.0" H: 45.0" Location: 1st Floor, Bedroom Quantity: 1**

Style: Double Hung
Color: Interior White > Exterior White
Configuration: Standard Sash Configuration
Grids: No Grids
Glass: Extreme 2 Pane/Lowe & Argon > Standard > Not OBS
Screen: Flex Screen (Full)



Additional Items:

4350 Renaissance Parkway
Warrensville Heights, OH 44128
License #: 2089965



Date of Agreement:
March 23, 2024
Customer ID: PR1409616
Sales: 866-446-2846
Service: 866-217-9582

PRODUCT SPECIFICATIONS

Buyer Address: Patrick Bianco 7631 Bendleton Dr Hudson, OH 44236	Buyer Contact Information: (330) 807-8299 Primary Mobile	Buyer Email Information: pbianco7631@gmail.com
--	--	--

Special Instructions:

Grids on front elevation

Installation Details:

Window Removal Type: Wood Exterior Trim: G8 Exterior Trim Color: Glacier White Sealant: OSI Quad Max Insulation Around Window: OSI Quad Foam Clean Up and Haul Away: Yes	Additional products needed in the future: No Customer agrees to allow Window Nation to post a yard sign until 30 days after install: Yes Year house was built: 1992 EPA Lead Containment Required: No EPA Lead Testing Required: No HOA Approval Required: No
---	--



Date of Agreement:
 March 23, 2024
 Customer ID: PR1409616
 Sales: 866-446-2846
 Service: 866-217-9582

CUSTOM REMODELING AND IMPROVEMENT AGREEMENT

Buyer Address: Patrick Bianco 7631 Bendleton Dr Hudson, OH 44236	Buyer Contact Information: (330) 807-8299 Primary Mobile	Buyer Email Information: pbianco7631@gmail.com
--	--	--

Buyer(s) listed above hereby jointly and severally agrees to purchase the goods and/or services of Window Nation, LLC. ("Contractor") in accordance with the prices and terms described in this document and the Product Specifications, which are incorporated as part of the Agreement (collectively, this "Agreement"). This Agreement represents a cash sale of goods and services. Buyer(s) agrees to pay the cost of the goods and services purchased as described herein, regardless of timing or approval of any financing Buyer(s) may seek for their purchase.

<table style="width: 100%; border-collapse: collapse;"> <tr><td>Sale Total</td><td align="right">\$14,791</td></tr> <tr><td>Setup & Disposal Fee</td><td align="right">\$249</td></tr> <tr><td>Permit Administration</td><td align="right">\$100</td></tr> <tr><td>Total Sale Price</td><td align="right">\$15,140</td></tr> <tr><td>Sales Tax (0.0%)</td><td align="right">\$0</td></tr> <tr><td>Total Amount Due</td><td align="right">\$15,140</td></tr> <tr><td>Down Payment</td><td align="right">\$5,200</td></tr> <tr><td>Down Payment Type</td><td align="right">Check - 5192</td></tr> <tr><td>Balance Due</td><td align="right">\$9,940</td></tr> <tr><td>Amount Financed</td><td align="right">\$0</td></tr> <tr><td>COD (Payable at time of install)</td><td align="right">\$9,940</td></tr> </table>	Sale Total	\$14,791	Setup & Disposal Fee	\$249	Permit Administration	\$100	Total Sale Price	\$15,140	Sales Tax (0.0%)	\$0	Total Amount Due	\$15,140	Down Payment	\$5,200	Down Payment Type	Check - 5192	Balance Due	\$9,940	Amount Financed	\$0	COD (Payable at time of install)	\$9,940	<p align="center">Estimate Project Start: 6-8 Weeks Estimate Project Finish: 1 to 3 days after start</p> <p>Buyer(s) acknowledge that definite start and completion dates are NOT of the essence. Delays beyond Contractors control not included in calculating timeframes. See Section 6 of the Terms and Conditions.</p>
Sale Total	\$14,791																						
Setup & Disposal Fee	\$249																						
Permit Administration	\$100																						
Total Sale Price	\$15,140																						
Sales Tax (0.0%)	\$0																						
Total Amount Due	\$15,140																						
Down Payment	\$5,200																						
Down Payment Type	Check - 5192																						
Balance Due	\$9,940																						
Amount Financed	\$0																						
COD (Payable at time of install)	\$9,940																						

This Agreement constitutes the entire agreement and understanding between the parties, and this Agreement replaces any and all prior negotiations, representations, or agreements, either written or oral. No amendment, modification or waiver of this Agreement shall be valid or effective unless in writing and signed by both parties. Buyer(s) hereby acknowledge that Buyer(s) 1) has read the entire Agreement and has received a completed, signed, and dated copy of this Agreement, including the two accompanying Notice of Cancellation forms, on the date first written above and 2) was orally informed of his/her right to cancel this transaction.

Buyer(s) also agrees and understands that if Buyer(s) finance the work with a third-party, the terms of that financing will be contained on separate documents, including any finance charge. Price includes all discounts and promotions.

I have read and received each page of this Agreement.

Window Nation

Buyer(s)

 Signature of Exterior Design Consultant

 Signature

Daniel Marfeldi - License #: 2089965

YOU, THE BUYER(S), MAY CANCEL THIS TRANSACTION AT ANY TIME PRIOR TO MIDNIGHT OF THE THIRD BUSINESS DAY AFTER THE DATE OF THIS TRANSACTION. SEE THE ATTACHED NOTICE OF CANCELLATION FORM FOR AN EXPLANATION OF THIS RIGHT.



Dealer Quotation - Quote 556799

10250 Philipp Pkwy
 Streetsboro, OH 44241
www.soft-lite.com

Phone: (330) 528 3400
 Fax: (330) 528 3501


QUOTE EXPIRES
 30 DAYS FROM
 REQUESTED

Bid For
WINDOW NATION - CLE DELIVERY 1910 SUMMIT COMMERCE PARKWAY TWINSBURG, OH 44087 Business: 410 766 8488 Fax:

Shipping Address
1910 SUMMIT COMMERCE PARKWAY TWINSBURG, OH 44087 Quote Name: Unassigned Quote

Customer Number	PO	Required Date	Quoted By
714460	PRJ393741 BIANCO	4/3/2024	hbissell

Line	Qty	Description	Each	Total
10-1	3	BAR Double Hung Double Hung 31.375 x 61.25	XXXX	XXXX



NFRC Values

U-FACTOR	SHGC
0.29	0.38
VT	CR
0.53	60

Viewed from Inside
 Base Color = Soft-Lite White
 Full Flex Screen Bettervue
 Sill Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Install Note = Yes
 IFR LIVING/BACK
 Reinforced Sash = Y
 Double Locks = Y
 Glass Package = Lowe NEZ
 Argon Gas
 Stainless Spacer
 Single Strength

Comment


None Assigned

Breakdown

Base Price	XXXX
Upper Sash GLASS.PKG.KP	XXXX
Lower Sash GLASS.PKG.LK	XXXX
SASH.REINFORCED	XXXX
SCREEN.FULL	XXXX
Upper Sash GLASS.SPACER.KP	XXXX
Lower Sash GLASS.SPACER.LK	XXXX

Customer Number	PO	Required Date	Quoted By
714460	PRJ393741 BIANCO	1/1/0001	hbissell

Line	Qty	Description	Each	Total
20-1	2	BAR Double Hung Double Hung 31.375 x 61.25	XXXX	XXXX



NFRC Values

U-FACTOR	SHGC
0.29	0.26
VT	CR
0.47	60

Viewed from Inside
 Base Color = Soft-Lite White
 Full Flex Screen Bettervue
 Sill Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Install Note = Yes
 IFR FAMILY/FRNT
 Reinforced Sash = Y
 Double Locks = Y
 Flat
 Colonial
 Grid Color = Soft-Lite White
 2W1H
 Glass Package = Lowe & Argon
 Argon Gas
 Stainless Spacer
 Single Strength


Comment

None Assigned

Breakdown

Base Price	XXXX
Upper Sash GLASS.PKG.KP	XXXX
Lower Sash GLASS.PKG.LK	XXXX
SASH.REINFORCED	XXXX
SCREEN.FULL	XXXX
Upper Sash GLASS.SPACER.KP	XXXX
Lower Sash GLASS.SPACER.LK	XXXX
Upper Sash GRID.TYPE.KP	XXXX
Lower Sash GRID.TYPE.LK	XXXX

Line	Qty	Description	Each	Total
30-1	2	BAR Double Hung Double Hung 31.375 x 61.25	XXXX	XXXX



NFRC Values

U-FACTOR	SHGC
0.29	0.26
VT	CR
0.47	60

Viewed from Inside
 Base Color = Soft-Lite White
 Full Flex Screen Bettervue
 Sill Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Install Note = Yes
 IFR DINING/FRNT
 Reinforced Sash = Y
 Double Locks = Y
 Flat
 Colonial
 Grid Color = Soft-Lite White
 2W1H
 Glass Package = Lowe & Argon
 Argon Gas
 Stainless Spacer
 Single Strength

Comment


None Assigned

Breakdown

Base Price	XXXX
Upper Sash GLASS.PKG.KP	XXXX
Lower Sash GLASS.PKG.LK	XXXX
SASH.REINFORCED	XXXX
SCREEN.FULL	XXXX
Upper Sash GLASS.SPACER.KP	XXXX
Lower Sash GLASS.SPACER.LK	XXXX
Upper Sash GRID.TYPE.KP	XXXX
Lower Sash GRID.TYPE.LK	XXXX

Customer Number	PO	Required Date	Quoted By
714460	PRJ393741 BIANCO	1/1/0001	hbissell

Line	Qty	Description	Each	Total
40-1	1	BAR Double Hung Double Hung 27.375 x 37.25	\$	



NFRC Values

U-FACTOR	SHGC
0.29	0.38
VT	CR
0.53	60

Viewed from Inside
 Base Color = Soft-Lite White
 Full Flex Screen Bettervue
 Sill Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Install Note = Yes
 IFLR HALF BATH
 Reinforced Sash = Y
 Double Locks = Y
 Glass Package = Lowe NEZ
 Argon Gas
 Stainless Spacer
 Single Strength


Comment

None Assigned

Breakdown

Base Price	
Upper Sash GLASS.PKG.KP	
Lower Sash GLASS.PKG.LK	
SASH.REINFORCED	
SCREEN.FULL	
Upper Sash GLASS.SPACER.KP	
Lower Sash GLASS.SPACER.LK	

Line	Qty	Description	Each	Total
50-1	1	BAR Double Hung Double Hung 31.375 x 61.25		



NFRC Values

U-FACTOR	SHGC
0.29	0.38
VT	CR
0.53	60

Viewed from Inside
 Base Color = Soft-Lite White
 Full Flex Screen Bettervue
 Sill Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Install Note = Yes
 IFR OFFICE/BACK
 Reinforced Sash = Y
 Double Locks = Y
 Glass Package = Lowe NEZ
 Argon Gas
 Stainless Spacer
 Single Strength

Comment


None Assigned

Breakdown

Base Price	
Upper Sash GLASS.PKG.KP	
Lower Sash GLASS.PKG.LK	
SASH.REINFORCED	
SCREEN.FULL	
Upper Sash GLASS.SPACER.KP	
Lower Sash GLASS.SPACER.LK	

Customer Number	PO	Required Date	Quoted By
714460	PRJ393741 BIANCO	1/1/0001	hbissell

Line	Qty	Description	Each	Total
60-1	1	BAR Double Hung Double Hung 31.375 x 45.25	XXXXXX	XXXXXX



NFRC Values

U-FACTOR	SHGC
0.29	0.26
VT	CR
0.47	60

Viewed from Inside
 Base Color = Soft-Lite White
 Full Flex Screen Bettervue
 Sill Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Install Note = Yes
 FRNT MID BED
 Reinforced Sash = Y
 Double Locks = Y
 Flat
 Colonial
 Grid Color = Soft-Lite White
 2W1H
 Glass Package = Lowe & Argon
 Argon Gas
 Stainless Spacer
 Single Strength


Comment

None Assigned

Breakdown

Base Price	XXXXXX
Upper Sash GLASS.PKG.KP	XXXXXX
Lower Sash GLASS.PKG.LK	XXXXXX
SASH.REINFORCED	XXXXXX
SCREEN.FULL	XXXXXX
Upper Sash GLASS.SPACER.KP	XXXXXX
Lower Sash GLASS.SPACER.LK	XXXXXX
Upper Sash GRID.TYPE.KP	XXXXXX
Lower Sash GRID.TYPE.LK	XXXXXX

Line	Qty	Description	Each	Total
70-1	2	BAR Double Hung Double Hung 19.375 x 45.25	XXXXXX	XXXXXX



NFRC Values

U-FACTOR	SHGC
0.29	0.26
VT	CR
0.47	60

Viewed from Inside
 Base Color = Soft-Lite White
 Full Flex Screen Bettervue
 Sill Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Install Note = Yes
 FRNT MID BED
 Reinforced Sash = Y
 Flat
 Colonial
 Grid Color = Soft-Lite White
 1W1H
 Glass Package = Lowe & Argon
 Argon Gas
 Stainless Spacer
 Single Strength

Comment


None Assigned

Breakdown

Base Price	XXXXXX
Upper Sash GLASS.PKG.KP	XXXXXX
Lower Sash GLASS.PKG.LK	XXXXXX
SASH.REINFORCED	XXXXXX
SCREEN.FULL	XXXXXX
Upper Sash GLASS.SPACER.KP	XXXXXX
Lower Sash GLASS.SPACER.LK	XXXXXX
Upper Sash GRID.TYPE.KP	XXXXXX
Lower Sash GRID.TYPE.LK	XXXXXX

Customer Number	PO	Required Date	Quoted By
714460	PRJ393741 BIANCO	1/1/0001	hbissell

Line	Qty	Description	Each	Total
80-1	2	BAR Double Hung Double Hung 31.375 x 45.25	XXXXXX	XXXXXX



NFRC Values

U-FACTOR	SHGC
0.29	0.26
VT	CR
0.47	60

Viewed from Inside
 Base Color = Soft-Lite White
 Full Flex Screen Bettervue
 Sill Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Install Note = Yes
 2FLR OWNERS BED
 Reinforced Sash = Y
 Double Locks = Y
 Flat
 Colonial
 Grid Color = Soft-Lite White
 2W1H
 Glass Package = Lowe & Argon
 Argon Gas
 Stainless Spacer
 Single Strength


Comment

None Assigned

Breakdown

Base Price	XXXXXX
Upper Sash GLASS.PKG.KP	XXXXXX
Lower Sash GLASS.PKG.LK	XXXXXX
SASH.REINFORCED	XXXXXX
SCREEN.FULL	XXXXXX
Upper Sash GLASS.SPACER.KP	XXXXXX
Lower Sash GLASS.SPACER.LK	XXXXXX
Upper Sash GRID.TYPE.KP	XXXXXX
Lower Sash GRID.TYPE.LK	XXXXXX

Line	Qty	Description	Each	Total
90-1	1	BAR Double Hung Double Hung 27.375 x 37.25	XXXXXX	XXXXXX



NFRC Values

U-FACTOR	SHGC
0.29	0.28
VT	CR
0.52	59

Viewed from Inside
 Base Color = Soft-Lite White
 Full Flex Screen Bettervue
 Sill Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Install Note = Yes
 2FR OWNERS BATH
 Reinforced Sash = Y
 Double Locks = Y
 Glass Package = Lowe & Argon
 Tempered = Yes
 Argon Gas
 Stainless Spacer
 Double Strength

Comment


None Assigned

Breakdown

Base Price	XXXXXX
Upper Sash GLASS.PKG.KP	XXXXXX
Lower Sash GLASS.PKG.LK	XXXXXX
SASH.REINFORCED	XXXXXX
SCREEN.FULL	XXXXXX
Upper Sash GLASS.SPACER.KP	XXXXXX
Lower Sash GLASS.SPACER.LK	XXXXXX

Customer Number	PO	Required Date	Quoted By
714460	PRJ393741 BIANCO	1/1/0001	hbissell

Line	Qty	Description	Each	Total
100-1	2	BAR Double Hung Double Hung 31.375 x 45.25	XXXXXX	XXXXXX



NFRC Values

U-FACTOR	SHGC
0.29	0.26
VT	CR
0.47	60

Viewed from Inside
 Base Color = Soft-Lite White
 Full Flex Screen Bettervue
 Sill Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Install Note = Yes
 FRNT CORNER BED
 Reinforced Sash = Y
 Double Locks = Y
 Flat
 Colonial
 Grid Color = Soft-Lite White
 2W1H
 Glass Package = Lowe & Argon
 Argon Gas
 Stainless Spacer
 Single Strength


Comment

None Assigned

Breakdown

Base Price	XXXXXX
Upper Sash GLASS.PKG.KP	XXXXXX
Lower Sash GLASS.PKG.LK	XXXXXX
SASH.REINFORCED	XXXXXX
SCREEN.FULL	XXXXXX
Upper Sash GLASS.SPACER.KP	XXXXXX
Lower Sash GLASS.SPACER.LK	XXXXXX
Upper Sash GRID.TYPE.KP	XXXXXX
Lower Sash GRID.TYPE.LK	XXXXXX

Line	Qty	Description	Each	Total
110-1	1	BAR Double Hung Double Hung 31.375 x 45.25	\$XXXXXX	XXXXXX



NFRC Values

U-FACTOR	SHGC
0.29	0.38
VT	CR
0.53	60

Viewed from Inside
 Base Color = Soft-Lite White
 Full Flex Screen Bettervue
 Sill Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Install Note = Yes
 BACK CORNER BED
 Reinforced Sash = Y
 Double Locks = Y
 Glass Package = Lowe NEZ
 Argon Gas
 Stainless Spacer
 Single Strength

Comment

None Assigned

Breakdown

Base Price	XXXXXX
Upper Sash GLASS.PKG.KP	XXXXXX
Lower Sash GLASS.PKG.LK	XXXXXX
SASH.REINFORCED	XXXXXX
SCREEN.FULL	XXXXXX
Upper Sash GLASS.SPACER.KP	XXXXXX
Lower Sash GLASS.SPACER.LK	XXXXXX

Total Qty: 18	Total Material	+	EMI	+	Processing	+	7.00 % Tax	=	Total
----------------------	-----------------------	---	------------	---	-------------------	---	-------------------	---	--------------

M&I Labor: \$XXXXXX XXXXXX XXXXXX XXXXXX XXXXXX