


From: Donna Devine <donna_devine@gunton.com>
Sent: Tuesday, December 15, 2020 2:28 PM
To: Schrenk, Alicia
Subject: RE: 20-946: 172 Aurora Street

Grids will be Aluminum on the exterior and wood interior in the Ogee profile as shown below.

Clad +50/-50 +55/-60 411-H-1478 FL17769



Click to view Impact-Resistant Section

[Double-Hung Downloadable PDF](#)




Architect Series® Traditional Hung Window

Grille Profiles

Integral Light Technology®


Putty and Ogee Glaze Grilles
Clad Exterior - Wood Interior




Putty and Ogee Glaze Grilles
Wood Exterior - Wood Interior




Ogee Glaze Grilles
Clad Exterior - Wood Interior



Contoured Aluminum -
Grilles-Between-the-Glass



Removable Interior Pine Grilles





Office Order Copy

Branch Number: 75900
Window Store Name: Pella Window and Door
Showroom of Akron

Order Number: 759BDH226
Quote Number: 13066344
Quote Description: David Adams - 172 Aurora St, Hudson, OH, US 44236
Project Name: David Adams - 172 Aurora St, Hudson, OH, US 44236

Customer Information	Deliver To Address	Order Information	
<p>David Adams 172 Aurora St</p> <p>HUDSON, OH 44236-2943</p> <p>Contact Name:</p> <p>Primary Phone: (330) 6509537</p> <p>Mobile Phone:</p> <p>Fax Number:</p> <p>E-Mail: d.adams@csuohio.edu</p> <p>Great Plains #: 1005837921</p> <p>Customer ID: 18410078</p> <p>Customer Number: 1009689119</p> <p>Customer Account: 1005837921</p>	<p>Lot #</p> <p>Address: 172 Aurora St</p> <p>Hudson, OH 44236</p> <p>County:</p> <p>Owner Name: David Adams</p> <p>Owner Phone: (330) 6509537</p>	<p>Sales Rep Name: Johnson, Mark</p> <p>Business Segment: Retail</p> <p>Market Segment: Single Family Replacement</p> <p>Order Type: Installed Sales</p> <p>Effective Discount: 7.422%</p> <p>Commission Split: Johnson, Mark - 100%</p> <p>Payment Terms: Install</p> <p>Event #: 16732400</p> <p>Order Verifier Name: None</p> <p>Scheduled Install Start Date: 11/11/2020</p> <p>Install Crew: Bellini, Ben A - Camelot Construction</p> <p>Install Duration: .5 DAY</p>	<p>Cust Delivery Date: 10/19/2020</p> <p>Quoted Date: 9/1/2020</p> <p>Contract Date: 9/27/2020</p> <p>Booked Date: 09/28/2020</p> <p>Earliest LRD:</p> <p>Tax Code: OHINSTALL</p> <p>Tax Exempt #:</p> <p>Customer PO #: CC</p> <p>Order Verification Date:</p> <p>Scheduled Install End Date: 11/11/2020</p> <p>Install Status: Reserved</p>

Line #	Quote Qty	PO Qty	Description
--------	-----------	--------	-------------

1 1 0 Pre 1978 LEAD


Location:
 Rough Opening: 0" X 0"
 Frame Size:
 Final Wall Depth:
 Frame Perimeter (inches):
 Assembly Type: Manual Line
 Last Revision Date:

Line #	Quote Qty	PO Qty	Description
--------	-----------	--------	-------------

2 1 0 * White coil and caulk

Location:
 Rough Opening: 0" X 0"
 Frame Size:
 Final Wall Depth:
 Frame Perimeter (inches):
 Assembly Type: Manual Line
 Last Revision Date:

Outside View	Line #	Quote Qty	PO Qty	Description
--------------	--------	-----------	--------	-------------



20 1 1 Architect, Traditional, Replacement Double Hung, 34 X 61.5. White

Location: entry west
 Rough Opening: 34.5" X 62"
 Frame Size: 34" X 62.2343"
 Final Wall Depth:
 Frame Perimeter (inches): 191
 Assembly Type: Branch Finished
 Last Revision Date:

1: Traditional, Non-Standard Size Double Hung, Equal
 Frame Size: 34 X 61 1/2
 General Information: Standard, Style, Clad, Pine, 4 3/4", 3 1/4", No Certification
 Exterior Color / Finish: Painted, Standard Enduraclad, White
 Interior Color / Finish: Unfinished Interior
 Sash / Panel: Ogee, Ogee, Standard, No Sash Lugs
 Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
 Hardware Options: Spoon-Style Lock, Antique Brass, No Window Opening Control Device, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor
 Screen: Full Screen, Standard EnduraClad, White, Standard, InView™
 Performance Information: U-Factor 0.30, SHGC 0.25, VLT 0.47, CPD PEL-N-233-00255-00001, Performance Class CW, PG 50, Calculated

Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 08|11,
 Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)
Grille: ILT, No Custom Grille, 7/8", Traditional (3W2H / 3W2H), Ogee, Ogee
Wrapping Information: No Exterior Trim, Pella Recommended Clearance,
 Perimeter Length = 191".

Shop Notes: * Remove exterior stops and install out to in

Line #	Quote Qty	PO Qty	Description
25	2	2	0CSMAB00 - AS (Model 3, 5, 6) Spoon Lock/Strike, Antiaue Brass
Location: spoon lock/strike			
Rough Opening:			
Frame Size:			
Final Wall Depth:			
Frame Perimeter (inches):			
Assembly Type: Pella Catalog			
Last Revision Date:			

Line #	Quote Qty	PO Qty	Description
35	1	0	INSTALL - INSTALLATION LABOR
Location: None Assigned			
Rough Opening:			
Frame Size:			
Final Wall Depth:			
Frame Perimeter (inches):			
Assembly Type: Branch Catalog			
Last Revision Date:			

Line #	Quote Qty	PO Qty	Description
40	1	0	INSTALL LSWP - LEAD SAFE WORK PRACTICE INSTALLATION LABOR
Location: None Assigned			
Rough Opening:			
Frame Size:			







