



PAINT SPECS

	PNC BLUE PAINT ON TRIM
	"OFF WHITE" PAINT FOR MASONRY

PAINT FASCIA & UNDERSIDE OF ROOF PNC BLUE

PAINT ALL EXISTING GREEN WINDOW TRIM PNC BLUE, TYP.


PAINT ALL MASONRY "OFF WHITE" WITH ELASTOMERIC PAINT

REPLACE EXISTING WINDOWS WITH WHITE
REPLACEMENT WINDOWS WITH WHITE
MULLIONS TO MATCH EXISTING APPEARANCE

EXISTING PNC SIGN AND LIGHTS TO REMAIN




Pella Impervia double hung windows with mutton pattern to match existing.



Type A Window
16 windows

Type B Window
6 windows



Type C Window
3 windows

Type D Window
1 window



TYPE A WINDOWS

TYPE D WINDOW

TYPE A WINDOWS

TYPE B WINDOW

Proposed West / South Facade



TYPE A WINDOWS

TYPE D WINDOW

TYPE A WINDOWS

TYPE A WINDOWS

Proposed North / West Facade



TYPE A WINDOW

TYPE C WINDOWS

Proposed North Facade



TYPE A WINDOWS

TYPE A WINDOWS

Proposed North / East Facade



TYPE B WINDOWS

Proposed South Facade



Existing Window




FREE

Reverso en Español



PELLA® IMPERVIA®

FIBERGLASS WINDOWS AND SLIDING PATIO DOORS



AVAILABLE AT





Pella® windows and doors at Lowe's.

Two brands you can trust – combining more than 150 years of dedication to home improvement excellence. We're committed to delivering the best products and the best experience possible to create better homes for better living.

Design a home you'll love for years to come.
Pella and Lowe's are here to help.



+



Simple. Innovative. Inspiring.



Whether your goal is to reduce heating and cooling costs, help eliminate drafts, improve your home's weather resistance and beauty, or increase your comfort, the information in this guide will help you find the Pella Impervia products to meet your needs.

FIVE EASY STEPS: That's all it takes to select the right Pella Impervia fiberglass window or patio door to fit your needs.

STEP 1: Pick your window or patio door style **PAGE 7**

STEP 2: Select your glass **PAGE 8**

STEP 3: Choose your frame colors **PAGE 9**

STEP 4: Select your hardware **PAGE 10**

STEP 5: Personalize with additional options **PAGE 11**





What makes Pella® Impervia® fiberglass windows

Exceptional performance in extreme weather conditions.

Made from Duracast® fiberglass composite, so they're exceptionally strong and durable.

Withstands high heat and subzero cold.

Duracast material – Pella's patented, five-layer, engineered fiberglass composite – is ideally suited for all climates.



A more stylish look.

You'll love their quality appearance.

They arrive prefinished with an attractive powder-coat paint finish.


Beautifully complements your home.

- Available in your choice of White, Tan, Morning Sky Gray, Brown or Black.
- Optional dual-color frames to complement your home inside and out.



Pella Impervia
White casement window
with color-matched hardware.

and patio doors better?



Excellent insulating properties keep you more comfortable.



ENERGY STAR® performance. Pella® Impervia® fiberglass products offer the energy-efficient options that will meet or exceed ENERGY STAR certification in all 50 states.

- For a typical home, when replacing single-pane windows with ENERGY STAR certified windows, you can save, on average, \$101 to \$583 per year.*
- You'll enjoy a more comfortable home year round.
- Choose optional foam-insulated frames to further improve energy efficiency in extreme climates.



You'll enjoy peace of mind and beauty that endures.

Keeps looking great for years.

Duracast® engineered fiberglass composite offers you superior durability, weather resistance, beauty and style. A great fit for most any home.

Low-maintenance finish.

The interior and exterior of your Pella Impervia windows and patio doors will look great for years.

Backed by one of the best warranties in the business.

The Pella Impervia limited lifetime warranty.

Always read the Pella limited warranties before purchasing or installing Pella products. See written limited warranty for details, including exceptions and limitations, at PellaAtLowes.com/support, or contact Pella Customer Service at 866-597-3552.




* Ranges are based on the average savings among homes in modeled cities. Actual savings will vary based on local climate conditions, utility rates and individual home characteristics. For more information on the benefits of ENERGY STAR certified windows and doors, go to energystar.gov/index.cfm?c=windows_doors_pr_benefits.

Replace. Remodel. New construction.


Yes, there's a Pella® Impervia® fiberglass window and patio door solution.

What makes a window or door suited for a particular type of project? The type of frame it has. Pella Impervia fiberglass windows and patio doors are a great fit. They're available with a variety of frames to help ensure a smooth installation into most any opening.



Replace.

Replacing your old, drafty windows and doors is easy with Pella Impervia fiberglass products. Windows with a pocket replacement frame fit neatly into your old window frame and install in about an hour. Getting a precise fit has never been easier with standard-size windows or made-to-order options in 1/4-inch increments.



Remodel.

Adding new Pella Impervia fiberglass windows or patio doors enhances the beauty of your room with natural light. A complete line of window and patio door styles is available – so your new space will seamlessly complement the rest of your home.



New construction.

Building a new house? Pella has a full product offering of Pella Impervia fiberglass window styles to enhance your home's design – including Special Shape windows such as circlehead windows that add architectural interest and natural light. A Pella Impervia fiberglass sliding patio door completes the look.

The five steps to selecting your Pella® Impervia® window or patio door.


1 Pick your window or patio door style.

Page 7




2 Select your glass.

Page 8



3 Choose your frame colors.

Page 9



4 Select your hardware.

Page 10




5 Personalize with additional options.

Pages 11 - 12



Grilles



Dual-Color Frames



Screens*

* ⚠ WARNING: Screen will not stop child or pet from falling out of window or door. Keep child or pet away from open window or door.

1 Pick your window or patio door style.

Pella® Impervia® fiberglass window options.

A full product line ensures you will have the right style to complement your home.




DOUBLE-HUNG
Page 13



SINGLE-HUNG
Page 13



CASEMENT
Page 14



AWNING
Page 14



SLIDING
Page 15



FIXED
Page 16




SPECIAL SHAPE
Page 16



BAY AND BOW
Page 17

Pella Impervia fiberglass sliding patio doors.



SLIDING DOORS
Page 18



Pella Impervia White sliding patio door with color-matched hardware.

2 Select your glass.


Comfort in. Weather out.

Pella® products offer exceptional energy-efficient performance wherever you live.



Low-E Glass Collection¹

Energy performance. Pella's InsulShield® Low-E Glass Collection features our most innovative and energy-saving choices designed for your specific needs. Whatever your climate, we make it easy to choose the glass that's just right for you.



NaturalSun
Low-E Insulating
Glass with Argon²



AdvancedComfort
Low-E Insulating
Glass with Argon²



Advanced Low-E
Insulating Glass
with Argon²



SunDefense™
Low-E Insulating
Glass with Argon²



COLD

Best Use: Cold climates like far northern U.S. Allows the sun's heat to flow in and warm your home, while providing excellent insulation from the cold.

Best Use: Northern U.S. climates. Unique Low-E technology delivers balanced insulation for colder winters and moderate summers.

Best Use: Many U.S. climates. Unique Low-E technology delivers balanced insulation for cold winters and hot summers.

HOT

Best Use: Very hot, sunny climates. Allows in visible light and provides a clear view, while helping to block the heat of the sun.

ADDITIONAL ENERGY-EFFICIENT GLASS OPTIONS¹ FOR YOUR SPECIFIC NEEDS

Privacy

Obscure insulating glass is ideal for intimate spaces such as the bathroom or bedroom. The textured surface lets the sun shine in while obscuring the view.

Safety

Tempered glass is four times stronger than regular glass, and if the glass fractures, it will break into very small particles, not sharp pieces.

See pages 19 - 20 to view the glass options available for each product.

Pella Impervia® products offer the energy-efficient options that will meet or exceed ENERGY STAR® certification in all 50 states.



¹ Glass options can be upgraded to offer the benefits of our InsulShield Low-E Glass Collection. Glass options may vary per product. See specific product information for availability.

² Optional high-altitude InsulShield Low-E insulating glass does not contain argon in most products. Please see your local Pella sales representative for more information.

3 Choose your frame colors.

Pella® Impervia® fiberglass windows and patio doors are available in colors that blend beautifully inside your home and out. White, Tan, Morning Sky Gray, Brown or Black nicely complements both your home's interior and exterior finishes.


White Interior



Brown Exterior



OPTIONAL DUAL-COLOR FRAME. White on the interior and Tan, Morning Sky Gray, Brown or Black on the exterior to complement your home inside and out. Pella Impervia products feature a durable powder-coat paint finish.



White



Tan



Morning Sky Gray



Brown



Black

NOTES: Because we're always working to further refine our products and develop new ones, specifications may change without notice. Actual products may vary slightly from illustrations and photos. Because of printing limitations, actual colors may vary from those shown.

4 Select your hardware.

Available finishes.

Pella® Impervia® window and patio door hardware styles are available in White (standard), Tan, Morning Sky Gray, Brown, Black, Bright Brass, Satin Nickel and Oil-Rubbed Bronze finishes. Antique Brass and Chrome finishes are available on sliding patio doors only. Exterior hardware finishes match the frame color.



White



Tan



Morning Sky Gray



Brown



Black



Bright Brass



Satin Nickel



Oil-Rubbed Bronze



Antique Brass



Chrome

(sliding patio doors only)

Hardware styles.



FOLD-AWAY CRANK

The casement and awning window crank folds neatly out of the way so it won't interfere with roomside window treatments.




CAM-ACTION LOCK

Pulls the sashes on double-hung, single-hung and sliding windows against the weatherstripping.



SLIDING PATIO DOOR HANDLE

ADDITIONAL PATIO DOOR HARDWARE



EXTERIOR KEYLOCK

Patio door handles that require a key to unlock from the exterior provide a secure exterior entry point.



FOOTBOLT

Holds door open about 3 inches for ventilation.

5 Personalize with additional options.

Grilles-between-the-glass.¹


Aluminum grilles are permanently installed between two panes of glass so they're protected from dust – providing a smooth glass surface that's easy to clean.




Pella® Impervia® White double-hung and awning windows with Traditional grilles-between-the-glass.



White



Tan



Morning Sky Gray



Brown




Black


Grilles-between-the-glass, with a 3/4-inch contour profile, will match the color of your window or patio door frame. If you choose a dual-color frame, your grilles will also be dual-color to match – White on the interior and Tan, Morning Sky Gray, Brown or Black on the exterior.

Grille patterns.


Pella offers an attractive variety of grille patterns for the look of individual windowpanes.




Traditional





6-Lite Prairie²



9-Lite Prairie



Top Row



Custom
(equally divided)

Additional patterns available.



Conventional Screen

InView Screen

Bring more of the outdoors in.

Conventional fiberglass screen³ comes standard. Optional InView™ window screens are clearer than conventional fiberglass screens. They improve your view, let in 14% more light and are 8% more open, which increases airflow.⁴

¹ Appearance of exterior grille color may vary depending on the Low-E insulating glass selection.

² Available on sliding windows and sliding patio doors.


³ ⚠ WARNING: Screen will not stop child or pet from falling out of window or door. Keep child or pet away from open window or door.

⁴ Increased airflow is based on calculated screen cloth openness. Screen cloth transmittance was measured using an integrated sphere spectrophotometer.

Double- and Single-Hung Windows



Pella® Impervia® White double-hung window with Traditional grilles-between-the-glass.



DOUBLE-HUNG WINDOWS

For improved ventilation – both upper and lower sashes open and tilt for easy cleaning.



SINGLE-HUNG WINDOWS

The lower sash can be raised to let the breeze in.

Years of smooth operation. Our Advanced Balance System helps ensure your window will open and close easily for years.

A tight seal against the elements. Pella's cam-action locks pull the sashes against the weatherstripping.

Casement and Awning Windows



Pella® Impervia® Tan fixed casement and operable awning windows.

Years of smooth openings and closings.

Stainless steel operating arms and hinges resist rust and corrosion.

Simple to operate. Unison Lock System secures the window in two places with one easy-to-reach handle.

More convenient handle design. Fold-away handle won't get in the way of roomside window treatments.



CASEMENT AND AWNING WINDOWS

Popular choices because there's nothing between you and your view. They open and close with the turn of a handle, so they're great for spots that are difficult to reach – like behind furniture or over the kitchen sink.

Sliding Windows



Pella® Impervia® dual-color sliding window.



SLIDING WINDOWS

Sashes slide open horizontally, so you don't have to reach up or bend down to open and close them.

Easy operation. Tandem nylon rollers are extra-durable and help ensure smooth openings and closings.

A tight seal against the elements. Pella's cam-action locks pull the sashes against the weatherstripping.

Simple to clean. Sliding sash can be removed to clean exterior glass from inside your home.

Fixed, Special Shape and Window Combinations

Curves, angles and more. Special Shape windows, made from fiberglass resin (non-Duracast® fiberglass composite), beautifully complement other Pella® Impervia® products.

A quality, seamless look. Grille options are available to match other Pella Impervia products.

More ways to express your style. Factory-assembled window combinations allow you to create a stunning focal point in your home.



Pella Impervia Tan Special Shape windows.

SPECIAL SHAPE WINDOWS

Additional shapes are available. See an associate for details.



Rectangle



Pentagon



Trapezoid




Triangle



Half Circle




Quarter Circle



Arch Head



Springline



Partial Arch Head

FACTORY-ASSEMBLED WINDOW COMBINATIONS

Additional combinations are available. See an associate for details.



2-Wide Awning



2-High Awning




Large Fixed over Awning



Fixed over Right Sliding




Fixed over Left Sliding




Right Sliding over Fixed




Transom over Double-Hung




2-Wide Double-Hung




Large Fixed with Double-Hung Flankers



2-Wide Casement



3-Wide Casement



Large Fixed with Casement Flankers

Bay and Bow Windows

Extra comfort and charm. Options include beautiful birch and oak headboards and cozy insulated seatboards.

Beautiful wood frames. Bay and bow wood frames come unfinished, ready to be painted or stained.



The right fit for your home.

Choose between 30° and 45° double-hung, single-hung and casement bay windows and 4- and 5-unit casement bow windows.



Pella® Impervia® White 30° double-hung bay window.



Pella Impervia Tan 4-unit casement bow window.

Sliding Patio Doors




Pella Impervia Black sliding patio door.

Exceptional security. Pella® Impervia® sliding patio doors, with multipoint lock hardware, have been awarded an ASTM Grade 40 security rating – the highest in the industry.

Better draft protection. Pella's unique design puts the sliding panel on the outside. So when the wind blows against it, it creates a tight seal. Plus, the screen is protected from the elements.

Years of smooth operation. Roller system on sliding panel helps ensure easy openings and closings.



SLIDING PATIO DOORS

Let the beauty of the outside in, and make the most economical use of space. The look is sleek and contemporary, letting your style shine through while beautifully opening up your interior spaces.

Window Features and Options

GLASS	DOUBLE-HUNG ¹	SINGLE-HUNG ¹	CASEMENT ^{1,2}	AWNING	SLIDING	FIXED	SPECIAL SHAPE
InsulShield® Low-E Glass Collection*							
Advanced Low-E insulating double-pane glass with argon**	O	O	O	O	O	O	O
AdvancedComfort Low-E insulating double-pane glass with argon**	O	O	O	O	O	O	O
SunDefense™ Low-E insulating double-pane glass with argon**	O	O	O	O	O	O	O
NaturalSun Low-E insulating double-pane glass with argon**	O	O	O	O	O	O	O
Additional Energy-Efficient Glass Options*							
Clear insulating glass	S	S	S	S	S	S	S
Obscure insulating glass	O	O	O	O	O	O	O
Tempered glass	O	O	O	O	O	O	O
* Glass options can be upgraded to offer the benefits of our InsulShield Low-E Glass Collection. Glass options may vary per product. See specific product information for availability.							
** Optional high-altitude Low-E insulating glass is available with or without argon on most products. Please see an associate for more information.							
FRAME COLOR							
White	S	S	S	S	S	S	S
Tan	O	O	O	O	O	O	O
Morning Sky Gray	O	O	O	O	O	O	O
Brown	O	O	O	O	O	O	O
Black	O	O	O	O	O	O	O
Dual-color (White interior with Tan, Morning Sky Gray, Brown or Black exterior)	O	O	O	O	O	O	O
HARDWARE							
Cam-action lock	S	S	-	-	S	-	-
Fold-away crank handle	-	-	S	S	-	-	-
Integrated sash lift	S	S	-	-	-	-	-
HARDWARE FINISHES							
White	S	S	S	S	S	-	-
Tan, Morning Sky Gray, Brown, Black, Bright Brass, Satin Nickel or Oil-Rubbed Bronze	O	O	O	O	O	-	-
EASY-CLEAN							
Exterior glass is easy to clean from inside.	S	-	S	S	S	-	-
SCREENS* (color-matched)							
Screen	S	S	S	S	S	-	-
Screen Material							
Conventional fiberglass	S	S	S	S	S	-	-
InView™ screen	O	O	O	O	O	-	-
* ⚠ WARNING: Screen will not stop child or pet from falling out of window or door. Keep child or pet away from open window or door.							
GRILLES-BETWEEN-THE-GLASS*							
White (on White products)	O	O	O	O	O	O	O
Tan (on Tan products)	O	O	O	O	O	O	O
Morning Sky Gray (on Morning Sky Gray products)	O	O	O	O	O	O	-
Brown (on Brown products)	O	O	O	O	O	O	O
Black (on Black products)	O	O	O	O	O	O	-
Dual-color (match dual-color windows)	O	O	O	O	O	O	O
* Appearance of exterior grille color may vary depending on the Low-E insulating glass selection.							
GRILLE PATTERNS*							
Traditional	O	O	O	O	O	O	O
6-Lite Prairie	-	-	-	-	O	-	-
9-Lite Prairie	O	O	O	O	O	O	O
Top Row	O	O	O	O	O	O	O
Top Sash	O	O	-	-	-	-	-
Custom (equally divided)	O	O	O	O	O	O	O
* Grille patterns offered may vary per product. See specific product information for availability.							
WARRANTY*							
Limited Lifetime Warranty	S	S	S	S	S	S	S
* See written warranty for complete details at PellaAtLowes.com/support .							

¹ Available in bay window. ² Available in bow window.

(S) Standard (O) Optional (-) Not Available

Patio Door Features and Options

GLASS	SLIDING PATIO DOOR
InsulShield® Low-E Glass Collection*	
Advanced Low-E insulating double-pane glass with argon**	O
AdvancedComfort Low-E insulating double-pane glass with argon**	O
SunDefense™ Low-E insulating double-pane glass with argon**	O
NaturalSun Low-E insulating double-pane glass with argon**	O
Additional Energy-Efficient Glass Options*	
Clear insulating glass	S
Obscure insulating glass	O
Tempered glass	S
* Glass options can be upgraded to offer the benefits of our InsulShield Low-E Glass Collection. Glass options may vary per product. See specific product information for availability.	
** Optional high-altitude Low-E insulating glass is available with or without argon on most products. Please see an associate for more information.	
FRAME COLOR	
White	S
Tan	O
Morning Sky Gray	O
Brown	O
Black	O
Dual-color (White interior with Tan, Morning Sky Gray, Brown or Black exterior)	O
HARDWARE FINISHES	
White	S
Tan, Morning Sky Gray, Brown, Black, Bright Brass, Satin Nickel or Oil-Rubbed Bronze	O
Antique Brass or Chrome	O
LOCKING SYSTEM	
Footbolt (color-matched to interior frame color)	S
Exterior keylock	O
SCREENS* (color-matched)	
Screen	S
Screen Material	
Conventional fiberglass	S
InView™ screen	O
* ⚠ WARNING: Screen will not stop child or pet from falling out of window or door. Keep child or pet away from open window or door.	
GRILLES-BETWEEN-THE-GLASS*	
White (on White products)	O
Tan (on Tan products)	O
Morning Sky Gray (on Morning Sky Gray products)	O
Brown (on Brown products)	O
Black (on Black products)	O
Dual-color (match dual-color patio doors)	O
* Appearance of exterior grille color may vary depending on the Low-E insulating glass selection.	
GRILLE PATTERNS*	
Traditional	O
6-Lite Prairie	O
9-Lite Prairie	O
Top Row	O
Custom (equally divided)	O
* Grille patterns offered may vary per product. See specific product information for availability.	
WARRANTY*	
Limited Lifetime Warranty	S
* See written warranty for complete details at PellaAtLowes.com/support.	



Pella® Impervia® White single-hung window combination.

Decide who will install.



Planning to install your own window or patio door from Pella?

We can help your project go smoothly.

Visit installpella.com.



Download a list of tools you'll need.



Get easy-to-follow installation guides.



Watch installation videos.

Prefer a no-mess, professional installation?


HELP IS ON THE WAY.

Ask about our project services. From delivery to installation to haul-away and more.



Brand Overview

	Cross Section	Frame / Install	Wall Depth Range	Performance Range
Awning/ Casement Vent and Fixed		Block Frame Standard Fin Off-set fin Integral fin	Base Frame Depth: 3-1/4" Std. Fin Setback: 1-5/16" Base Wall Depth: 1-15/16" Jamb extended wall depth: 2-9/16" - 7-3/16"	LC30 - LC50 U: 0.24 - 0.34 SHGC: 0.18 - 0.50 STC: 25 - 33
Double-Hung Vent		Block Frame Standard Fin Off-set fin Integral fin	Base Frame Depth: 3" Std. Fin Setback: 1-5/16" Base Wall Depth: 1-11/16" Jamb extended wall depth: 2-9/16" - 7-3/16"	LC30 - LC50 U: 0.25 - 0.32 SHGC: 0.19 - 0.52 STC: 26 - 29
Single-Hung, Sliding Window & Fixed Sash in Frame		Block Frame Standard Fin Off-set fin Integral fin Flush Flange	Base Frame Depth: 3" Std. Fin Setback: 1-5/16" Base Wall Depth: 1-11/16" Jamb extended wall depth: 2-9/16" - 8-5/16"	LC30 - LC50 - CW50 U: 0.23 - 0.36 SHGC: 0.19 - 0.55 STC: 26 - 33
Fixed Frame Direct Set		Block Frame Standard Fin Off-set fin	Base Frame Depth: 3" Base Wall Depth: 1-11/16" Jamb extended wall depth: 2-9/16" - 7-3/16"	CW30 - CW50 U: 0.21 - 0.29 SHGC: 0.20 - 0.62 STC: 28 - 34
Sliding Patio Door		Block Frame	Base Frame Depth: 4-3/4"	LC30 - LC50 U: 0.25 - 0.33 SHGC: 0.19 - 0.54 STC: 27 - 32



Jamb extensions are available as a field applied option only.

Performance ranges shown are for single-units and do not account for composite units (integral mullion) or combinations (multiple units mullied together).


Drawings are not to scale.

Brand Overview



Grilles-Between-The-Glass₁

- Color matches frame.
- Grilles are 3/4" wide.
- Multiple grille patterns are available.
- Standard corner lite dimension for Prairie patterns = 4" visible glass (VG).
- Pattern availability may vary depending on size of unit.

3/4" Contour Grilles




Grille Profile





Applied Grilles (Available on Fixed Frames Only)

- Grilles adhere to the exterior and interior faces.
- Color matches frame.
- Grilles are 1-5/8" wide to match frame width.
- Multiple grille patterns are available.
- Simulate multiple unit composites.

1-5/8" Applied Grille



Grille Profile



The above are examples only. Lite dimensions noted can vary.

(1) Appearance of exterior grille color may vary depending on the Low-E insulating glass selection.

(2) Standard Corner lite dimension for Prairie patterns = 4" visible glass (VG).

(3) Standard visible glass to center line of separator bar = 14" or half the total visible glass height, whichever is smaller. Multiple rows are available up to 50% glass size.

Pattern availability may vary depending on size of unit.

Custom configurations are also available, for details contact your local Pella sales representative.