


ION SURVEY PREPARED IN ACCORDANCE WITH CHAPTER 4733-38, OHIO ADMINISTRATIVE CODE, AND IS NOT A  
HAPTER 4733-37, OHIO ADMINISTRATIVE CODE. THE INFORMATION SHOWN HEREON IS NOT TO BE UTILIZED FOR  
S, LANDSCAPING OR OTHER PERMANENT IMPROVEMENTS. THIS IS A COPY OF AN ORIGINAL LOCATED AT MACKAY  
CHANGES MAY BE MADE TO THIS COPY WITHOUT OUR WRITTEN PERMISSION.

*Richard R. Mackay*  
RICHARD R. MACKAY  
REG# 4195


TORIA PARKWAY 50'

NOTE:

DUE TO SNOW COVER, ON  
PROPERTY IN QUESTION, CE  
FEATURES MAY NOT BE VISI




2284 Victoria Pkwy




FRONT ELEVATION

1/8" = 1'-0"

4" x 4" posts  
Trex Decking  
Standing Seam Roof



LEFT ELEVATION



RIGHT ELEVATION

COX 23 FRONT PORCH  
SUMMER 2020

KRYSIAK RESIDENCE

2284 VICTORIA PARKWAY  
HUDSON, OHIO





6:20 LTE

AA alside.com

<b>Profile</b>	Clapboard
<b>Exposure</b>	Double 5"
<b>Projection</b>	5/8"
<b>Siding Thickness</b>	.044" (nominal)
<b>Texture(s)</b>	Subtle wood grain
<b>Color(s)</b>	Featuring 24 colors




Double 5" clapboard

< >   

7:20 LTE

standing seam black metal roof




**Galvalum standing seam Black .026 thickness, screws will be hidden**

 ATAS International, Inc.


Standing Seam Metal Roof Panels - ATAS International [Visit](#)

Images may be subject to copyright. [Learn More](#)



Related images



Standing Seam Metal Roof Panels - AT...  
atas.com



Standing Seam Metal Roof Panels - AT...  
atas.com



5880 Eastham Way



Jeff Krystak 2284 Victoria Parkway Hudson New Deck / front porch


front  
House

front door

PM Siding LLC.

216-215-6337

pmsiding@gmail.com



4x4 posts in ground min 36" treated

2x8 beams and joists treated

1x6 Trex decking

4x4 posts for porch roof - treated

11 1/2" long header beams in Douglas Fir double 2x12" (American wood council shows we can go upto 13'2")

2x6 rafters for roof with 1' overhang pine

2x6 gutter boards pine

metal straps for wind lift from 4x4's to 2x12 beam

ledger boards fastened to house 2x8' with ledger lock bolts

1x6 T+G pine for soffit under roof of porch