

Proposed window replacement





Office Order Copy

Branch Number: 75900

Window Store Name: Pella Window and Door
Showroom of Akron

Order Number: 759ASD125

Quote Number: 18295889

Quote Description: Tom Betts - 39 Church St, Hudson, OH, US 44236

Project Name: Tom Betts - 39 Church St, Hudson, OH, US 44236

Customer Information	Deliver To Address	Order Information	
Tom Betts 39 Church St Hudson, OH 44236-3006 Contact Name: Primary Phone: (330) 7152761 Mobile Phone: Fax Number: E-Mail: tireasbetts@gmail.com Great Plains #: 1007918806 Customer ID: 50801121 Customer Number: 1011645250 Customer Account: 1007918806	Lot # Address: 39 Church St HUDSON, OH 44236-3006 County: SUMMIT Owner Name: Tom Betts Owner Phone: (330) 7152761	Sales Rep Name: Allen, Megan Business Segment: Retail Market Segment: Single Family Replacement Order Type: Installed Sales Payment Terms: Install Event #: Order Verifier Name: Scheduled Install Start Date: Install Crew: Install Duration:	Cust Delivery Date: 7/24/2024 Quoted Date: 6/12/2024 Contract Date: 6/27/2024 Booked Date: 06/27/2024 Earliest LRD: Tax Code: OHINSTALL Tax Exempt #: Customer PO #: Check - Deposit Order Verification Date: Scheduled Install End Date: Install Status:

4 2 0 * QTY (2) 12' PCS AZEK TRIM SMOOTH 5/4 X 6

Location:

Rough Opening: 0" X 0"


Frame Size:

Final Wall Depth:

Frame Perimeter (inches):

Assembly Type: Manual Line

Last Revision Date:

Outside View	Line #	Quote Qty	PO Qty	Description
	10	1	1	<p>Pella® Reserve, , Traditional Double Hung, 42 X 63.5, White</p> <p>Location: None Assigned</p> <p>Rough Opening: 42.75" X 64.25"</p> <p>Frame Size: 42" X 63.5"</p> <p>Final Wall Depth:</p> <p>Frame Perimeter (inches): 211</p> <p>Assembly Type: Branch Finished</p> <p>Last Revision Date:</p> <p>1: Non-Standard Size Non-Standard Size Double Hung, Cottage Frame Size: 42 X 63 1/2 General Information: Standard, Luxury, Clad, Pine, 5", 3 11/16", No Certification Exterior Color / Finish: Painted, Standard Enduraclad, White Interior Color / Finish: Unfinished Interior Sash / Panel: Putty Glaze, Ogee, Standard, No Sash Lugs Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Spoon-Style Lock, Oil Rubbed Bronze, No Window Opening Control Device, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor Screen: Full Screen, Standard EnduraClad, White, Standard, InView™ Performance Information: U-Factor 0.29, SHGC 0.28, VLT 0.53, CPD PEL-N-232-01141-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 28, OITC 24, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: No Grille, Wrapping Information: No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 211".</p>

Shop Notes: * SUPPLY ONE PIECE UNFINISHED 2X4

Installation Notes: * FULL FRAME INSTALL

* REMOVE OLD FRAME

* INSTALL 2X4 WHERE WEIGHT POCKET IS FLUSH WITH EDGE OF DRYWALL. (BEHIND DRYWALL AS SHOWN IN OV PHOTO).

* WINDOW WILL BUTT UP TO THE EXTERIOR TRIM.

* MATCH EXTERIOR TRIM TO THE EXISTING.





























