

Date: 05/29/2019
 Scale: as noted
 Sales: K. Lowe
 Designer: Z. Bulacito

Rev. #: 04 MAH
Date: 8-06-2019

Revision Note:
 Remove Car Wash

Conceptual

Information Required:

Master

Electrical

120V 347V
 Other _____

Customer Approval

Signature _____

MM/DD/YYYY

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.

CK 5571
 5075 Darrow Ave
 Husdon, OH
 44236

Sign Item

Cover Page



CK 5410
5075 Darrow Ave
Husdon, OH 44236

BRANDING LEVEL:	B
BU:	GL-OHIO
FUEL BRAND:	CIRCLE K
CASE #:	27125
ARCHETYPE:	N/A
DATE:	05/29/2019

This is for presentation only.

Detailed fuel branding specifications provided on supplementary attachment



COLOR SPECIFICATIONS:

Sample	Description	Applied to	Sample	Description	Applied to	Sample	Description	Applied to
	Primary Red Pantone 485 3M 3630-33 Red Vinyl	- MID Sign - Building Sign - Canopy Fascia - Dispenser Door Skirt - Car Wash Sign Copy		(ALL REGIONS EXCEPT SE) Neutral Ground Sherwin Williams - SW 7568	- 30" above grade to top of fascia. - Light poles		Green Pantone 355 3M 3630-156 "Vivid Green" Vinyl	- Diesel Door Skin - CK Pricer (Diesel) if Applicable
	Primary Orange Pantone 144 3M 3630-3540 Tangerine Vinyl	- MID Sign - Building Sign - Canopy Fascia - Dispenser Valance - Column Flags		Nuthatch Sherwin Williams - SW 6088	- Main Building 30" to grade - Car Wash Building 30" to grade		Blue Pantone 287 3M 3630-157 "Sultan Blue" Vinyl	- Car Wash Panel - CK Pricer (Unleaded) if Applicable
	Safety Red SW #4081	- Bollards near store front		Grays Harbor SW 6236 "Grays Harbor" Semi-gloss finish	- Canopy Column Base (24" from ground) - Canopy Bollards		Shell Warm White RAL9016	- Columns

SITE OVERVIEW



SCALE: NTS

Project ID

Db7- 27153

Date: 05/29/2019
Scale: as noted
Sales: K. Lowe
Designer: Z. Bulacito

Rev. #: 02
Date: 07-10-2019

Revision Note:
R1: Revised Car wash sign and SOW
R2: Revised Canopy and car wash

Conceptual

Information Required:

Master

Electrical

120V 347V
 Other _____

Customer Approval

Signature _____

MM/DD/YYYY

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.

CK 5571
5075 Darrow Ave
Hudson, OH
44236

Sign Item

Scope of Work

SCOPE OF WORK

A MID

- * Note: internally illuminated signs are not allowed. External illumination is allowed and the existing spotlights will be used. No change to the existing external illumination is included in this scope of work.
- * Note: scrollers can be used and a new sign cabinet is required to house the new scrollers.
- * Note: Circle K will need to supply an electrical circuit to power the new scrollers.
- * Installer is to remove and dispose of the existing 55" tall x 72" wide sign cabinet. Take care to not damage the brick base as it will be used to house the new sign cabinet.
- * Install a new 55" tall x 72" wide sign cabinet that is designed as depicted in the color rendering. The sign will have new 8" scrollers in the Unleaded faces and in the Diesel faces. The scrollers in both the blue Unleaded face and the Green Diesel face will have white numerals on a blue background.
- * Make final electrical connection at sign junction box and ensure that all pricers are functional.
- * Set fuel pricing and instruct store attendant how to change prices.

B BUILDING

- * The building was reimaged in 2019. Not in the scope of work for this project.
- * Paint the trash enclosure gates SW6088 Nuthatch. The remainder of the enclosure is not accessible due to trees. 120 SF total
- * Paint (2) bollards near the trash enclosure RAL9016 Shell Warm White.
- * Paint the risers and (1) horseshoe style bollard near the risers RAL9016 Shell Warm White.
- * Paint (6) bollards near the Air/Vac machines SW4081 Safety Red.
- * Paint (5) light poles in duranodic bronze with a gloss finish.
- * Paint (8) horseshoe style bollards near the pumps SW6236 Grays Harbor in a gloss finish.

C CANOPY

- ** Note that the canopy is 36" tall and that the corners of the ACM should be wrapped around the corners when installing.
- * Note: Note that this location can use standard 36" ACM but it will require a custom installation. There is no access to the mounting screws on the top mounting angle due to the cornice moulding on the canopy.
- * Install 36" tri-color non-illuminated ACM on all 4 elevations. 360 LF

D CAR WASH

Leave Existing - Not In Scope

E DISPENSER & FORECOURT FOR CANOPY

- * Reimage (8) 3+0 Unleaded dispensers and (2) single product Diesel dispensers to fuel brand specifications. Include red vinyl for all pump skirts. Replace the PID vinyl on the (6) Unleaded dispensers. The PID vinyl on the Diesel pumps does not need to be replaced.
- * Remove and dispose of existing valances. Install 10 new valances.
- * Install (16) 12" x 12" pump flags (Unleaded) and (4) 16" X 12" pump flags (Diesel Only). Apply the vinyl numerals to the pump flags and install the flags on the brick columns above the fuel dispensers. The flags are to be installed at a height of 11' 0" from grade to the top of the highest flag. Install the Diesel flags below the Unleaded flags on the brick columns closest to the store.
- * Remove the old blue trash cans under the canopy and replace them with (8) new trash cans.

F ADDITIONAL

- * Install new Circle K logo decals on the propane cage, ice machine, and air/vac machine. No old style Circle K logos should be visible on the site.

Project ID

Db7- 27153-R4

Date: 05/29/2019
 Scale: as noted
 Sales: K. Lowe
 Designer: Z. Bulacito

Rev. #: 04 MAH

Date: 8-06-2019

Revision Note:
 Remove Car Wash

Conceptual

Information Required:

Master

Electrical

120V 347V

Other _____

Customer Approval

Signature _____

MM/DD/YYYY

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.


CK 5571
 5075 Darrow Ave
 Hudson, OH
 44236

Sign Item

Scope of Work





EXISTING 27.5 SQ. FT.




Scale: 3/4"=1'
6.7 sq. ft.

PROPOSED



Scale: 3/4"=1'
6.7 sq. ft.



Scale: 3/4"=1'
Verify pan form dimension
6.7 sq. ft.



Scale: 3/4"=1'
6.7 sq. ft.

SCOPE OF WORK

A MID

- * Note: internally illuminated signs are not allowed. External illumination is allowed and the existing spotlights will be used. No change to the existing external illumination is included in this scope of work.
- * Note: scrollers can be used and a new sign cabinet is required to house the new scrollers.
- * Note: Circle K will need to supply an electrical circuit to power the new scrollers.
- * Installer is to remove and dispose of the existing 55" tall x 72" wide sign cabinet. Take care to not damage the brick base as it will be used to house the new sign cabinet.
- * Install a new 55" tall x 72" wide sign cabinet that is designed as depicted in the color rendering. The sign will have new new 8" scrollers in the Unleaded face and in the Diesel faces. The scrollers in both the blue Unleaded face and the Green Diesel face will have white numerals on a blue background.
- * Make final electrical connection at sign junction box and ensure that all pricers are functional.
- * Set fuel pricing and instruct store attendant how to change prices.

Note: All faces to have a matte finish

Project ID
Db7- 27153

Date: 05/29/2019
Scale: as noted
Sales: K. Lowe
Designer: Z. Bulacito

Rev. #: 02
Date: 07-10-2019

Revision Note:
R1: Revised Car wash sign and SOW
R2: Revised Canopy and car wash

Conceptual

Information Required:

Master

Electrical

120V 347V
 Other _____

Customer Approval

Signature _____
MM/DD/YYYY

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.

SCALE : NTS
Note: Size of signage in relation to the surrounding area is approximate. This photo mock-up is intended for location purposes only. A site survey is required.

MAIN I.D.

Date: 05/29/2019
 Scale: as noted
 Sales: K. Lowe
 Designer: Z. Bulacito

Rev. #: 02
 Date: 07-10-2019

Revision Note:
 R1: Revised Car wash sign and SOW
 R2: Revised Canopy and car wash

SCOPE OF WORK

- B BUILDING**
 - * The building was reimaged in 2019. Not in the scope of work for this project.
 - * Paint the trash enclosure gates SW6088 Nuthatch. The remainder of the enclosure is not accessible due to trees. 120 SF total
 - * Paint (2) bollards near the trash enclosure RAL9016 Shell Warm White.
 - * Paint the risers and (1) horseshoe style bollard near the risers RAL9016 Shell Warm White.
 - * Paint (6) bollards near the Air/Vac machines SW4081 Safety Red.
 - * Paint (5) light poles in duranodic bronze with a gloss finish.
 - * Paint (8) horseshoe style bollards near the pumps SW6236 Grays Harbor in a gloss finish.

EXISTING



Note: Size of signage in relation to the building is approximate. This photo mock-up is intended for location purposes only and may not accurately represent the scale of the proposed signage to the building. A site survey is required.

Conceptual

Information Required:

Master

Electrical

120V 347V
 Other _____

Customer Approval

Signature _____

MM/DD/YYYY

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.

BUILDING

CK 5571
 5075 Darrow Ave
 Hudson, OH
 44236

Sign Item

Building Signage

PROPOSED SIGNS PENDING CODE AND PERMITTING

CANOPY

EXISTING



36" HEIGHT CANOPY


PROPOSED



TOTAL OF 360'-0" FT

SCALE : NTS

SCOPE OF WORK	
C CANOPY	<p>** Note that the canopy is 36" tall and that the corners of the ACM should be wrapped around the corners when installing.</p> <p>* Note: Note that this location can use standard 36" ACM but it will require a custom installation. There is no access to the mounting screws on the top mounting angle due to the cornice moulding on the canopy.</p> <p>* Install 36" tri-color non-illuminated ACM on all 4 elevations. 360 LF</p>



Project ID	Db7- 27153
Date:	05/29/2019
Scale:	
Sales:	K. Lowe
Designer:	Z. Bulacito
Rev. #:	02
Date:	07-10-2019

Revision Note:
R1: Revised Car wash sign and SOW
R2: Revised Canopy and car wash

Conceptual

Information Required:

Master

Electrical

120V 347V

Other _____

Customer Approval

Signature _____

MM/DD/YYYY _____

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.

Note: Size of signage in relation to the building is approximate. This photo mock-up is intended for location purposes only and may not accurately represent the scale of the proposed signage to the building. A site survey is required.

CANOPY

CK 5571
 5075 Darrow Ave
 Husdon, OH
 44236

Sign Item
 Canopy

PROPOSED SIGNS PENDING CODE AND PERMITTING

CARWASH

SCOPE OF WORK	
D CAR WASH	Leave Existing - Not In Scope

Project ID

Db7- 27153-R4

Date: 05/29/2019

Scale:

Sales: K. Lowe

Designer: Z. Bulacito

Rev. #: 04 MAH

Date: 8-06-2019

Revision Note:

Remove Car Wash

Conceptual

Information Required:

Master

Electrical

120V

347V

Other _____

Customer Approval

Signature _____

MM/DD/YYYY

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.

EXISTING



CARWASH

CK 5571
5075 Darrow Ave
Hudson, OH
44236

Sign Item

Car Wash

PROPOSED SIGNS PENDING CODE AND PERMITTING

CARWASH

SCOPE OF WORK	
D CAR WASH	Leave Existing - Not In Scope

Project ID
Db7- 27153-R4

Date: 05/29/2019
Scale:
Sales: K. Lowe
Designer: Z. Bulacito

Rev. #: 04 MAH
Date: 8-06-2019

Revision Note:
Remove Car Wash

Conceptual

Information Required:

Master

Electrical

120V 347V
 Other _____

Customer Approval

Signature _____
MM/DD/YYYY _____

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.

EXISTING



CARWASH

CK 5571
5075 Darrow Ave
Hudson, OH
44236

Sign Item
Car Wash



PROPOSED SIGNS PENDING CODE AND PERMITTING

PUMPS


EXISTING



M060_Column Flag Kit




M061_Pump Skirt Door Skin



DOOR SKIRT
GASOLINE PRODUCT

Circle K Bowtie Valences



of Unleaded pumps on site: 3
.97 Sq. Ft.
NTS



Double-sided Waste 'N Wipe
Waste/Windshield Service Center,
40-gallon
Gray #758703
(1) unit per
dispenser


45-gallon

SCOPE OF WORK

E DISPENSER & FORECOURT FOR CANOPY

- * Reimage (8) 3+0 Unleaded dispensers and (2) single product Diesel dispensers to fuel brand specifications. Include red vinyl for all pump skirts. Replace the PID vinyl on the (6) Unleaded dispensers. The PID vinyl on the Diesel pumps does not need to be replaced.
- * Remove and dispose of existing valances. Install 10 new valances.
- * Install (16) 12" x 12" pump flags (Unleaded) and (4) 16" X 12" pump flags (Diesel Only). Apply the vinyl numerals to the pump flags and install the flags on the brick columns above the fuel dispensers. The flags are to be installed at a height of 11' 0" from grade to the top of the highest flag. Install the Diesel flags below the Unleaded flags on the brick columns closest to the store.
- * Remove the old blue trash cans under the canopy and replace them with (8) new trash cans.

PROPOSED



DISPENSER

Note: Size of signage in relation to the surrounding area is approximate. This photo mock-up is intended for location purposes only. A site survey is required.

Project ID

Db7- 27153

Date: 05/29/2019
Scale:
Sales: K. Lowe
Designer: Z. Bulacito

Rev. #: 02
Date: 07-10-2019

Revision Note:
R1: Revised Car wash sign and SOW
R2: Revised Canopy and car wash

Conceptual

Information Required:

Master

Electrical

120V 347V

Other _____

Customer Approval

Signature _____

MM/DD/YYYY

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.

CK 5571
5075 Darrow Ave
Hudson, OH
44236

Sign Item

Pumps


PROPOSED SIGNS PENDING CODE AND PERMITTING

PUMPS

EXISTING



M060_Column Flag Kit




M061_Pump Skirt Door Skin




DOOR SKIRT
GASOLINE PRODUCT

Circle K Bowtie Valences



of Diesel pumps on site: 2
.97 Sq. Ft.
NTS

PROPOSED



DISPENSER

SCOPE OF WORK	
E	DISPENSER & FORECOURT FOR CANOPY
<p>* Reimage (8) 3+0 Unleaded dispensers and (2) single product Diesel dispensers to fuel brand specifications. Include red vinyl for all pump skirts. Replace the PID vinyl on the (6) Unleaded dispensers. The PID vinyl on the Diesel pumps does not need to be replaced.</p> <p>* Remove and dispose of existing valances. Install 10 new valances.</p> <p>* Install (16) 12" x 12" pump flags (Unleaded) and (4) 16" X 12" pump flags (Diesel Only). Apply the vinyl numerals to the pump flags and install the flags on the brick columns above the fuel dispensers. The flags are to be installed at a height of 11' 0" from grade to the top of the highest flag. Install the Diesel flags below the Unleaded flags on the brick columns closest to the store.</p> <p>* Remove the old blue trash cans under the canopy and replace them with (8) new trash cans.</p>	

Project ID	
Db7- 27153	
Date:	05/29/2019
Scale:	
Sales:	K. Lowe
Designer:	Z. Bulacito
Rev. #:	02
Date:	07-10-2019
Revision Note:	
R1: Revised Car wash sign and SOW	
R2: Revised Canopy and car wash	

Conceptual	
Information Required:	
<input checked="" type="checkbox"/> Master <input checked="" type="checkbox"/> Electrical <input type="checkbox"/> 120V <input type="checkbox"/> 347V <input type="checkbox"/> Other _____	

Customer Approval	
Signature _____	
MM/DD/YYYY	

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.

Note: Size of signage in relation to the surrounding area is approximate. This photo mock-up is intended for location purposes only. A site survey is required.

PROPOSED SIGNS PENDING CODE AND PERMITTING

ADDITIONAL SIGNAGE

SCOPE OF WORK

F Additional * Install new Circle K logo decals on the propane cage, ice machine, and air/vac machine. No old style Circle K logos should be visible on the site.

Project ID
Db7- 27153

Date: 05/29/2019
Scale:
Sales: K. Lowe
Designer: Z. Bulacito

Rev. #: 02
Date: 07-10-2019

Revision Note:
R1: Revised Car wash sign and SOW
R2: Revised Canopy and car wash

Conceptual

Information Required:

Master

Electrical

120V 347V
 Other _____

Customer Approval


Signature _____
MM/DD/YYYY

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.

CK 5571
5075 Darrow Ave
Hudson, OH
44236

Sign Item
Additional



STOREFRONT BUILDING PAINT SCHEDULE
ALL PAINTS LISTED BELOW TO HAVE SEMI-GLOSS FINISH

LOWER COLOR (CONSTANT)

SW #6088 Nuthatch
Start at entry door and paint from grade to 30" above grade. Paint remains horizontal and may change in elevation from entry door starting point



UPPER COLORS (VARIES BY BUSINESS UNIT)

Heartland, Midwest, Southeast, Florida, and Great Lakes:
SW #7570 Egret White
Start 30" above grade to the bottom of the Car Wash building fascia. Paint any solid (non-glass) doors as well


Arizona, Southwest, West Coast, South Atlantic, Gulf Coast:
SW #7568 Neutral Ground
Start 30" above grade to the bottom of the Car Wash building fascia. Paint any solid (non-glass) doors as well

- Paint bollards to Circle K specifications
BOLLARDS NEAR STOREFRONT
SW #4081 Safety Red - Paint entire bollard

- Paint light poles to Circle K specifications
LIGHT POLES - Paint entire light pole
RAL9016 Shell Warm White - preferred
Duranodic Bronze - Only for existing light poles
Silver - Only for existing light poles



ALL NON-DIESEL PRODUCT DISPENSERS



ALL DISPENSERS WITH DIESEL PRODUCT

COLUMN, BOLLARDS, AND ISLANDS
ALL PAINTS LISTED BELOW TO HAVE GLOSS FINISH

COLUMNS (NON-DIESEL PRODUCT)

- RAL9016 Shell Warm White**
From gray to bottom of canopy
- SW #6236 Grays Harbor**
From grade to 24" above grade

COLUMNS (DIESEL PRODUCT)

- SW #6236 Grays Harbor**
From grade to bottom of canopy

BOLLARDS

- SW #6236 Grays Harbor**
Bollards near dispensers & islands
Paint entire bollard
- SW #4081 Safety Red**
Bollards near Storefront
Paint entire bollard
- RAL9016 Shell Warm White**
Bollards on perimeter
Paint entire bollard

Note: Size of signage in relation to the surrounding area is approximate. This photo mock-up is intended for location purposes only. A site survey is required.

ADDITIONAL



This sign to be installed in accordance with the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the sign.



Fluorescent, Neon and HID lamps contain Mercury (HG). Dispose of the lamps according to Local, Provincial, State or Federal Laws.