


OHIO HISTORIC INVENTORY

Ohio Historic Preservation Office
Ohio Historical Center
Columbus, Ohio 43211

1. No.		4. Present Name(s) Old Church on the Green	
2. County Summit		5. Other Name(s) Old St. Mary's Church	
3. Location of Negatives HHA 3-30		6. Specific Location 7 East Main Street	
7. City or Town If Rural, Township & Vicinity Hudson		16. Thematic Category C	
8. Site Plan with North Arrow 		17. Date(s) or Period 1860	
9. Coordinates Lat. _____ Long. _____ U.T.M. Reference 17 463 174 45652 83		18. Style or Design Gothic Revival	
10. Zone Eastling _____ Northling _____ Site <input type="checkbox"/> Building <input checked="" type="checkbox"/> Structure <input type="checkbox"/> Object <input type="checkbox"/>		19. Architect or Engineer	
11. On National Register? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		20. Contractor or Builder	
12. Is It Eligible? Yes <input type="checkbox"/> No <input type="checkbox"/>		21. Original Use, if apparent church	
13. Part of Estab. Hist. Dist.? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		22. Present Use church/nursery school/commercial	
14. District Potent'l? Yes <input type="checkbox"/> No <input type="checkbox"/>		23. Ownership Public <input type="checkbox"/> Private <input checked="" type="checkbox"/>	
15. Name of Established District Hudson Historic District		24. Owner's Name & Address, if known Revere Associates 7 East Main St. Hudson 44236	
16. Further Description of Important Features Simple church with small entranceway at street level; west end as far as platform is oldest part; lancet doors and windows; trefoil design in transom over entryway; double doors from old Hudson Central School; six stained glass windows c. 1890; east portion and bell tower c. 1909; pressed tin ceiling c. 1909; some original pine benches survive; four-sided bell tower with centered gables on each side; basement under oldest part dug by hand by parishioners in 1939.		25. Open to Public? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
17. History and Significance Originally stood at the corner of Maple and Oviatt Streets, built to serve Irish Catholic families brought here in 1847 to work on Hudson's first railroad; moved to present location 1888; demolition planned in 1973 to be replaced by restaurant; bought by Dr. Robert and Evelyn Kirkhart, used as community function center and non-denominational church; renamed Old Church on the Green 1973 by Thomas A. Vince.		26. Local Contact Person or Organization Hudson Heritage Association	
18. Description of Environment and Outbuildings At corner of East Main and Streetsboro (SR 303) streets, on the Village Green, on street of historic houses, some used commercially. Traffic heavy.		27. Other Surveys in Which Included	
19. Sources of Information Summit County Tax Assessment records HHA Architectural Survey & Research Comm. files Personal inspection		28. No. of Stories 2	
20. Prepared by B. Burke, P. Kurowski		29. Basement? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
21. Organization HHA		30. Foundation Material sandstone/concrete blk	
22. Date of Registration		31. Wall Construction wood frame	
23. Revision Date		32. Roof Type & Material gable-asph shingle	
		33. No. of Bays Front 5 Side 6	
		34. Wall Treatment alum siding	
		35. Plan Shape rect	
		36. Changes (Explain in #42) Addition <input checked="" type="checkbox"/> Altered <input checked="" type="checkbox"/> Moved <input checked="" type="checkbox"/>	
		37. Condition Interior good Exterior good	
		38. Preservation Underway? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
		39. Endangered? By What? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
		40. Visible from Public Road? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
		41. Distance from and Frontage on Road 25' 50'	
			




3 E. Main Street - St. Mary's Catholic Church

1950



1967

BEACON JOURNAL - APRIL 6, 1978



Beacon Journal photo by Marcy Nighswander

Historic Old Church on the Green in Hudson Village is on the block

Church on the Green in Hudson offered for sale for \$190,000

By **RON SHINN**

Beacon Journal Staff Writer

HUDSON — The historic Church on the Green, a prominent part of Hudson's picture-postcard landscape, for nearly 100 years, is for sale.

For \$190,000, a buyer can have the magnificent stained-glass windows, the ornate tin-paneled ceilings and the bell tower with its sonorous chimes. An adjacent two-family house, used as a rectory, comes with the deal.

"I'll be sad if it does not stay a church," said Sherry Johnson, the real estate agent handling the sale. Several churches have expressed

ty went up for sale, Mrs. Johnson said.

THE CHURCH originally was St. Mary's Catholic Church when it was built at Oviatt and Maple streets in 1860. In 1880, it was moved two blocks to its present location at Ohio 303 and Park Street.

An addition to the sanctuary and a bell tower were built in 1909 and parishioners using hand tools dug a full basement in 1939.

St. Mary's moved to a larger building in 1970 and since then the old building has been known as the Hudson Church on the Green. It is owned by a private group and is

ers) — and four community groups, including the Hudson Players.

The owners are hoping that it will be bought by a church or a nonprofit community group, Mrs. Johnson said.

THE CHURCH faces the Hudson Green. The basement is finished and contains a kitchen and meeting rooms. The building is about 4,500 square feet.

The two-family home, which was used as a rectory by St. Mary's, also was built about 1860 and faces the Green.

Hudson village and township officials have been contacted but are











Wood construction highlighted



JELD-WEN Windows & Doors
37.5x85 Steel Single Door Unit Right Outswing
Call Width = 36
Call Height = 84
Frame Width = 37.5
Frame Height = 85
Door Glass Insert Size & Shape = 22 x 36 Round Top
Door Glass Insert Option = Clear / Privacy Grille Designs
Door Glass Type = Standard Glass
Door Glass Design Options = 11-Lite
Door Glazing / Clear or Privacy Type = Insulated Low-E
Door Glass Privacy Rating = 1
Building Code = Non-Certified
Energy Star Needed = NON-Energy Star Door Models
Unit Type = Pre-Hung
Handing & Swing = Right Outswing
Door Type = Doors with Inserts
Door Thickness = 1 3/4"
Door Style = 2-Panel 1/2 Lite Round Top
Door Finish Type = Painted
Door Finish - Exterior Side = White
Door Finish - Interior Side = White

Door Order Method = Store Delivery
Brickmould Specie = None
Sill / Threshold Type = Fixed Bumper
Sill Width = 5 1/2"
Sill Finish = Aluminum
Door Glass Grille Type / Color & Profile = White External
Door Screen Type = No Screen
Door Bore = Double Bore
Bore Backset = 2 3/8"
Bore Diameter = 2 1/8"
Lockset Bore Position = 48
Dead Bolt Bore Position = 5 1/2"
Hinge Prep = 3-Hinge Prep
Hinges Included = Yes
Hinge Size = 4" x 4"
Hinge Type = Spring
Hinge Radius = 5/8" Radius / Square
Hinge Finish = Antique Nickel
First Hinge Position = 6 3/4"
Second Hinge Position = 38"
Third Hinge Position = 69 1/4"
Include Lockset = No

Mail Slot w / Sleeve = None
Jamb Cladding = No
Jamb Width = 4 9/16"
Jamb Finish Type = Paint
Jamb Specie = Premium Primed
Jamb Finish - Exterior Side = White
Jamb Finish - Interior Side = White
Weather-Strip Type = Compression Bronze
Room Location = foyer
Is This a Remake = No
Specific Information = yu
U-Factor = 0.26
Solar Heat Gain Coefficient = 0.14
CPD Number = JEL-M-2-03874-00001
SKU = 665683
Vendor Name = S/O JELD-WEN DOOR SYSTEMS
Vendor Number = 60075920
Manufacturer = JELD-WEN, Pataskala (UQ)
Contact Number = 1.800.246.9131
Catalog Version Date = 06/09/2020
Catalog Version = 20.2.1.2

End Line 300 Description

JELD-WEN Windows & Doors
37.5x85 Steel Single Door Unit Right Outswing
Call Width = 36
Call Height = 84
Frame Width = 37.5
Frame Height = 85
Door Glass Insert Size & Shape = 22 x 36 Round Top
Door Glass Insert Option = Clear / Privacy Grille Designs
Door Glass Type = Standard Glass
Door Glass Design Options = 11-Lite
Door Glazing / Clear or Privacy Type = Insulated Low-E
Door Glass Privacy Rating = 1
Building Code = Non-Certified
Energy Star Needed = NON-Energy Star Door Models
Unit Type = Pre-Hung
Handing & Swing = Right Outswing
Door Type = Doors with Inserts
Door Thickness = 1 3/4"
Door Style = 2-Panel 1/2 Lite Round Top
Door Finish Type = Painted
Door Finish - Exterior Side = White
Door Finish - Interior Side = White

Door Order Method = Store Delivery
Brickmould Specie = None
Sill / Threshold Type = Fixed Bumper
Sill Width = 5 1/2"
Sill Finish = Aluminum
Door Glass Grille Type / Color & Profile = White External
Door Screen Type = No Screen
Door Bore = Double Bore
Bore Backset = 2 3/8"
Bore Diameter = 2 1/8"
Lockset Bore Position = 48
Dead Bolt Bore Position = 5 1/2"
Hinge Prep = 3-Hinge Prep
Hinges Included = Yes
Hinge Size = 4" x 4"
Hinge Type = Spring
Hinge Radius = 5/8" Radius / Square
Hinge Finish = Antique Nickel
First Hinge Position = 6 3/4"
Second Hinge Position = 38"
Third Hinge Position = 69 1/4"
Include Lockset = No

Mail Slot w / Sleeve = None
Jamb Cladding = No
Jamb Width = 4 9/16"
Jamb Finish Type = Paint
Jamb Specie = Premium Primed
Jamb Finish - Exterior Side = White
Jamb Finish - Interior Side = White
Weather-Strip Type = Compression Bronze
Room Location = foyer
Is This a Remake = No
Specific Information = yu
U-Factor = 0.26
Solar Heat Gain Coefficient = 0.14
CPD Number = JEL-M-2-03874-00001
SKU = 665683
Vendor Name = S/O JELD-WEN DOOR SYSTEMS
Vendor Number = 60075920
Manufacturer = JELD-WEN, Pataskala (UQ)
Contact Number = 1.800.246.9131
Catalog Version Date = 06/09/2020
Catalog Version = 20.2.1.2

End Line 300 Description



The Home Depot Special Order Quote

Customer Agreement #: H3824-90040

Printed Date: 8/23/2020

Customer: JOHN KISSICK

Address: 9468 LUCY DRIVE
CLEVELAND, OH 44130

Phone 1: 216-533-4750

Phone 2: 216-533-4750

Email: JKISSICK0124@GMAIL.CO
M

Store: 3824

Associate: VICTOR

Address: 8211 MACEDONIA
COMMONS
MACEDONIA, OH 44056

Phone: 330-908-1300

Pre-Savings Total: \$3,413.92

Total Savings: (\$0.00)

Pre-Tax Price: \$3,413.92

All prices are subject to change. Customer is responsible for verifying product selections. The Home Depot will not accept returns for the below products.



Catalog Version 201



Call Width = 64
Call Height = 80
Frame Width = 66
Frame Height = 81

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
100-1	66x81 Steel Double Door Unit Inactive/Active Outswing	\$1,397.74	\$1,397.74	1	\$0.00	\$1,397.74
Unit 100 Total:		\$1,397.74	\$1,397.74		\$0.00	\$1,397.74

Begin Line 100 Description

---- Line 100-1 ----

JELD-WEN Windows & Doors
66x81 Steel Double Door Unit Inactive/Active Outswing
Call Width = 64
Call Height = 80
Frame Width = 66
Frame Height = 81
Building Code = Non-Certified
Energy Star Needed = NON-Energy Star Door Models
Unit Type = Pre-Hung
Handing & Swing = Inactive/Active Outswing
Door Type = Panel Doors
Door Thickness = 1 3/4"
Door Style = 6-Panel
Door Finish Type = Painted
Door Finish - Exterior Side = White
Door Finish - Interior Side = White
Door Order Method = Store Delivery
Brickmould Specie = Premium Primed
Brickmould Type = WM 180
Brickmould Finish Type = Paint
Brickmould Finish Color = White
Apply Brickmould = Yes
Sill / Threshold Type = Fixed Bumper
Sill Width = 5 1/2"

Sill Finish = Aluminum
Door Screen Type = No Screen
Door Bore = Double Bore
Inactive Door Bore = None
Bore Backset = 2 3/8"
Bore Diameter = 2 1/8"
Locket Bore Position = 44
Dead Bolt Bore Position = 5 1/2"
Hinge Prep = 3-Hinge Prep
Hinges Included = Yes
Hinge Size = 4" x 4"
Hinge Type = Spring
Hinge Radius = 5/8" Radius / Square
Hinge Finish = Antique Nickel
First Hinge Position = 6 3/4"
Second Hinge Position = 36"
Third Hinge Position = 65 1/4"
Astragal = PVC - Finish to Match
Astragal Location = Inactive Door
Security Flange = No
Flush Bolts = Flush Bolt Top and Bottom
Flush Bolt Finish = Aluminum
Include Lockset = No

Door Viewer/Knocker - Installed = No (Standard)
Kickplate Installed = None (Standard)
Mail Slot w / Sleeve = None
Jamb Cladding = No
Jamb Width = 4 9/16"
Jamb Finish Type = Paint
Jamb Specie = Premium Primed
Jamb Finish - Exterior Side = White
Jamb Finish - Interior Side = White
Weather-Strip Type = Compression Bronze
Room Location = foyer
Is This a Remake = No
Specific Information = ty
U-Factor = 0.16
Solar Heat Gain Coefficient = 0.01
CPD Number = JEL-M-2-03772-00001
SKU = 743587
Vendor Name = S/O JELD-WEN DOOR SYSTM
Vendor Number = 60075920
Manufacturer = JELD-WEN, Pataskala (UQ)
Contact Number = 1.800.246.9131
Catalog Version Date = 06/09/2020
Catalog Version = 20.2.1.2

End Line 100 Description



Catalog Version 201



Call Width = 36
 Call Height = 84
 Frame Width = 37.5
 Frame Height = 85

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
200-1	37.5x85 Steel Single Door Unit Left Outswing	\$1,008.09	\$1,008.09	1	\$0.00	\$1,008.09
Unit 200 Total:		\$1,008.09	\$1,008.09		\$0.00	\$1,008.09

Begin Line 200 Description

---- Line 200-1 ----

JELD-WEN Windows & Doors
 37.5x85 Steel Single Door Unit Left Outswing
 Call Width = 36
 Call Height = 84
 Frame Width = 37.5
 Frame Height = 85
 Door Glass Insert Size & Shape = 22 x 36 Round Top
 Door Glass Insert Option = Clear / Privacy Grille Designs
 Door Glass Type = Standard Glass
 Door Glass Design Options = 11-Lite
 Door Glazing / Clear or Privacy Type = Insulated Low-E
 Door Glass Privacy Rating = 1
 Building Code = Non-Certified
 Energy Star Needed = NON-Energy Star Door Models
 Unit Type = Pre-Hung
 Handing & Swing = Left Outswing
 Door Type = Doors with Inserts
 Door Thickness = 1 3/4"
 Door Style = 2-Panel 1/2 Lite Round Top
 Door Finish Type = Painted
 Door Finish - Exterior Side = White
 Door Finish - Interior Side = White

Door Order Method = Store Delivery
 Brickmould Specie = None
 Sill / Threshold Type = Fixed Bumper
 Sill Width = 5 1/2"
 Sill Finish = Aluminum
 Door Glass Grille Type / Color & Profile = White External
 Door Screen Type = No Screen
 Door Bore = Double Bore
 Bore Backset = 2 3/8"
 Bore Diameter = 2 1/8"
 Lockset Bore Position = 48
 Dead Bolt Bore Position = 5 1/2"
 Hinge Prep = 3-Hinge Prep
 Hinges Included = Yes
 Hinge Size = 4" x 4"
 Hinge Type = Spring
 Hinge Radius = 5/8" Radius / Square
 Hinge Finish = Antique Nickel
 First Hinge Position = 6 3/4"
 Second Hinge Position = 38"
 Third Hinge Position = 69 1/4"
 Include Lockset = No

Mail Slot w / Sleeve = None
 Jamb Cladding = No
 Jamb Width = 4 9/16"
 Jamb Finish Type = Paint
 Jamb Specie = Premium Primed
 Jamb Finish - Exterior Side = White
 Jamb Finish - Interior Side = White
 Weather-Strip Type = Compression Bronze
 Room Location = den
 Is This a Remake = No
 Specific Information = yu
 U-Factor = 0.26
 Solar Heat Gain Coefficient = 0.14
 CPD Number = JEL-M-2-03874-00001
 SKU = 665683
 Vendor Name = S/O JELD-WEN DOOR SYSTM
 Vendor Number = 60075920
 Manufacturer = JELD-WEN, Pataskala (UQ)
 Contact Number = 1.800.246.9131
 Catalog Version Date = 06/09/2020
 Catalog Version = 20.2.1.2

End Line 200 Description



Catalog Version 201



Call Width = 36
 Call Height = 84
 Frame Width = 37.5
 Frame Height = 85

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
300-1	37.5x85 Steel Single Door Unit Right Outswing	\$1,008.09	\$1,008.09	1	\$0.00	\$1,008.09
Unit 300 Total:		\$1,008.09	\$1,008.09		\$0.00	\$1,008.09

Begin Line 300 Description

---- Line 300-1 ----

JELD-WEN Windows & Doors
37.5x85 Steel Single Door Unit Right Outswing
Call Width = 36
Call Height = 84
Frame Width = 37.5
Frame Height = 85
Door Glass Insert Size & Shape = 22 x 36 Round Top
Door Glass Insert Option = Clear / Privacy Grille Designs
Door Glass Type = Standard Glass
Door Glass Design Options = 11-Lite
Door Glazing / Clear or Privacy Type = Insulated Low-E
Door Glass Privacy Rating = 1
Building Code = Non-Certified
Energy Star Needed = NON-Energy Star Door Models
Unit Type = Pre-Hung
Handing & Swing = Right Outswing
Door Type = Doors with Inserts
Door Thickness = 1 3/4"
Door Style = 2-Panel 1/2 Lite Round Top
Door Finish Type = Painted
Door Finish - Exterior Side = White
Door Finish - Interior Side = White

Door Order Method = Store Delivery
Brickmould Specie = None
Sill / Threshold Type = Fixed Bumper
Sill Width = 5 1/2"
Sill Finish = Aluminum
Door Glass Grille Type / Color & Profile = White External
Door Screen Type = No Screen
Door Bore = Double Bore
Bore Backset = 2 3/8"
Bore Diameter = 2 1/8"
Lockset Bore Position = 48
Dead Bolt Bore Position = 5 1/2"
Hinge Prep = 3-Hinge Prep
Hinges Included = Yes
Hinge Size = 4" x 4"
Hinge Type = Spring
Hinge Radius = 5/8" Radius / Square
Hinge Finish = Antique Nickel
First Hinge Position = 6 3/4"
Second Hinge Position = 38"
Third Hinge Position = 69 1/4"
Include Lockset = No

Mail Slot w / Sleeve = None
Jamb Cladding = No
Jamb Width = 4 9/16"
Jamb Finish Type = Paint
Jamb Specie = Premium Primed
Jamb Finish - Exterior Side = White
Jamb Finish - Interior Side = White
Weather-Strip Type = Compression Bronze
Room Location = foyer
Is This a Remake = No
Specific Information = yu
U-Factor = 0.26
Solar Heat Gain Coefficient = 0.14
CPD Number = JEL-M-2-03874-00001
SKU = 665683
Vendor Name = S/O JELD-WEN DOOR SYSTMS
Vendor Number = 60075920
Manufacturer = JELD-WEN, Pataskala (UQ)
Contact Number = 1.800.246.9131
Catalog Version Date = 06/09/2020
Catalog Version = 20.2.1.2

End Line 300 Description
