

APPROVED: _____ DATE _____
 STAFF APPROVAL

APPROVED: _____ DATE _____
 ENGINEERING DEPT. APPROVAL

APPROVED: _____ DATE _____
 LANDSCAPE ARCHITECT APPROVAL

BUILDER: PULTE HOMES OF OHIO, LLC.
 ADDRESS: 387 MEDINA ROAD SUITE 1700, MEDINA, OHIO 44256
 PHONE: 330-239-1587

OWNER: _____
 ADDRESS: _____
 PHONE: _____



INITIAL SITE BENCHMARK:
 SUMMIT COUNTY GEODETIC MONUMENT HU 118
 STATE PLAN COORDINATE
 N 572,745.649
 E 2,250,912.641
 ELEVATION = 1006.912 NAVD 1988

NOTES:
 DOWNSPOUTS TO BE CONNECTED TO STORM SEWER CONNECTION
 SUMP PUMP REQUIRED FOR FOOTER DRAINS

NOTE:
 PURCHASER TO INSTALL MINIMUM OF 3 TREES PER MUNICIPAL REQUIREMENTS

NOTE:
 PURCHASER TO INSTALL LANDSCAPING PER CITY OF HUDSON LANDSCAPING REQUIREMENTS.

NOTE:
 PER ARB, EGRESS WINDOW WELLS SHOULD BE NO MORE THAN 6" ABOVE FINISHED GRADE


PRIMARY BENCHMARK:
 TOC/BOC ELEV @ P/L
 IN FRONT OF SUBLOT'S 131/132
 ELEV. = 1009.32

SECONDARY BENCHMARK
 TOP STEM OF HYDRANT
 IN FRONT OF SUBLOT 131
 TIMBERLINE TRAIL
 ELEV. = 1011.32


THE CONTRACTOR MUST CHECK THE BENCHMARK WITH THE CURB GRADES PRIOR TO DIGGING THE FOUNDATION.

NOTE:
 ALL PROPOSED FOOTERS WILL REQUIRE SURVEY CERTIFICATION ONCE SET AND PRIOR TO THE COMPLETION OF HOME CONSTRUCTION

NOTE:
 FINAL LOCATION OF (3) TREES TO BE DETERMINED AND INSTALLED BY PURCHASER IN COMPLIANCE WITH CITY OF HUDSON LAND DEVELOPMENT CODE (1207.04J).



GRAPHIC SCALE



PERCENTAGE OF LOT COVERAGE = 23.0%

HOUSE COVERAGE = 2,116 SQ.FT.
 DRIVEWAY COVERAGE = 1,347 SQ.FT.
 WALKWAY COVERAGE = 209 SQ.FT.
 TOTAL COVERAGE = 3,672 SQ.FT.

DATE OF SURVEY:
 SEPTEMBER 25th, 2018

TYPE OF HOUSE:
 PLAN# CRAWFORD
 ELEVATION: 1
 GAR: 3 CAR SIDE LEFT W/8' BASEMENT & FIREPLACE

- ① = PROP 1" WAT CONN
- ② = PROP 6" PVC SAS CONN @ 1.0% MIN 10% MAX
- ③ = PROP 6" PVC SITS CONN @ 1.0% MIN 10% MAX

- LEGEND:
- = PROPOSED TREE
 - = EX MONUMENT
 - = EX CURB INLET
 - ⊙ = EX SANITARY MANHOLE
 - = EX YARD DRAIN
 - ⊙ = IRON PIN SET 5/8"x30" REBAR CAPPED "AZTECH #8249"
 - = EXISTING GRADE
 - - - = PROPOSED GRADE
 - ∞ = PROP SILT FENCE
 - = INLET PROTECTION
 - ⊕ = EX HYDRANT
 - ⊕ = EX WATER VALVE
 - ⊕ = SUMP PUMP
 - ⊕ = EX STORM MANHOLE
 - = SWALE
 - = FLOW ARROW
 - ⊕ = AIR CONDITIONER
 - E = ELECTRIC CONNECTION
 - G = GAS CONNECTION
 - ▽ = OFFSET HUB
 - ⊕ = ELECTRIC BOX
 - ⊕ = STUB
 - ⊕ = LIGHT POST
 - ⊕ = TELEPHONE PEDESTAL
 - ⊕ = CABLE PEDESTAL
 - ⊕ = TRANSFORMER BOX



I CERTIFY THAT THIS PLAN WAS PREPARED BY ME AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

9-27-18
 STAN R. LOCH P.E. #63332 DATE

5425 WARNER ROAD - SUITE 12
 VALLEY VIEW, OHIO 44125
 440-602-9071



ENGINEERING and SURVEYING
 Civil Engineering · Land Surveying


SHEET CONTENT

SITE PLAN FOR
 PULTE HOMES
 SUBLOT 131
 5524 TIMBERLINE TRAIL
 IN THE
 RESERVE AT RIVER
 OAKS SUBDIVISION PH.3
 SITUATED IN THE
 CITY OF HUDSON
 COUNTY OF SUMMIT
 STATE OF OHIO

REVISIONS			
NO.	DATE	DESCRIPTION	BY

HORIZ. SCALE		VERT. SCALE	
1" = 20'			
DRAWN BY	KEG	DATE	9-27-2018
CHECKED BY	SRL	DRAWING NO	Site-Plans
JOB NO	20142977-3	SHEET	1 OF 1

ATTIC VENTILATION SCHEDULE													
1 ELEVATION	1ST FLOOR ROOF			2ND FLOOR ROOF			GARAGE ROOF			N/A			
	LOC	AREA	REQD SUPP	AREA	REQD SUPP	AREA	REQD SUPP	AREA	REQD SUPP	AREA	REQD SUPP	AREA	REQD SUPP
165	0.275	0.94	1729	2.88	5.88	3.36	0.56	1.31					
EAIVE	0.275	0.94		2.88	4.89		0.56	1.31					
TOTAL	0.55	1.88		5.76	10.77		1.12	2.62					



ROOF PLAN
SCALE 1/8" = 1'-0"



LEFT ELEVATION
SCALE 1/4" = 1'-0"



RIGHT ELEVATION
SCALE 1/4" = 1'-0"

Cleveland Division
387 Medina Rd. Suite 1700
Medina, OH 44256



Front Elevation - Elev. 1
Side Elevations and Roof Plan

PRODUCTION MANAGER
Jamey Heinzman
CURRENT RELEASE DATE: 09/27/2018

REV #	DATE	DESCRIPTION

PROJECT TYPE
SINGLE FAMILY

COMMUNITY NAME
RIVER OAKS LOT 131
LAWSON COMMUNITY ID


GARAGE HANDING
GARAGE LEFT

SPECIFICATION LEVEL
TBD

PLAN NAME
CRAWFORD
NPS PLAN NUMBER
TBD
LAWSON PLAN ID

LEGACY PLAN NUMBER / NAME
PLAN 2843

SHEET
7.01a2




First Floor Plan

PRODUCTION MANAGER	Jamey Heinzman
CURRENT RELEASE DATE:	09/27/2018
REV #	DATE / DESCRIPTION
△	
△	
△	
△	
△	
△	
△	

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS


ENGINEER OF RECORD: MULHERN & KULP, ENGINEERING
ARCHITECT OF RECORD: GODDUCO DESIGN - ARCHITECTS

PROJECT TYPE	SINGLE FAMILY
COMMUNITY NAME	RIVER OAKS LOT 131
LAWSON COMMUNITY ID	
GARAGE HANDING	GARAGE LEFT
SPECIFICATION LEVEL	TBD
PLAN NAME	CRAWFORD
PRELIM PLAN NUMBER	TBD
LAWSON PLAN ID	
LEGACY PLAN NUMBER / NAME	PLAN 2843
SHEET	2.10a




TYPICAL WALL SECTION - w/ brick wainscot

SCALE 1/2" = 1'-0"



TYPICAL WALL SECTION - w/ stone wainscot

SCALE 1/2" = 1'-0"



TYPICAL WALL SECTION - sides & rear

SCALE 1/2" = 1'-0"

PRODUCTION MANAGER
Jamey Heinzman
CURRENT RELEASE DATE: 09/27/2018

REV #	DATE	DESCRIPTION

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

PROJECT TYPE
SINGLE FAMILY

COMMUNITY NAME
RIVER OAKS LOT 131

LAWSON COMMUNITY ID

GARAGE HANDING
GARAGE LEFT

SPECIFICATION LEVEL
TBD

PLAN NAME
CRAWFORD

IRS PLAN NUMBER
TBD

LAWSON PLAN ID

LEGACY PLAN NUMBER / NAME
PLAN 2843


SHEET
3.31a

REV #	DATE / DESCRIPTION
△	
△	
△	
△	
△	
△	
△	
△	
△	


PROJECT TYPE SINGLE FAMILY
COMMUNITY NAME RIVER OAKS LOT 131
LAWSON COMMUNITY ID ---
GARAGE HANDING GARAGE LEFT
SPECIFICATION LEVEL TBD
PLAN NAME CRAWFORD
NRS PLAN NUMBER TBD
LAWSON PLAN ID ---
LEGACY PLAN NUMBER / NAME PLAN 2843
SHEET 3.31b

ENGINEER OF RECORD: MULHERN & KULP, ENGINEERING
ARCHITECT OF RECORD: GODDUCO DESIGN - ARCHITECTS


NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS



TYPICAL WALL SECTION - garage w/ 2x4 wall w/ stone wainscot
SCALE 1/2" = 1'-0"



TYPICAL WALL SECTION - garage w/ 2x4 wall w/ brick wainscot
SCALE 1/2" = 1'-0"



TYPICAL WALL SECTION - garage
SCALE 1/2" = 1'-0"



OHIO DIVISION - LOT 131

River Oaks

CRAWFORD

PLAN SHEET INDEX

SHT.	DESCRIPTION
0.00	COVER SHEET
1.30a	FULL BASEMENT FOUNDATION PLAN
2.10a	FIRST FLOOR PLAN
2.11a	PLAN DETAILS
2.11b	PLAN DETAILS
2.11c	PLAN DETAILS
2.20a	SECOND FLOOR PLAN
3.30a	TYPICAL BUILDING SECTIONS
3.31a	TYPICAL WALL SECTIONS
3.31b	TYPICAL WALL SECTIONS
AD 3.7	ARCHITECTURAL DETAILS
6.10	FIRST FLOOR ELECTRICAL PLANS
6.11	SECOND FLOOR ELECTRICAL PLAN
7.01a	FRONT ELEVATION "1" - FRONT AND REAR ELEVATIONS
7.01a2	FRONT ELEVATION "1" - SIDE ELEVATIONS & ROOF PLAN
S-0	GENERAL STRUCTURAL NOTES
S-1.0	1ST FLOOR FRAMING PLAN
S-1.1	1ST FLOOR FRAMING PLAN
S-1.2	1ST FLOOR FRAMING PLAN
S-1.3	1ST FLOOR FRAMING PLAN
S-1.4	1ST FLOOR FRAMING PLAN
S-1.5	1ST FLOOR FRAMING PLAN
S-2.0	2ND FLOOR FRAMING PLAN
S-2.1	2ND FLOOR FRAMING PLAN
S-2.2	2ND FLOOR FRAMING PLAN
S-2.3	2ND FLOOR FRAMING PLAN
S-3.0	ROOF FRAMING PLAN
S-3.1	ROOF FRAMING PLAN
S-3.2	ROOF FRAMING PLAN
S-3.3	ROOF FRAMING PLAN
S-4.0	WALL BRACING DETAILS
S-4.1	LATERAL BRACING DETAILS

1 - GENERAL BUILDING & DESIGN REQUIREMENTS

1) THE ATTACHED PLANS & SPECIFICATIONS ARE THE SOLE PROPERTY OF PULTE HOMES INC. ANY UNAUTHORIZED USE OF THESE PLANS WITHOUT PRIOR WRITTEN CONSENT OF PULTE HOMES INC IS STRICTLY PROHIBITED.

2) PULTE HOMES INC. DESIGNS & BUILDS HOUSING AS SET FORTH BY THE FORMAT AND PROVISIONS OF THE RESIDENTIAL CODE OF OHIO (RCO), AND THE NATIONAL ELECTRIC CODE (NEC). ANY NON-CONFORMING DOCUMENTS DISCOVERED BY THE CONTRACTOR OR HIS AGENTS SHALL BE CALLED TO THE IMMEDIATE ATTENTION OF PULTE HOMES INC. BY CALLING (651) 452-5200.

3) THESE PLANS ARE SUBJECT TO MODIFICATIONS TO MEET CODE REQUIREMENTS AND/OR TO FACILITATE MECHANICAL/ ELECTRICAL/ PLUMBING INSTALLATION AND/ OR TO IMPLEMENT DESIGN IMPROVEMENTS. ANY INTENTION TO MODIFY THESE PLANS MUST BE APPROVED IN WRITING BY PULTE HOMES INC.

4) CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING ALL DIMENSIONS AFFECTING CONTRACTOR'S PRODUCTS, INSTALLATIONS, OR FABRICATIONS IN THE FIELD PRIOR TO EXPEDITING THE CONSTRUCTION OF SUCH WORK. FIELD VERIFY ALL DIMENSIONS - DO NOT SCALE DRAWINGS!! CONTRACTOR IS RESPONSIBLE FOR SURVEYING THE PROJECT AND BECOMING FAMILIAR WITH THE EXISTING CONDITIONS AND SCOPE OF WORK INCLUDING BUT NOT LIMITED TO SITE AND SOIL BEARING CONDITIONS.

5) ERRORS AND OMISSIONS WHICH MAY OCCUR IN THE CONTRACT DOCUMENTS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT, IN WRITING, AND WRITTEN INSTRUCTION SHALL BE OBTAINED PRIOR TO PROCEEDING WITH CONSTRUCTION. THE CONTRACTOR SHALL BE HELD RESPONSIBLE FOR ANY ERRORS, DISCREPANCIES, OR OMISSIONS FOR WHICH THE CONTRACTOR FAILED TO NOTIFY THE ARCHITECT PRIOR TO CONSTRUCTION AND/ OR FABRICATION OF THE WORK.

2 - SITE CONSTRUCTION

1) SOIL BEARING CALCULATIONS BASED ON 2500 PSF MIN

2) BACK FILL SHALL BE FREE FROM VEGETATION AND CONSTRUCTION DEBRIS.

3) BACK FILL SHALL BE PLACED IN LIFTS AND COMPACTED IN SUCH A MANNER AS BACKFILL TO NOT DAMAGE THE FOUNDATION WALLS OR ANY WATERPROOFING/ DAMPROOFING MATERIALS.

3 - CONCRETE

1) ALL CONCRETE EXPOSED TO EXTERIOR ELEMENTS SHOULD BE AIR ENTRAINED 4-6%.

2) SLOPE ON DRIVE SHALL BE NO LESS THAN 2% OR 1/4" PER FOOT- PREFERABLY 4% OR 1/2" PER FOOT. THE FRONT STOOP SHALL HAVE SLOPE EQUAL TO 1" PER FOOT. THE RAISED WALK IN GARAGE SHALL HAVE A 1/2" PER FOOT SLOPE AND DRIVE SLAB SHALL BE SLOPED MIN. 1/4" PER FOOT.

3) SOME COLUMN DIMENSIONS ARE FROM CENTER OF COLUMN TO EXTERIOR FACE OF BASEMENT WALL.

4) BACK FILL SHALL BE FREE FROM VEGETATION AND CONSTRUCTION DEBRIS.

5) BACK FILL SHALL BE PLACED IN LIFTS AND COMPACTED IN SUCH A MANNER AS TO NOT DAMAGE THE FOUNDATION WALLS OR WATERPROOFING / DAMPROOFING MATERIALS.

6) MUD SILLS SHALL BE TREATED MEMBERS AND SECURED BY ANCHOR BOLTS AND/OR STRAPS AS SPECIFIED IN THE DRAWINGS, DETAILS, AND SPECIFICATIONS.

7) CALCULATIONS FOR COLUMN PADS BASED ON 2500 PSF SOIL BEARING.

4 - MASONRY

1) ALL EXTERIOR BRICK MUST MEET ASTM C-216 FOR "SM" CONDITIONS

2) MASONRY VENEER SHALL BE ATTACHED TO SUPPORTING WALLS w/ 22ga x 7/8" CORRUGATED METAL TIES AT 24" O.C.

3) FLASHING BEHIND MASONRY SHALL BE 14# BUILDING PAPER OR FELT OR APPROVED EQUAL ATTACHED TO THE SHEATHING TO PREVENT MOISTURE PENETRATION.

4) WEEDHOLES SHALL BE PROVIDED ALONG THE OUTSIDE WYTHE OF EXTERIOR MASONRY WALLS AT 33" O.C. MAX. SHALL BE A MIN. OF 3/16" IN DIAMETER, AND LOCATED IMMEDIATELY ABOVE THE FLASHING

5 - METALS

6 - WOOD AND PLASTICS

7 - THERMAL & MOISTURE PROTECTION

1) INSTALL FIRE STOPPING AND/ OR DRAFT STOPPING AS REQUIRED.

2) ATTIC VENTILATION SHALL BE PROVIDED AT 1/150th OF THE AREA OF THE SPACE VENTILATED. CROSS VENTILATION WITH HALF OF THE VENTILATED AREA SHALL BE PROVIDED BY RIDGE OR GABLE VENTS AND THE OTHER HALF BY EAVE OR CORNICE VENTS. VENTS SHALL BE PLACED SO AS TO NOT ALLOW INFILTRATION OF RAIN OR SNOW.

3) PROVIDE APPROVED TILE BACKER BOARD FOR ALL SHOWER AND BATH SPACE

4) PROVIDE ICE-SHIELD PER CODE

5) ROOF VENTING TO BE PROVIDED AS SHOWN. SOFFIT, RIDGE, AND OTHER ROOF VENTS TO BE INSTALLED AS NOTED ON THE DRAWINGS & AS PER MANUFACTURERS RECOMMENDATIONS.

6) HOUSE WRAP & FLASHING TO BE INSTALLED PER PULTE BEST PRACTICES.

8 - DOORS AND WINDOWS

1) WINDOW CALL OUT PER WINDOW SCHEDULE VERIFY WINDOW MANUFACTURER WITH PROJECT MANAGER

2) REVIEW ALL WINDOW HDR HEIGHTS PER PLATE HT. AND VERIFY W/ ELEVATIONS AND CORNICE DETAILS

3) TEMPERED GLASS SHALL BE USED IN ALL HAZARDOUS AREAS

4) FRONT DOOR WIDTH AS REQUIRED BY CODE

5) FIRE RATED GARAGE DOOR AS REQUIRED BY CODE

6) EMERGENCY - SLEEPING ROOMS SHALL HAVE AT LEAST ONE EGRESS OPENING OF NOT LESS THAN 5.7 SF AND A CLEAR OPENING OF NOT LESS THAN 20" WIDE X 24" HIGH AND SHALL NOT BE MORE THAN 44" ABOVE THE FLOOR.

15 - MECHANICALS

1) FACTORY BUILT CHIMNEYS AND FIREPLACES SHALL BE INSTALLED PER MANUFACTURER'S INSTRUCTIONS, AND ARE SUBJECT TO MECHANICAL INSPECTION

2) PROVIDE EXTERIOR AIR INTAKE FOR COMBUSTION AIR.

16 - ELECTRICAL

1) ALL ELECTRICAL INSTALLATION SHALL MEET THE REQUIREMENTS OF THE NATIONAL ELECTRIC CODE (NEC), ALL MATERIAL AND EQUIPMENT SHALL BEAR THE LABEL OF APPROVAL OF THE UNDERWRITERS LABORATORIES, INC.

2) ELECTRICAL CONTRACTOR SHALL VERIFY SPACE REQUIRED FOR METER INSTALLATION BEFORE CONSTRUCTION AND SHALL NOTIFY GENERAL CONTRACTOR OF ANY DISCREPANCIES.

3) VERIFY LOCATION OF ALL RECEPTACLES FOR APPLIANCES WITH MANUFACTURER SPECIFICATIONS.

4) GROUND FAULT INTERRUPTS SHALL BE LOCATED PER THE NEC.

5) ALL SWITCHES SHALL BE INSTALLED AT 3'-2" ABOVE FINISHED FLOOR TO CENTERLINE OF SWITCH UNLESS NOTED OTHERWISE.

6) ALL CONVENIENCE OUTLETS SHALL BE INSTALLED W/ CENTERLINE OF OUTLET LOCATED 1'-3" ABOVE FINISHED FLOOR UNLESS NOTED OTHERWISE.

7) ALL CONVENIENCE OUTLETS WITH SWITCHES TO BE SWITCH AT TOP ONLY.

8) ALL EXTERIOR WALL BRACKET FIXTURES SHALL BE INSTALLED AT 5'-6" ABOVE ADJACENT DOOR SILL HEIGHT TO CENTERLINE OF FIXTURE.

9) APPROVED SMOKE DETECTORS SHALL BE LOCATED ON EVERY STORY OF THE DWELLING UNIT AS PER CODE (SEE SHEET 6.XXX FOR LOCATIONS). WHERE MORE THAN ONE DETECTOR IS REQUIRED THEY SHALL BE INTERCONNECTED. POWER SOURCE SHALL BE BUILDING POWER W/ BATTERY BACKUP.

GENERAL FRAMING SPECS AND CONSTRUCTION NOTES STAIRS:

1) THE MAXIMUM RISER HEIGHT SHALL BE 7 3/4 INCHES (210 MM) AND THE MINIMUM TREAD DEPTH SHALL BE 10 INCHES (229 MM).

2) HANDRAILS HAVING MINIMUM AND MAXIMUM HEIGHTS OF 34 INCHES AND 38 INCHES SHALL BE PROVIDED ON AT LEAST ONE SIDE OF STAIRWAYS.

3) HANDRAIL AND BALUSTRADE (WHERE PRESENT) SHALL BE CONSTRUCTED PER CODE

4) ALL REQUIRED HAND RAILS SHALL BE CONTINUOUS THE FULL LENGTH OF THE STAIRS W/ 2 OR MORE RISERS FROM A POINT ABOVE THE TOP RISER OF A FLIGHT TO A POINT ABOVE THE LOWEST RISER OF THE FLIGHT. ENDS SHALL BE RETURNED OR SHALL TERMINATE AT NEMEL POSTS OR SAFETY TERMINALS. HANDRAILS ADJACENT TO A WALL SHALL HAVE A SPACE OF NOT LESS THAN 1.5" BETWEEN THE WALL AND HAND RAIL.

WALLS:

1) ALL STUDS TO BE 2x4 SPF OR EQUAL UNLESS NOTED OTHERWISE.

2) USE DBL TOP PLATES 16" OC ON BOTH FIRST AND SECOND FLOOR AT ALL EXTERIOR AND LOAD BEARING CONDITIONS ALL OTHER PARTITION WALL USE SINGLE TOP PLATE 24"OC.

FLOORS:

1) STRUCTURAL FLOOR MEMBERS SHALL NOT BE CUT, BORED, OR NOTCHED IN EXCESS OF THE LIMITATIONS SPECIFIED PER CODE

2) THE ENDS OF EACH JOIST, BEAM, OR GIRDER SHALL HAVE NOT LESS THAN 1.5 INCHES (38MM) OF BEARING ON WOOD OR METAL AND NOT LESS THAN 3 INCHES (76MM) ON MASONRY OR CONCRETE OR AS OTHERWISE SPECIFIED PER CODE

3) ANY CONVENTIONAL FLOOR JOISTS SHOWN DOUBLED ON PLANS TO BE GLUED AT INSTALLATION AND NAILED W/ 3-16d NAILS @ 16" O.C. MULTIPLE PLIES OF ENGINEERED LUMBER TO BE ASSEMBLED PER MANUF. RECOMM.

4) SHOP DRAWINGS FOR ANY AND ALL ENGINEERED FLOOR SYSTEMS TO BE SUBMITTED TO ARCHITECT TO REVIEW IN CONFORMANCE WITH THESE CONSTRUCTION DOCUMENTS. WHERE THE CONSTRUCTION DOCUMENTS DO NOT ADDRESS METHODOLOGY, CONTRACTOR TO BE BOUND TO PERFORM IN STRICT COMPLIANCE WITH MANUFACTURER'S SPECIFICATIONS AND RECOMMENDATIONS.

FRAMING:

1) ALL FRAMING DIMENSIONS TO FACE OF MEMBER/SHEATHING.

2) ALL BEARING HEADERS TO BE 2 X 8 SPF #2 OR EQUAL UNLESS NOTED OTHERWISE.

3) ALL 2x10 & 2x12 HEADERS TO BE SPF #2 UNLESS NOTED OTHERWISE.

4) ALL 2x8 HEADERS SPF #2 UNLESS NOTED OTHERWISE.

5) PROVIDE 1x4 BLOCKING UNDER ALL EXTERIOR SLIDING DOORS.

6) ALL BEAMS & HEADERS SHALL HAVE A MINIMUM OF (1) 2x JACK STUD & (1) 2x KING STUD. THE NUMBER OF STUDS LABELED ON PLANS INDICATES THE NUMBER OF JACK STUDS ONLY (UNLESS NOTED OTHERWISE).

7) TWO-PLY CONVENTIONAL BEAMS TO BE FACE-NAILED W/2 ROWS 16d COMMON NAILS STAGGERED @16" O.C. UNLESS NOTED OTHERWISE. THREE-PLY CONVENTIONAL BEAMS TO BE NAILED AS ABOVE FROM EACH SIDE. MULTIPLE PLIES OF ENGINEERED LUMBER TO BE ASSEMBLED PER MANUF. RECOMM.

8) JOIST HANGERS, WHERE REQUIRED, SHALL BE USED WITHOUT ANGLES.

9) INSTALL FIRE STOPPING AND/ OR DRAFT STOPPING AS REQUIRED.

ROOF:

1) HIP AND VALLEY RAFTERS SHALL BE SUPPORTED AT RIDGE DOWN TO BEARING PARTITION. CUT ENDS OF RAFTERS SHALL BE FULLY SUPPORTED WALL AND RIDGE.

2) SHOP DRAWINGS FOR ANY AND ALL ENGINEERED ROOF TRUSS SYSTEMS TO BE SUBMITTED TO ARCHITECT TO REVIEW IN CONFORMANCE WITH THESE CONSTRUCTION DOCUMENTS. WHERE THE CONSTRUCTION DOCUMENTS DO NOT ADDRESS METHODOLOGY, CONTRACTOR TO BE BOUND TO PERFORM IN STRICT COMPLIANCE WITH MANUFACTURER'S SPECIFICATIONS AND RECOMMENDATIONS.

WINDOW DATA:

SIMONTON WINDOWS PERFORMANCE DATA					
WINDOWS					
	R VALUE	U FACTOR	SHGC	VT	
ARGON WITHOUT GRIDS					
3/4" LOW-E 270/CLEAR	3.13	0.32	0.28	0.54	
ARGON WITH GRIDS					
3/4" LOW-E /270 CLEAR	3.03	0.33	0.26	0.48	
SLIDING GLASS DOORS					
ARGON WITHOUT GRIDS					
3/4" LOW-E 270/CLEAR	3.45	0.29	0.29	0.57	
ARGON WITH GRIDS					
3/4" LOW-E 270/CLEAR	3.23	0.31	0.26	0.50	

LIGHT & VENT CALCULATIONS:

ROOM	SQ. FT.	LIGHT REQ'D	LIGHT SUPP	VENT REQ'D	VENT SUPP	NOTES
PLANNING CENTER	66	5.28	12.40	2.64	5.30	
KITCHEN/NOOK	319	25.52	65.94	12.76	31.62	
GATHERING	270	21.60	49.60	10.80	21.20	
POWDER ROOM	27	N/A	N/A	29.7	50.00	
DEN	124	9.92	37.20	4.96	15.90	
DINING ROOM	160	12.80	24.80	6.40	10.60	
OWNER'S SUITE	248	19.84	45.50	9.92	18.90	
OWNER'S BATHROOM	85	N/A	12.40	93.5	100.00	
TOILET ENCLOSURE	18	N/A	N/A	19.8	50.00	
GAME ROOM	280	20.80	35.10	10.40	14.70	
BEDROOM 2	145	11.60	16.90	5.80	7.00	
BEDROOM 3	163	13.04	28.60	6.52	11.90	
BEDROOM 4	150	12	28.60	6.00	11.90	
BATH 2	52	N/A	N/A	57.20	100	

APPLICABLE CODES:

2006 RESIDENTIAL CODE OF OHIO
 2006 INTERNATIONAL PLUMBING CODE
 2006 INTERNATIONAL MECHANICAL CODE
 2008 NATIONAL ELECTRIC CODE
 2006 INTERNATIONAL FIRE CODE
 2006 INTERNATIONAL ENERGY CONSERVATION CODE

Cleveland Division
 387 Medina Rd. Suite 1700
 Medina, OH 44256



Cover Sheet
 Specifications & General Notes

REV #	DATE	DESCRIPTION
△		
△		
△		
△		
△		
△		
△		
△		
△		
△		

PRODUCTION MANAGER
 Jamey Heinzman
 CURRENT RELEASE DATE: 09/27/2018

PROJECT TYPE
SINGLE FAMILY

COMMUNITY NAME
RIVER OAKS LOT 131
 LAWSON COMMUNITY ID

GARAGE HANDING
GARAGE LEFT

SPECIFICATION LEVEL
TBD

PLAN NAME
CRAWFORD
 NRS PLAN NUMBER
TBD
 LAWSON PLAN ID

LEGACY PLAN NUMBER / NAME
PLAN 2843

SHEET
0.00


PLOTTED: September 27, 2018 / Rudolph Sanchez / PLAN-2843-RD-COVER.DWG
 ENGINEER OF RECORD: MULHERN & KULP, ENGINEERING
 ARCHITECT OF RECORD: GODOUCO DESIGN - ARCHITECTS

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

ENGINEER OF RECORD: MULHERN & KULP, ENGINEERING
 ARCHITECT OF RECORD: GODOUCO DESIGN - ARCHITECTS

CURVE TABLE						CURVE TABLE						CURVE TABLE								
CURVE	RADIUS	LENGTH	TANGENT	CHORD	BEARING	CURVE	RADIUS	LENGTH	TANGENT	CHORD	BEARING	CURVE	RADIUS	LENGTH	TANGENT	CHORD	BEARING			
C1	200.00'	200.00'	176.47'	200.00'	N32°29'29"W	60°00'00"	C11	60.00'	60.00'	52.70'	S7.53'	C21	30.00'	47.12'	30.00'	42.43'	N74°33'31"E	60°00'00"		
C2	200.00'	104.72'	83.88'	102.85'	N1°43'31"E	30°00'00"	C12	60.00'	76.17'	43.42'	70.26'	N82°08'01"W	77°00'00"	C22	170.00'	60.26'	40.85'	70.82'	N48°53'36"W	37°00'00"
C3	230.00'	17.88'	8.98'	17.88'	N01°04'43"E	42°00'00"	C13	60.00'	8.98'	4.60'	8.98'	N21°04'30"W	60°00'00"	C23	170.00'	67.06'	66.52'	66.52'	N48°53'36"W	37°00'00"
C4	230.00'	63.61'	42.88'	63.61'	N1°43'31"E	30°00'00"	C14	60.00'	37.87'	19.87'	38.67'	N23°04'14"W	43°00'00"	C24	30.00'	47.12'	30.00'	42.43'	N48°53'36"W	60°00'00"
C5	230.00'	18.88'	9.44'	18.88'	N27°11'37"E	47°34'47"	C15	230.00'	37.87'	19.87'	37.87'	N82°08'01"W	60°00'00"	C25	60.00'	16.16'	7.88'	16.16'	N87°04'14"W	N48°53'36"
C6	30.00'	47.12'	30.00'	42.43'	N19°29'29"W	60°00'00"	C16	230.00'	25.00'	13.00'	25.00'	N1°43'31"E	30°00'00"	C26	60.00'	60.00'	52.70'	60.00'	N74°33'31"E	60°00'00"
C7	60.00'	37.87'	19.87'	38.67'	N82°08'01"W	43°00'00"	C17	230.00'	65.16'	43.00'	64.76'	N3°00'00"W	37°31'4"	C27	60.00'	60.00'	52.70'	60.00'	N74°33'31"E	60°00'00"
C8	60.00'	64.48'	38.88'	62.88'	N77°07'36"W	61°00'00"	C18	230.00'	65.16'	43.00'	64.76'	N1°43'31"E	37°31'4"	C28	60.00'	64.48'	38.88'	62.88'	N77°07'36"W	61°00'00"
C9	60.00'	60.00'	52.70'	60.00'	N27°11'37"E	67°17'46"	C19	230.00'	6.99'	3.49'	6.99'	N81°04'30"W	1°44'25"	C29	60.00'	64.48'	38.88'	62.88'	N77°07'36"W	61°00'00"
C10	60.00'	30.00'	16.14'	30.00'	N18°04'31"E	19°11'17"	C20	170.00'	60.00'	49.85'	60.00'	N1°43'31"E	30°00'00"	C30	60.00'	64.48'	38.88'	62.88'	N77°07'36"W	61°00'00"

CURVE TABLE						
CURVE	RADIUS	LENGTH	TANGENT	CHORD	BEARING	
C31	60.00'	64.48'	38.88'	62.88'	N77°07'36"E	61°00'00"
C32	60.00'	24.14'	12.07'	24.14'	N87°04'14"E	37°00'00"
C33	60.00'	76.00'	40.00'	76.00'	N87°04'14"E	60°00'00"
C34	60.00'	33.17'	11.72'	33.00'	N48°53'36"W	60°00'00"
C35	60.00'	60.00'	52.70'	60.00'	N87°04'14"E	67°17'46"
C36	60.00'	60.00'	52.70'	60.00'	N87°04'14"E	67°17'46"
C37	60.00'	9.85'	4.93'	9.85'	N87°04'14"E	60°00'00"
C38	30.00'	47.12'	30.00'	42.43'	N48°53'36"E	60°00'00"



100' RADIUS SETBACK TO WELL HEAD
EXISTING GAS WELL HEAD N 57720.00 E 224672.00 SEE NOTE 1

300' RADIUS SETBACK TO TANK BATTERY N 87703.83 E 224676.14
STORM SEWER EASEMENT TO CITY

50' WETLAND BUFFER, LIMITS OF THIRD PARTY CONSERVATION EASEMENT RECEPTIONS NO.

PARCEL #13-00370
BOSTON COMMONS STORAGE, LTD
RECEPTION No. 55797198

DOC # 88364803
THIS PLAN IS A REPRODUCTION OF THE ORIGINAL PLAN AND IS NOT VALID UNLESS IT IS ACCOMPANIED BY THE ORIGINAL PLAN.

BLOCK "3A"
28,300 AC.

BLOCK "3B"
12,700 AC.

50' WETLAND BUFFER, LIMITS OF THIRD PARTY CONSERVATION EASEMENT RECEPTIONS NO.
EXISTING UTILITY EASEMENT TO CITY (RECEPTION NO. 55300315)

LINE TABLE		LINE TABLE		LINE TABLE	
LINE	LENGTH	LINE	LENGTH	LINE	LENGTH
L1	18.13'	L5	25.00'	L9	32.85'
L2	13.03'	L6	25.00'	L10	32.85'
L3	6.84'	L7	63.61'	L11	32.85'
L4	18.84'	L8	58.57'	L12	32.85'

NOTE 1:
THE BLANKET AGREEMENT TO INSTALL THIS EXISTING GAS WELL PREVIOUSLY GRANTED A BLANKET EASEMENT OVER PORTIONS OF THE PROPERTY.
THE RESERVE AT RIVER OAKS SUBDIVISION PHASE 3



DONALD S. BORING & ASSOCIATES, INC.
 CIVIL ENGINEERING & SURVEYING
 100 WASHINGTON STREET, SUITE 200
 BOSTON, MASSACHUSETTS 02108
 TEL: (617) 552-1100 FAX: (617) 552-1101
 DATE: NOV. 2017
 SHEET: 3 OF 3
 PROJECT: 45728-00-01 45728-3

















128



133

Cleveland Division
387 Medina Rd. Suite 1700
Medina, OH 44256

Pulte
Homes



Elevation - 9
Front and Rear Elevations

CLIENT: SCALE: NOTES ON DRAWINGS RELATE TO THIS SET. PLEASE REFER TO THE SET'S "NOTES" FOR MORE INFORMATION.

1	2	3	4	5	6	7	8	9	10
△	△	△	△	△	△	△	△	△	△

ENGINEER OF RECORD: BEAUMON, A. KEMP, ENGINEERS
ARCHITECT OF RECORD: GORDON, HENSON, & ASSOCIATES

PROJECT: SINGLE FAMILY
RIVER OAKS LOT 133
1330
GARAGE: GARAGE RIGHT
TBD
ATWATER
1304
PLAN 3256
7.09a1



NOTED: SEE A.321, A.322, A.323, A.324, A.325, A.326, A.327, A.328, A.329, A.330, A.331, A.332, A.333, A.334, A.335, A.336, A.337, A.338, A.339, A.340, A.341, A.342, A.343, A.344, A.345, A.346, A.347, A.348, A.349, A.350, A.351, A.352, A.353, A.354, A.355, A.356, A.357, A.358, A.359, A.360, A.361, A.362, A.363, A.364, A.365, A.366, A.367, A.368, A.369, A.370, A.371, A.372, A.373, A.374, A.375, A.376, A.377, A.378, A.379, A.380, A.381, A.382, A.383, A.384, A.385, A.386, A.387, A.388, A.389, A.390, A.391, A.392, A.393, A.394, A.395, A.396, A.397, A.398, A.399, A.400, A.401, A.402, A.403, A.404, A.405, A.406, A.407, A.408, A.409, A.410, A.411, A.412, A.413, A.414, A.415, A.416, A.417, A.418, A.419, A.420, A.421, A.422, A.423, A.424, A.425, A.426, A.427, A.428, A.429, A.430, A.431, A.432, A.433, A.434, A.435, A.436, A.437, A.438, A.439, A.440, A.441, A.442, A.443, A.444, A.445, A.446, A.447, A.448, A.449, A.450, A.451, A.452, A.453, A.454, A.455, A.456, A.457, A.458, A.459, A.460, A.461, A.462, A.463, A.464, A.465, A.466, A.467, A.468, A.469, A.470, A.471, A.472, A.473, A.474, A.475, A.476, A.477, A.478, A.479, A.480, A.481, A.482, A.483, A.484, A.485, A.486, A.487, A.488, A.489, A.490, A.491, A.492, A.493, A.494, A.495, A.496, A.497, A.498, A.499, A.500, A.501, A.502, A.503, A.504, A.505, A.506, A.507, A.508, A.509, A.510, A.511, A.512, A.513, A.514, A.515, A.516, A.517, A.518, A.519, A.520, A.521, A.522, A.523, A.524, A.525, A.526, A.527, A.528, A.529, A.530, A.531, A.532, A.533, A.534, A.535, A.536, A.537, A.538, A.539, A.540, A.541, A.542, A.543, A.544, A.545, A.546, A.547, A.548, A.549, A.550, A.551, A.552, A.553, A.554, A.555, A.556, A.557, A.558, A.559, A.560, A.561, A.562, A.563, A.564, A.565, A.566, A.567, A.568, A.569, A.570, A.571, A.572, A.573, A.574, A.575, A.576, A.577, A.578, A.579, A.580, A.581, A.582, A.583, A.584, A.585, A.586, A.587, A.588, A.589, A.590, A.591, A.592, A.593, A.594, A.595, A.596, A.597, A.598, A.599, A.600, A.601, A.602, A.603, A.604, A.605, A.606, A.607, A.608, A.609, A.610, A.611, A.612, A.613, A.614, A.615, A.616, A.617, A.618, A.619, A.620, A.621, A.622, A.623, A.624, A.625, A.626, A.627, A.628, A.629, A.630, A.631, A.632, A.633, A.634, A.635, A.636, A.637, A.638, A.639, A.640, A.641, A.642, A.643, A.644, A.645, A.646, A.647, A.648, A.649, A.650, A.651, A.652, A.653, A.654, A.655, A.656, A.657, A.658, A.659, A.660, A.661, A.662, A.663, A.664, A.665, A.666, A.667, A.668, A.669, A.670, A.671, A.672, A.673, A.674, A.675, A.676, A.677, A.678, A.679, A.680, A.681, A.682, A.683, A.684, A.685, A.686, A.687, A.688, A.689, A.690, A.691, A.692, A.693, A.694, A.695, A.696, A.697, A.698, A.699, A.700, A.701, A.702, A.703, A.704, A.705, A.706, A.707, A.708, A.709, A.710, A.711, A.712, A.713, A.714, A.715, A.716, A.717, A.718, A.719, A.720, A.721, A.722, A.723, A.724, A.725, A.726, A.727, A.728, A.729, A.730, A.731, A.732, A.733, A.734, A.735, A.736, A.737, A.738, A.739, A.740, A.741, A.742, A.743, A.744, A.745, A.746, A.747, A.748, A.749, A.750, A.751, A.752, A.753, A.754, A.755, A.756, A.757, A.758, A.759, A.760, A.761, A.762, A.763, A.764, A.765, A.766, A.767, A.768, A.769, A.770, A.771, A.772, A.773, A.774, A.775, A.776, A.777, A.778, A.779, A.780, A.781, A.782, A.783, A.784, A.785, A.786, A.787, A.788, A.789, A.790, A.791, A.792, A.793, A.794, A.795, A.796, A.797, A.798, A.799, A.800, A.801, A.802, A.803, A.804, A.805, A.806, A.807, A.808, A.809, A.810, A.811, A.812, A.813, A.814, A.815, A.816, A.817, A.818, A.819, A.820, A.821, A.822, A.823, A.824, A.825, A.826, A.827, A.828, A.829, A.830, A.831, A.832, A.833, A.834, A.835, A.836, A.837, A.838, A.839, A.840, A.841, A.842, A.843, A.844, A.845, A.846, A.847, A.848, A.849, A.850, A.851, A.852, A.853, A.854, A.855, A.856, A.857, A.858, A.859, A.860, A.861, A.862, A.863, A.864, A.865, A.866, A.867, A.868, A.869, A.870, A.871, A.872, A.873, A.874, A.875, A.876, A.877, A.878, A.879, A.880, A.881, A.882, A.883, A.884, A.885, A.886, A.887, A.888, A.889, A.890, A.891, A.892, A.893, A.894, A.895, A.896, A.897, A.898, A.899, A.900, A.901, A.902, A.903, A.904, A.905, A.906, A.907, A.908, A.909, A.910, A.911, A.912, A.913, A.914, A.915, A.916, A.917, A.918, A.919, A.920, A.921, A.922, A.923, A.924, A.925, A.926, A.927, A.928, A.929, A.930, A.931, A.932, A.933, A.934, A.935, A.936, A.937, A.938, A.939, A.940, A.941, A.942, A.943, A.944, A.945, A.946, A.947, A.948, A.949, A.950, A.951, A.952, A.953, A.954, A.955, A.956, A.957, A.958, A.959, A.960, A.961, A.962, A.963, A.964, A.965, A.966, A.967, A.968, A.969, A.970, A.971, A.972, A.973, A.974, A.975, A.976, A.977, A.978, A.979, A.980, A.981, A.982, A.983, A.984, A.985, A.986, A.987, A.988, A.989, A.990, A.991, A.992, A.993, A.994, A.995, A.996, A.997, A.998, A.999, A.1000.