



Replace barn door

OWEN BROWN ST.

91


REVISIONS		
REV. No.	DATE	DESCRIPTION
00	6/1/15	RELEASED



NOTES:

- 1.) CUSTOMER TO SELECT WOOD SPECIES, TRACK, COUNTERBALANCE & FINISH OPTIONS WHEN PLACING ORDER.
- 2.) NOMINAL DOOR THICKNESS TO VARY BASED ON WOOD MATERIALS CHOSEN AT TIME OF ORDER.
- 3.) STANDARD DOOR CONFIGURATION INCLUDES NO LOCK HOLE. OTHER LOCK OPTIONS ARE AVAILABLE.

DH	6'-6"	7'-0"
NOMINAL (DH)	6'-6-3/4"	7'-0"
S1	28"	28"
S2	22-3/4"	28"
S3	28"	28"



DW	P
14'-2"	34-1/8"
14'-4"	34-5/8"
14'-6"	35-1/8"
14'-8"	35-5/8"
14'-10"	36-1/8"
15'-0"	36-5/8"
15'-2"	37-1/8"
15'-4"	37-5/8"
15'-6"	38-1/8"
15'-8"	38-5/8"
15'-10"	39-1/8"
16'-0"	39-5/8"
16'-2"	40-1/8"
16'-4"	40-5/8"
16'-6"	41-1/8"
16'-8"	41-5/8"
16'-10"	42-1/8"
17'-0"	42-5/8"
17'-2"	43-1/8"
17'-4"	43-5/8"
17'-6"	44-1/8"
17'-8"	44-5/8"
17'-10"	45-1/8"
18'-0"	45-5/8"

FRONT ELEVATION DESIGN: SEMI6



IMPORTANT: This document must be signed and returned prior to any fabrication. Please reference this drawing number on all correspondence. Thank you!

NOTICE: Confidential/Proprietary information of CLOPAY BUILDING PRODUCTS CO. is contained herein and may not be disclosed, used, duplicated, made available, or distributed without its prior consent. Failure to observe this notice may result in liability for any damages and losses resulting therefrom.

DRAWN BY: AG

DATE: 6/1/15

APPROVAL SIGNATURE:

APPROVAL DATE:

CUSTOMER: SEMI-CUSTOM

JOB: FRONT ELEVATION

DRAWING NUMBER:

REV. 00

CSR/DC: TROY, OHIO

SEM-4P-3S-6-SM-TOP11-S

SHEET: 1 of 1

FRONT ELEVATION
VIEW DRAWING

Existing

- ✓ **STEP ONE:** 16' 0" x 7' 0" - WindCode W0
- ✓ **STEP TWO:** Reserve® Collection Semi Custom
- ✓ **STEP THREE:** Design 6
- ✓ **STEP FOUR:** Wood - Hemlock (Paint Grade)
- ✓ **STEP FIVE:** Solid
- ✓ **STEP SIX:** Not applicable with solid top section.

Summary

Size: 16' 0" x 7' 0"

WindCode: W0


Collection: Reserve® Collection Semi Custom

Design: Design 6

Construction: Wood - Hemlock (Paint Grade)

Top Section: Solid

Glass Type: Not applicable with solid top section.




EMAIL PDF DRAWING

[View PDF of Large Image and Dimensions](#)

Existing

imagine[®]
your home reinvented.



handcrafted
WOOD
garage doors



America's Favorite Garage Doors[®]

Existing



Reserve® Collection Limited Edition Series
Design 2 with REC13 Windows; Optional Dentil Shelf Shown

the difference is in the details

Every Clopay wood door embodies our commitment to timeless design, attention to detail, and craftsmanship with the warmth and character no other material can match. Each door is designed and built to create a unique and artistic addition to your home.



The uniquely designed drip cap eliminates water infiltration into the groove of the face material, making the doors more durable and longer lasting.



Clopay uses precision dowel hole boring machinery to ensure precise alignment with rails and stiles for a stronger and more durable garage door.

Existing



skillfully
crafted

Handcrafted from only the finest wood species and harvested from sustainable and naturally fallen forestry, Clopay wood doors are designed and built to last. Featuring premium quartersawn lumber that provides a higher quality and more consistent appearance. Clopay uses an industry leading factory finishing process, building quality in at every stage.



Existing





Proposed



Existing

SUBLOT(S) ORIGINAL LOT NO(S): PART OF 55
SUBDIVISION / ORIGINAL TOWNSHIP: VILLAGE OF HUDSON
PLAT VOL. , PAGE
RECORDED IN SUMMIT COUNTY RECORDS
PERMANENT PARCEL NO.: 3200269

GLS NO. 67471Z
DRAWN BY: CW/
DATE: 11-15-2018



SCALE: 1" = 40'

ACKNOWLEDGED & ACCEPTED

BY: _____

BY: _____

DATE



[Handwritten Signature]

THIS SEAL EXPIRES 12/31/2018

SURVEY PERFORMED BY RESIDENTIAL SURVEY COMPANY, LLC
ON BEHALF OF GREAT LAKES SERVICES, LLC
CERTIFICATE OF AUTHORIZATION NO. 02996