


OHIO HISTORIC INVENTORY

1. No.		4. Present Name(s) Residence, Andrew Kolliner	
2. County Summit		5. Other Name(s) HARRY THOMPSON HOUSE	
3. Location of Negatives HHA 44-35			
6. Specific Location 94 Ravenna Street		16. Thematic Category C	
7. City or Town If Rural, Township & Vicinity Hudson		17. Date(s) or Period 1852	
8. Site Plan with North Arrow 		18. Style or Design Greek Revival	
9. Coordinates Lat. _____ Long. _____ U.T.M. Reference 17 463419 4564914		19. Architect or Engineer	
10. Site <input type="checkbox"/> Structure <input type="checkbox"/> Building <input checked="" type="checkbox"/> Object <input type="checkbox"/>		20. Contractor or Builder	
11. National Register? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		21. Original Use, if apparent residence	
12. Is It Eligible? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		22. Present Use residence	
13. Part of Estab. Hist. Dist.? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		23. Ownership Public <input type="checkbox"/> Private <input checked="" type="checkbox"/>	
14. District Potent'l? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		24. Owner's Name & Address, if known Andrew Kolliner 94 Ravenna Street Hudson 44236	
15. Name of Established District		25. Open to Public? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
42. Further Description of Important Features Center chimney; small windows to roofline; shelf cornice at entryway; plain windows, 6/6; one-story west wing added; screened porch added. *ENDANGERED by proposed Bard Drive-Oviatt connector.		26. Local Contact Person or Organization Hudson Heritage Association	
43. History and Significance Builder Harry Thompson was son of Isaac Thompson, who came to Hudson from Massachusetts in 1806; worked as tailor.		27. Other Surveys in Which Included	
44. Description of Environment and Outbuildings Detached garage. Residential area, other historic houses in this area.		28. No. of Stories 1 1/2	
45. Sources of Information Summit County Tax Assessment records HHA Architectural Survey & Research Comm. records Personal inspection		29. Basement? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
		30. Foundation Material roughsandstone/concrete	
		31. Wall Construction wood frame	
		32. Roof Type & Material gable-asph shingle	
		33. No. of Bays Front 3 Side 2	
		34. Wall Treatment beveled siding	
		35. Plan Shape rect/wing	
		36. Changes (Explain in #42) Addition <input checked="" type="checkbox"/> Altered <input type="checkbox"/> Moved <input type="checkbox"/>	
		37. Condition Interior _____ Exterior good	
		38. Preservation Underway? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
		39. Endangered? By What? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> *see below	
		40. Visible from Public Road? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
		41. Distance from and Frontage on Road 35' 185'	
		Photo	
46. Prepared by L Newkirk, F Barlow		47. Organization HHA	
48. Date		49. Revision Date(s)	

1" = 20'-0"
Scale



Larry Watson
86 & 84 Ravenna St.
Duplex



Additional Sq. Ft.

- Closet 80
- Bath 48
- Int. 128
- Porch 96

Total 224


David & Susan M. Ferck
Residence

94 Ravenna St. (Road Front)

94 Ravenna Street
David Ferck and
Susan M. Ferck, Trustees
Doc. #56447352
P.N. 3201931
0.3108 acre

6 x 8 Front Porch
6 x 8 additional space for bathroom
1" open pipe found
0.27'S., 0.15'W.

Revised Floor Plan




Front View
North Elevation




* All siding, windows, trim,
Colors to match existing

* Additional post @ 8'-0" on center
* Left out for clarity of porch wall detail.

Revised North Elevation





* No window on addition face. Will be back drop for water feature and time appropriate implements.

* Roof shingles to match existing

*** Clouds Represent *
New Work**

New fireplace Chimney
match existing brick & mortar

Porch Floor to top of porch
0-8 1/2

Roof (Black Asphalt Typ 30 yr.)

South Elevation
(Back of house)

* Typical Foundation Closest *

2x6 mud sill
3-0
8 footer (concrete)

8" footer @ 3-6 BT

1/4" x 1-0"

11-0
2-10
1-2
4-4
Existing fire wood box
nd stone lock face

5-0
21-0
Patio Floor

0-4 1-4 10-0 8-0 2-8 3-3 Existing concrete floor

Covered BSMT. Door
4-0 0-5"

DECK

8" Cinder Block

Continuous Ridge Vent

Continuous Ridge Vent

Screen
typ. typ. typ. typ.

Window

Door

Window

Chimney

Roof

Wall

Foundation

Deck

Step

Door



Window

* New Chimney added to House *
 Replacing One First Floor Window *

New Chimney & Fireplace
 3x5 Double Hung x 2

Brick to match west chimney

* Foundation to be 5'-8" x 2'-0" x 8" concrete footer
 @ 42" btm to ground level
 8" block & brick to existing foundation
 height



A.C.

Sandstone cap
 to match axis

Gas meter



7-3

5-0

5-7

6-0
 10-8"

* All elevations use top of patio slab as 0'-0"



* Clouds Represent *
New Work

2'-3 x 3'-9 Double Hung (Typ. x 2)
4" trim

Bottom of Eave

7-4

3'-9" 12"

Black Asphalt Shingles (30yr)
match Existing

4'-9"

6'-9"

8'-3"


0-8" 0-8"

Side walk

Shingles

Screen

0-4"



- 1- siding to match existing (cedar lap)
- 2- trim to match existing
- 3- exposed foundation to match existing
- 4- entire west wing roof to be reshingled to match main house

West Elevation 1/4" = 1'-0"



94 Ravenna St. Hudson, OH



South



South



South



Northwest



East



North



West



The Home Depot Special Order Quote

Customer Agreement #: H3859-76979

Printed Date: 5/25/2021

Customer: DAVID FERREK
Address: 94 RAVENNA ST
 HUDSON, OH 44236
Phone 1: 216-214-8679
Phone 2: 216-214-8679

Store: 3859
Associate: ALEXIS
Address: 9585 STATE ROUTE 14
 STREETSBORO, OH 44241
Phone: 330-422-0401

Pre-Savings Total: \$1,489.17
Total Savings: (\$0.00)
Pre-Tax Price: \$1,489.17

All prices are subject to change. Customer is responsible for verifying product selections. The Home Depot will not accept returns for the below products.



Call Width = 36,
 Call Height = 80,
 Frame Width = 37.75,
 Frame Height = 81.75

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
100-1	37.75x81.75 Stile & Rail Single Door Unit Right Inswing	\$819.51	\$819.51	1	\$0.00	\$819.51
Unit 100 Total:		\$819.51	\$819.51		\$0.00	\$819.51

Begin Line 100 Description

--- Line 100-1 ---

Entry Wood Doors,
 Entry Door,
 Pre-Hung,
 Right Inswing,
 37.75 x 81.75
 Call Width = 36,
 Call Height = 80,
 Frame Width = 37.75,
 Frame Height = 81.75
 Building Code = Non-Certified
 Unit Type = Pre-Hung,
 Handing & Swing = Right Inswing
 Door Type = Doors with Glass,
 Door Thickness = 1 3/4",
 Door Wood Species = Hemlock
 Door Design Stile & Rail = 4-Panel Fan Lite,
 Door Stile & Rail Panel Thickness = 1 1/8" Single
 Hip Raised Panel,
 Moulding/Sticking Options = 1/2 Ovolo,
 Door Stile & Rail Mouldings = None
 Door Stile & Rail Glass Option = Non-Decorative,

Door Stile & Rail Glass = 4-Lite,
 Door Stile & Rail Glass Caming = None,
 Door Stile & Rail Glazing Type = Insulated,
 Door Stile & Rail Glass Texture/Privacy = Clear
 Door Stile & Rail Insert Grille = None
 Door Bore = Double Bore,
 Bore Backset = 2 3/8",
 Bore Diameter = 2 1/8",
 Lockset Bore Position = 44,
 Dead Bolt Bore Position = 5 1/2",
 Hinge Prep = 3-Hinge Prep,
 Hinges Included = Yes,
 Hinge Size = 4" x 4",
 Hinge Type = Ball Bearing w/Safety Stud,
 Hinge Radius = 5/8" Radius,
 Hinge Finish = Antique Brass,
 First Hinge Position = 6 3/4",
 Second Hinge Position = 36",
 Third Hinge Position = 65 1/4"
 Include Lockset = No,

Kickplate Installed = None (Standard)
 Jamb Cladding = No,
 Jamb Width = 4 9/16",
 Jamb Finish Type = None,
 Jamb Specie = Primed Auralast,
 Weather-Strip Type = Compression Bronze
 Room Location = ,
 Is This a Remake = No,
 Specific Information =
 U-Factor = 0,
 Solar Heat Gain Coefficient = 0
 Manufacturer = JELD-WEN, Pataskala (UQ),
 Contact Number = 1.800.246.9131,
 Catalog Version Date = 03/12/2021,
 Catalog Version = 20.4.0.3
 Brickmould Specie = None
 Sill / Threshold Type = High Dam Adjustable,
 Sill Width = 5 5/8",
 Sill Finish = Aluminum with Vinyl Cap
 Door Order Method = Store Delivery

End Line 100 Description



Frame Width = 36"
 Frame Height = 60"
 Sash Split = Even Divide

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
200-1	36-in x 60-in Clad W-3500 Double Hung	\$669.66	\$669.66	1	\$0.00	\$669.66
Unit 200 Total:		\$669.66	\$669.66		\$0.00	\$669.66

Begin Line 200 Description

---- Line 200-1 ----

Clad W-3500,
 Double Hung,
 ,
 36 x 60
 Assembly = Full Unit,
 Sash Model = Traditional - Wide Rails - Top &
 Bottom,
 Exterior Trim Type = Nail Fin (Standard),
 Exterior Trim Options = No,
 Regional Compliance = US National-WDMA/ASTM
 Vent Division = Even Divide,
 Order By = Frame Size,
 Frame Width = Custom Size,
 Custom Frame Width = 36,
 Frame Height = 60"
 Species = Auralast Pine,
 Interior Finish Type = Natural,
 Finish - Interior = Natural,
 Finish - Exterior = Brilliant White,
 Sash to Match Exterior Finish = Yes,
 Finish - Sash (Exterior) = Brilliant White
 Jamb Width = 4 9/16"
 Rating = PG 35,
 Prep for Stool = No,

Drip Cap = Color Match Metal
 Hardware Finish - Interior = Polished Brass,
 Number of Locks = 2,
 Storm Screen/Combo = No Combo,
 Screen Options = BetterVue Mesh,
 Screen Finish = Brilliant White
 Energy Efficiency = Energy Star,
 Energy Star Zone = Energy Star - Northern,
 STC / OITC Rating = Standard,
 Glazing = Insulated,
 Glass Color = Low-E EC,
 Glass Type = Annealed,
 Neat Glass = No,
 Glass Thickness = Standard Default Thickness,
 Protective Film = No Protective Film,
 Spacer Color = Black Spacer,
 Glass Options = Argon
 Grid Type = 1" Contoured GBG,
 Location for Grid = All Lite(s),
 Grid Finish = Brilliant White,
 Grid Pattern = Colonial,
 Lites Wide - Top = 3,

Lites Wide - Bottom = 3,
 Lites High - Top = 2,
 Lites High - Bottom = 2
 Certification = None,
 Jambliner = White Jambliner,
 Sash Limiter = No Sash Limiter,
 Finger Plows = No Finger Plows
 U-Factor = 0.27,
 Solar Heat Gain Coefficient = 0.24,
 Visible Light Transmittance = 0.45,
 Condensation Resistance = 46,
 CPD# = JEL-N-850-01616-00001
 Room Location = ,
 Is This a Remake = No,
 Specific Information =
 Manufacturer = JELD-WEN, Rantoul(IL),
 Contact Number = 1-800-246-9131 Option 2,
 Catalog Version Date = 05/03/2021,
 Catalog Version = 21.2.14.0
 1" Profiled Grilles Between Glass (GBG),
 Colonial,
 3W2H

End Line 200 Description

GAF **RoyalSovereign[®]**
3-Tab Shingles

Traditional look

**WIND SPEED
COVERAGE¹**



60 MPH

WARRANTY²



BUNDLES
PER 100 SQ. FT.
APPROXIMATELY



SEE GAF WEBSITE FOR COMPLETE WARRANTY INFORMATION.
©2018 GAF. ALL RIGHTS RESERVED. GAF AND ROYAL SOVEREIGN ARE TRADEMARKS OF GAF.



Charcoa





Catalog Search


Search

OVERSIZED STRUCTURAL SPECIAL SHAPES ROMAN CHEMICAL RESISTANT GLAZED

Red Bricks: Revere Blend

SPL ID: 00002480

STANDARDS		TYPE	TEXTURE	COMP.	CW	IRA	TEST REPORT
PLANT 8 EXTRUDED	FACE BRICK C216, SW	FBS	Sanded Rustic (78)	13,256 psi	3.5700	4.5000	
Cleaning Recommendation		Belden Brick recommends using Vanatrol® to clean this product. Alternatively, EaCo Chem NMD 80® can be used to clean any of our brick.					



Hide Sizes

SIZES	WIDTH	HEIGHT	LENGTH	THIN FLAT	THIN WITH BACK	UNITS / SQ.
				BACK	GEOMETRY	
Modular	3 5/8" / 92mm	2 1/4" / 57mm	7 5/8" / 194mm	X	X	6.86
Any size not listed is unavailable						



JELD WEN.
WINDOWS & DOORS

Exterior Doors



Fiberglass | Steel | Custom Fiberglass | Custom Wood




MATERIAL OPTIONS

6'8" DOORS & SIDELITES


◆ Available in 7'0"




Flush ◆




4-Panel




6-Panel ◆




8-Panel
Center Arch




3-Panel
3/4 Square Top




2-Panel
Square Top ◆




2-Panel
Arch Top ◆




2-Panel
Arch Top Plank ◆



2-Panel
Euro



3-Panel
3/4 Single Scroll



Craftsman




2-Panel
Flat Panel




3-Panel
Craftsman Flat Panel




1-Panel
Flat Panel




Fan Lite




Camber Top
4-Panel



Craftsman ◆




Center Lite




Twin 1/2 Lite
2-Panel




3/4 Oval
Square Top
3-Panel




3/4 Oval
Single Scroll
3-Panel




1/2 Lite
Round Top
2-Panel




1/2 Lite
Camber Top
2-Panel




1/2 Lite
Camber Top
1-Panel ◆




1/2 Lite
Camber Top
1-Panel Plank ◆




1/2 Lite
2-Panel ◆



1/2 Lite
1-Panel ◆



1/2 Lite
1-Panel Plank ◆



3/4 Lite
2-Panel



Full Lite ◆



Full Oval ◆



Craftsman SL ◆



Craftsman
Full Lite SL ◆



1/2 Lite SL ◆



3/4 Lite SL

Full Lite SL ◆



JELD-WEN
WINDOWS & DOORS



WINDOWS & PATIO DOORS

VINYL | WOOD

W-2500™ Series

- Narrow stiles and rails provide more glass and a contemporary appearance
- Great style and budget-friendly
- Reliable, long-lasting, and energy efficient
- Higher grade Low-E insulating glass
- Backed by a 20-Year Limited Warranty*
- Energy-efficient ENERGY STAR® certified options also available by region



W-3500™ Series

- Wider, more traditional stile and rail profile offers more visible wood
- Great for historical renovations
- Customizable in 1/8" increments
- Higher grade Low-E insulating glass
- Backed by a 20-Year Limited Warranty*
- Energy-efficient ENERGY STAR® certified options also available by region



W-4500™ Series

- Versatile designs to accommodate any architectural style
- Built with thicker, more durable stiles and rails
- More wood species, color, and finish options
- Higher grade Low-E insulating glass, dirt-resistant glass, and protective film standard
- Backed by a 20-Year Limited Warranty*
- Energy-efficient ENERGY STAR® certified options also available by region



*For warranty details, see pages 32-34.