

4009  
DEACON CT. 60'

BENCH MARK  
SAN M.H. HDBG  
TOP 1109.56  
INV -1097.67

ELEV. MAIN 1097.95  
(CALC.)


FIN FLR 1114.36  
T.O.B. 1113.36  
GAR FLR 1112.36  
BTM FTR 1104.65

FIN FLR 1111  
GAR FLR 1107  
T.O.B. 1111

NUMBER	DELTA	R'	L'	C
C1	49°40'47"	25.00	21.68	E
C2	08°12'15"	60.00	8.59	S

4009 Deacon Ct


DRAWN BY: RSP DATE: 3/30/98 Dwg. NO.:	APPROVED BY: PROJ. NO.: DWG. NO.:	REVISIONS: 4/1/98 ADD FTR DRAIN AND SILT FENCE   	P
---	---	--	---



~~(A) P.S. other roof option is metal for low slope roof!~~

roof pitch = 3.7-4  
substrate will be ice & water  
whole roof b/c of low

1/2 plywood w/ clips




A - highlighted areas represent new work.

- Column's/posts will be 8ft on center

REAR

REAR VIEW

Roof shingles to match shingles on home.



RIGHT

Right SIDE Elevation

\* highlighted Areas Resemble New work.

Shingle roof to match existing

6x6 posts

existing Deck & railing & skirt

6'

7"

27"


90"

7'6"

3'

5'

Concrete Driveway



LEFT

LEFT SIDE VIEW  
LEFT SIDE VIEW

Existing Architectural Shingles

9'-2"

11"

60" 2x10x19 - 16 inches on center

IBC & water for total vapor BARRIER

flashed & sealed where roof meets house

Shingles to match existing

9 1/4" 2x12 beam

wood tongue & groove ceiling

siding to match existing

6x6 posts treated

columns

7' 6"

3"

Deck floor


56"

\* Areas that are highlighted represents new work

6x6 post w/ footer

2ft

16ft



★ highlighted Areas Represent New work

