



# SITE PLAN

Address: 6919 St. Ives Blvd

City, State, ZIP: Hudson, OH 44236

Country: USA

Scale 1":30'




|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

SHEET INDEX

- 1) REAR ELEVATION
- 2) SIDE ELEVATIONS
- 3) FOUNDATION
- 4) FLOOR PLAN
- 5) OVERALL PLAN
- 6) DETAILS



ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)


|               |   |                   |
|---------------|---|-------------------|
| DATE: 3-30-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION<br>6919 ST IVES BLVD<br>HUDSON, OH 44236 | SHEET<br><b>1</b> |
| REV:          |   |                   |

|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)


- SHEET INDEX
- 1) REAR ELEVATION
  - 2) SIDE ELEVATIONS
  - 3) FOUNDATION
  - 4) FLOOR PLAN
  - 5) OVERALL PLAN
  - 6) DETAILS



RIDGE VENT

EXISTING HOME

LEFT ELEVATION  
3/32" SCALE



EXISTING HOME

VERIFY STAIR LOCATION TO PATIO

LEFT ELEVATION  
3/32" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)


|               |  |       |
|---------------|--|-------|
| DATE: 3-30-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION | SHEET |
| REV:          | 6919 ST IVES BLVD<br>HUDSON, OH 44236    | 2     |

|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

- SHEET INDEX
- 1) REAR ELEVATION
  - 2) SIDE ELEVATIONS
  - 3) FOUNDATION
  - 4) FLOOR PLAN
  - 5) OVERALL PLAN
  - 6) DETAILS



FOUNDATION PLAN  
3/16" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)

|               |   |                   |
|---------------|---|-------------------|
| DATE: 3-30-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION<br>6919 ST IVES BLVD<br>HUDSON, OH 44236 | SHEET<br><b>3</b> |
| REV:          |   |                   |


|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

- SHEET INDEX
- 1) REAR ELEVATION
  - 2) SIDE ELEVATIONS
  - 3) FOUNDATION
  - 4) FLOOR PLAN
  - 5) OVERALL PLAN
  - 6) DETAILS

| WINDOW SCHEDULE                        |               |               |
|--|---------------|---------------|
| VERIFY WITH ACTUAL PRODUCTS TO BE USED |               |               |
| PRODUCT CODE                           | ROUGH OPENING | MEETS EGRESS? |
| 3618 FX                                | 3'-0" x 1'-6" |               |
| 3624                                   | 3'-0" x 2'-0" |               |
| 3660                                   | 3'-0" x 5'-0" | Y             |



FIRST FLOOR PLAN  
3/16" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)

|               |                       |       |
|---------------|-----------------------|-------|
| DATE: 3-30-21 | 6POHN RESIDENCE       | SHEET |
| REV:          | BEDROOM/BATH ADDITION | 4     |
|               | 6919 ST IVES BLVD     |       |
|               | HUDSON, OH 44236      |       |

|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

SHEET INDEX

- 1) REAR ELEVATION
- 2) SIDE ELEVATIONS
- 3) FOUNDATION
- 4) FLOOR PLAN
- 5) OVERALL PLAN
- 6) DETAILS



OVERALL PLAN  
1/10" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)

|               |  |       |
|---------------|--|-------|
| DATE: 3-30-21 | 6POHN RESIDENCE  | SHEET |
| REV:          | BEDROOM/BATH ADDITION<br>6919 ST IVES BLVD<br>HUDSON, OH 44236 | 5     |



|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

SHEET INDEX

- 1) REAR ELEVATION
- 2) SIDE ELEVATIONS
- 3) FOUNDATION
- 4) FLOOR PLAN
- 5) OVERALL PLAN
- 6) DETAILS



NOTE: VERIFY WITH ACTUAL MATERIALS TO BE USED

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)

|               |   |                   |
|---------------|---|-------------------|
| DATE: 3-30-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION<br>6919 ST IVES BLVD<br>HUDSON, OH 44236 | SHEET<br><b>6</b> |
| REV:          |   |                   |





















# LANDMARK<sup>®</sup>

## DESIGNER ROOFING SHINGLES

*Landmark, shown in Weathered Wood*

### A Classic Original

Landmark's dual-layered construction provides depth and dimension, along with extra protection from the elements. Widest array of colors in the industry.

- **NAILTRAK wider nailing area**  
for a more accurate installation
- **Lifetime limited warranty**
- **10-year SureStart protection**  
Includes materials and labor costs
- **STREAKFighter<sup>®</sup> 10-year algae resistance**
- **15-year 110 MPH wind warranty**  
Upgrade to 130 MPH available

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

#### **Fire Resistance:**

- UL Class A
- UL certified to meet ASTM D3018 Type 1

#### **Wind Resistance:**

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

#### **Tear Resistance:**

- UL certified to meet ASTM D3462
- CSA standard A123.5

#### **Wind Driven Rain Resistance:**

- Miami-Dade Product Control Acceptance

#### **Acceptance Quality Standards:**

- ICC-ES-ESR-1389 & ESR-3537



# Subtle Design for a Natural Look



## Colors

|            |             |            |              |       |
|------------|-------------|------------|--------------|-------|
|            |             |            |              |       |
| White      | Linen       | Sandalwood | Wicker       | Khaki |
|            |             |            |              |       |
| Ivory      | Terraverde  | Mocha      | Bisque       | Beige |
|            |             |            |              |       |
| Slate Gray | Azure Blue  | Sage       | Willow Green | Clay  |
|            |             |            |              |       |
| Flagstone  | Stonecrest* |            |              |       |

\* Premium Color

*The perfect accent makes the perfect home.*

As one of North America's largest manufacturers of siding profiles and accessories, Kaycan is renowned for offering a vast array of innovative, long-lasting and low maintenance products. Our accessories, accent products and trims offer the perfect finishing touch for the look you've always imagined.

*Kaycan... Building Lasting Impressions.*

Built on more than 40 years of experience, all our Kaycan vinyl siding and accessories are designed to last for decades. Kaycan has got you covered as all our products are backed by a limited lifetime warranty.



### Vinyl soffit

Kaycan offers a full range of soffit in many styles and colors to give your home a perfect finished look.



## KAYCAN

All Kaycan vinyl sidings and accessories are backed by a lifetime limited warranty. Timberlake™ is a registered trademark of Kaycan.



# TIMBERLAKE™

LONG LASTING BEAUTY



[www.kaycan.com](http://www.kaycan.com)

Colors shown are digitally reproduced. For accuracy please refer to actual product samples.

East  
TLBROEngE - 20A ©2020 Kaycan

## KAYCAN

# TIMBERLAKE™

Long Lasting Beauty


Timberlake™ siding offers the subtle, realistic wood grain texture of carefully painted wood and the easy maintenance of vinyl to deliver a beautiful, long lasting home exterior.

Timberlake™ is available in one of the industry's most comprehensive range of styles and colors that reflect the latest design trends. Perfectly color coordinated accessories means you can create great combinations no matter the style of your home.

Premium thickness for added strength and rigidity.

Deep shadow lines and a low gloss finish for an authentic appearance.

Exclusive Duratron™ vinyl technology ensures durability and color retention.



# Quality Craftsmanship



\*Contessa special order only.



Made for  
**Canadians**  
by  
**Canadians**



BY KP BUILDING PRODUCTS

Framing your world since 1952.

[www.farleywindows.com](http://www.farleywindows.com)



**INSTALLATION  
SERVICES**



# We've been adding beauty & value to Canadian homes for over 60 years.

Founded in 1952, the Farley Window Company has never strayed from its mission: simply put, to design and manufacture long-lasting, value-added quality windows for Canadian homes.

Over the years, window technology has evolved dramatically, and Farley has always been at the forefront. Today, we proudly introduce **vertex3**, featuring the latest advancements in glass technology, energy-efficient design and exclusive KP Air Sealing Technology from KP Building Products.

Available in a wide range of styles, colours and finishes, each and every Farley Window is unconditionally backed by the best warranty in the business: Farley for Life. All components, from glass to frame to hardware, are guaranteed for life, no questions asked – including stray pitches. Proof that we're proud of our product, and that we want you to be proud of your purchase.





# Featuring the best warranty in the industry.

We take great pride in our craftsmanship and manufacturing processes, and we offer the best warranty in the industry to back it up. The Farley Lifetime Warranty covers all components including insulated glass, frames, sash and hardware.

Our unique, no questions asked warranty is fully transferable at no additional charge.

Learn more about the full Farley for life warranty, visit us on the web at [www.farleywindows.com](http://www.farleywindows.com)



LIFETIME COVERAGE ON ACCIDENTAL GLASS BREAKAGE.



LIFETIME COVERAGE ON ALL HARDWARE.



LIFETIME COVERAGE ON SEAL FAILURE.



LIFETIME COVERAGE ON VINYL FRAME & VINYL SASH COMPONENTS.



FULLY TRANSFERABLE AT NO EXTRA CHARGE.



NON-PRORATED, FULL LIFETIME COVERAGE.



Windows designed for beauty,  
engineered for comfort.




# WHEN TECHNOLOGY MEETS CRAFTSMANSHIP

## How Does Our Frames & Glass Work For Your Home

Our frames & glass will help you save money by keeping your home cool in the summer and warm in the winter.

- Structural Frame - More Glass
- 3/4" & 1/2" built in return for adding jamb extensions
- Multipoint lock
- Encore hardware



6000 series Window Corner Diagram



**2000 SERIES CASEMENT**

• 3 1/4" frame



**5000 SERIES CASEMENT**

• 3 1/4" frame



**6000 SERIES CASEMENT**

• 4 5/8" frame



**6500 SERIES CASEMENT**

• 5 3/4" frame



**7000 SERIES CASEMENT**

• 4 5/8" frame  
• With integrated brickmould

The secret's in the glass.

# vertex3

HIGH-PERFORMANCE WINDOW TECHNOLOGY

Farley's proprietary **vertex3** high-performance glass technology is engineered to provide superior thermal efficiency, superior glass clarity and superior air infiltration protection.

#### THERMAL EFFICIENCY


OUTPERFORMS THE INDUSTRY STANDARD BY **29%**

#### GLASS CLARITY

REDUCES WATER SPOTS BY **99%**

#### AIR INFILTRATION PROTECTION

CUTS DRAFTS BY UP TO **24%**



**ēvolv**

Proprietary **ēvolv** Glass Technology provides triple-pane thermal efficiency in a double-pane window by reflecting escaping heat back into the room, increasing thermal efficiency by up to 29% above industry average,\* which adds up to substantial energy savings.

\*Average measured from Energy Star® data of three other window manufacturers.

**EC**  
TECH

Patented **EC TECH** Technology produces cleaner, clearer windows. The titanium dioxide coating absorbs the sun's UV rays, loosening dirt particles and allowing water to rinse them away naturally. Water spots are reduced by 99%, creating crystalline glass clarity.

**KP**  
AIR SEALING  
TECHNOLOGY

**KP** Air Sealing Technology offers unmatched air infiltration protection, cutting drafts by up to 24%\*\* with a mold resistant seal and guaranteed for life.

\*\*Based on independent laboratory testing.

# Every picture tells a story. What's yours?

## Hung



Hung windows have sashes which slide up and down offering a classic look. On a single hung window the bottom window sash is operable; on a double hung window both the top and bottom window sashes are operable. Operating sashes tilt inward to facilitate cleaning.



## Slider



Slider windows have sashes which slide side-to-side and are our best all-purpose window. Sliders have pleasant sight-lines and can be an economical option.



## Casement




Casement windows are hinged on the side and provide a contemporary look with unobstructed views. Casements are the most efficient in preventing air infiltration as they close inward and form a tight seal with multi-point locks. Fixed casement windows pair beautifully with casement and awning units as they share the same profile.



## Awning



Awning windows provide a contemporary look and are hinged on the top, meaning that you can let the fresh air in rain or shine! Awnings are extremely energy efficient and prevent air infiltration as they close inward and form a tight seal with compression weather stripping.




## Architectural Fixed Casement



Architectural windows are fixed windows which are available in an extensive range of custom shapes and sizes. Architectural windows are the ultimate expression of creativity and individuality and create a truly one-of-a-kind look.



## Bay & Bow



Bay and bow windows are a set of windows which are mullied together into an arch. Bay windows come in standard configurations of 30 or 45 degrees (3 units); bow windows come in standard configurations of 10, 20, or 30 degrees (4 or 5 units). Bay and bow windows allow for a beautiful window seat.





# Why we are the best.

Every Farley window lets you capture your style, bring the light in and keep the elements out. That's simply what we do. All of our windows are made with care and dedication to excellence. You will always get the best window we can make because you deserve nothing less.

## ENERGY STAR®

Farley Windows meet or exceed Energy Star's most severe standards. For more details on our energy performance data, please visit: [www.farleywindows.com](http://www.farleywindows.com)

## INTERCEPT® ULTRA WARM-EDGE SPACER SYSTEM

The best combination of durability, rigidity and thermal performance, resulting in longer-lasting and more energy-efficient windows

## ēvolv

Double-pane glass with triple-pane performance. Significantly exceeds Energy Star® standards to reduce energy costs.

## EC TECH

Patented **EC TECH** Technology reduces water spots by 99%, creating a crystalline glass clarity

## PREMIUM RAW MATERIALS

Vinyl colour is formulated throughout to ensure that the lustrous finish will never chip, peel, crack or warp

## CONSTANT FORCE BALANCE SYSTEM

For smooth and easy operation (hung windows)

## TRUTH™ ENCORE FOLDING HANDLE

Won't interfere with your window covering and requires 33% less effort to operate (casement & awning windows)

## FULLY WELDED SASH & FRAME

Fully welded sash and frame for a stronger and more durable window

## KP AIR SEALING TECHNOLOGY

Reduces the risk of air or water infiltration and provides a mold resistant seal



Our Windows and Patio Doors meet the Energy Star® 2020 standards.





## FRAMING YOUR HOME

---

**Enhance your home's beauty and architectural style with Farley Windows.**

Our design team is committed to offering colours and finishes that are on trend, enabling you to add value and curb appeal to your home.

Enhance your home's architectural style by choosing a contrasting colour to your siding. Not only will this create visual interest, it will also make the windows stand out.

Be the star of your neighborhood!




Window Frame: Cactus



Window Frame: Black



Farley Windows add space and light to any room. Available in a variety of designs and configurations so you can create your own beautiful opening.



# Colour Options

(PVC Windows & Patio Doors)








Using our state of the art paint process:



Chroma VX technology is based on a specific blend of urethane and acrylic polymers. This proprietary process provides a beautiful rich, low gloss, smooth finish that will last throughout the years.

Chroma VX, an exclusive technologically advanced formulation enhances weatherability and is compliant with the highest standards of AAMA.

Our versatile colour system allows you to add any of our window colours (below) to your window's exterior, while leaving the interior finish a neutral white.



\* Premium Colours


\* Due to the limitations of the printing process, colours above may not be accurate. Ask to see the official colour chart for accurate matches.

# Options & Hardware.


Farley offers a wide range of options to customize your windows. Think of the possibilities! Our windows are available with a selection of features, all designed to bring out the beauty of your home.

## INTERIOR GRILLES & SIMULATED DIVIDERS

\*Available in coloured finishes.



GEORGIAN\*




FLAT BAR\*



BRASS



PEWTER



7/8" SDL

1 5/8" SDL

Available for casement/awning only.  
Available in coloured finishes.

## INTERIOR FINISH OPTIONS



VINYL CLAD PINE



NATURAL OAK



NATURAL PINE



PRIMED PINE



PVC

## EXTERIOR FINISH OPTIONS




3-1/2" FLAT TRIM  
AVAILABLE WITH 1" SILL



2" BRICKMOULD  
AVAILABLE WITH 1" SILL



1-1/4" BRICKMOULD  
AVAILABLE WITH 1" SILL



3/4" BRICKMOULD



1-1/16" EXTENSION &  
2 5/8" EXTENSION

## CASEMENT WINDOW CRANK HANDLE COLOURS\*



STANDARD WHITE



PEWTER



BRASS



BRUSHED NICKEL



BLACK



# Windows Designed for Beauty

## Glass Engineered for Comfort

| GLASS OPTION                            | ABOUT GLASS OPTIONS   | FEATURES  |
|---|---|---|
| <b>SOL-R® GAIN 180:</b>                 | <b>Sol-R® Gain 180</b> is the best glass option when you would like to capture the sun's warming rays in the winter - it is very well suited to our northern climate.   | <ul style="list-style-type: none"> <li>• 1 layer of Low-E Coating</li> <li>• Good insulation performance</li> <li>• Maximum solar gain</li> <li>• Blocks 71% of damaging UV rays</li> <li>• Light transmittance: 79%</li> </ul>   |
| <b>SOL-R® SHIELD plus 366:</b>          | <b>Sol-R® Shield plus 366</b> provides the best insulation performance with only moderate solar gain - in other words, this is the best glass option when you would like to reflect the sun's heat from entering the home. This package prevents the sun from heating the home in the summer and reflects the home's heat back into the room in the winter. | <ul style="list-style-type: none"> <li>• 3 Layers of Low-E coating</li> <li>• Better insulation performance</li> <li>• Moderate solar gain</li> <li>• Blocks 95% of damaging UV rays</li> <li>• Light transmittance: 65%</li> <li>• High Level of year round comfort</li> </ul>                                     |
| <b>Vertex 3 High Performance Glass:</b> | <b>Vertex 3 High Performance Glass Technology</b> offers the Best Overall Balance between Insulation Performance, Solar Heat and Light Transmission. Includes EC Tech Technology.   | <ul style="list-style-type: none"> <li>• Triple Pane Performance in a dual pane window.</li> <li>• Energy Star Compliant in a dual pane window.</li> <li>• Light Transmittance: 78%</li> <li>• Blocks 80% of damaging UV rays</li> <li>• Cleaner, clearer windows.</li> <li>• Reduces water spots by 99%</li> </ul> |

All our High Performance Glass Packages are available in triple glazed for even better performance.



**Our Windows and Patio Doors meet the Energy Star 2020 standards.**


# Special Order Patio Doors

Our patio doors are designed for exceptional style with the utmost in comfort and security, along with vinyl extrusions that are **25% thicker than most other patio doors**. Our doors have been tested to withstand over 180 MPH winds as well as they will not crack, rot, warp or split.

## Features:

- Available in left, right and dual operating doors
- Optional brickmould with or without nail fin, with sill extension
- Optional nail fin
- KP Air Sealing Technology
- Ergonomically designed aluminum handle
- Aluminum reinforced
- Internal blinds (Optional)

Our Vinyl Extrusions are **25% thicker than most other patio doors**.



Ergonomically aluminum exterior handle



Image of extruded interlock



KP BUILDING PRODUCTS  
AIR SEALING TECHNOLOGY

## Options:

| Frames*  | Mini Blinds | Nail Fins | Brick Moulds | Grilles | Security Bar** | Foot Bolt | Key Lock** | Colour |
|----------|-------------|-----------|--------------|---------|----------------|-----------|------------|--------|
| 5' 3/4"  |             |           |              |         |                |           |            |        |
| 7' 1/16" | ✓           | ✓         | ✓            | ✓       | ✓              | ✓         | ✓          | ✓      |
| 9' 1/16" |             |           |              |         |                |           |            |        |

\*Custom sized Frame depth available

\*\*\* Mini Blinds: 10 year warranty on frames, sealed unit, the operating mechanism and blinds

### Standard Sizes Available:

59 1/2x 79 1/2

71 1/2x 79 1/2

95 1/2 x 79 1/2


X= Opening Panel

O= Fixed Panel

|   |   |  |
|---|---|--|
|   |   |  |
| X | O |  |
| O | X |  |
| X | X |  |
|   |   |  |



Bringing light into your world.





Made for  
**Canadians**  
by  
**Canadians**



BY KP BUILDING PRODUCTS

Framing your world since 1952.

[www.farleywindows.com](http://www.farleywindows.com)



**KP** | BUILDING PRODUCTS

FARL\_BRO\_CAN2021A



**INSTALLATION SERVICES**


|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

SHEET INDEX

- 1) REAR ELEVATION
- 2) SIDE ELEVATIONS
- 3) FOUNDATION
- 4) FLOOR PLAN
- 5) OVERALL PLAN
- 6) DETAILS



ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)


|               |   |                   |
|---------------|---|-------------------|
| DATE: 3-30-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION<br>6919 ST IVES BLVD<br>HUDSON, OH 44236 | SHEET<br><b>1</b> |
| REV:          |   |                   |

|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |


NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

- SHEET INDEX
- 1) REAR ELEVATION
  - 2) SIDE ELEVATIONS
  - 3) FOUNDATION
  - 4) FLOOR PLAN
  - 5) OVERALL PLAN
  - 6) DETAILS



LEFT ELEVATION  
3/32" SCALE



LEFT ELEVATION  
3/32" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)


|               |   |                   |
|---------------|---|-------------------|
| DATE: 3-30-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION<br>6919 ST IVES BLVD<br>HUDSON, OH 44236 | SHEET<br><b>2</b> |
| REV:          |   |                   |

|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

- SHEET INDEX
- 1) REAR ELEVATION
  - 2) SIDE ELEVATIONS
  - 3) FOUNDATION
  - 4) FLOOR PLAN
  - 5) OVERALL PLAN
  - 6) DETAILS



FOUNDATION PLAN  
3/16" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)

|               |   |                   |
|---------------|---|-------------------|
| DATE: 3-30-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION<br>6919 ST IVES BLVD<br>HUDSON, OH 44236 | SHEET<br><b>3</b> |
| REV:          |   |                   |

|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |


NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

- SHEET INDEX
- 1) REAR ELEVATION
  - 2) SIDE ELEVATIONS
  - 3) FOUNDATION
  - 4) FLOOR PLAN
  - 5) OVERALL PLAN
  - 6) DETAILS

| WINDOW SCHEDULE                        |               |               |
|--|---------------|---------------|
| VERIFY WITH ACTUAL PRODUCTS TO BE USED |               |               |
| PRODUCT CODE                           | ROUGH OPENING | MEETS EGRESS? |
| 3618 FX                                | 3'-0" x 1'-6" |               |
| 3624                                   | 3'-0" x 2'-0" |               |
| 3660                                   | 3'-0" x 5'-0" | Y             |

NOTE: SCISSOR PITCH T.B.D. UPON VERIFICATION OF EXISTING ROOF PITCH BEING TIED-INTO



FIRST FLOOR PLAN  
3/16" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)

|               |   |                   |
|---------------|---|-------------------|
| DATE: 3-30-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION<br>6919 ST IVES BLVD<br>HUDSON, OH 44236 | SHEET<br><b>4</b> |
| REV:          |   |                   |


|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

SHEET INDEX

- 1) REAR ELEVATION
- 2) SIDE ELEVATIONS
- 3) FOUNDATION
- 4) FLOOR PLAN
- 5) OVERALL PLAN
- 6) DETAILS



OVERALL PLAN  
1/10" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)

|               |  |          |
|---------------|--|----------|
| DATE: 3-30-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION | SHEET    |
| REV:          | 6919 ST IVES BLVD<br>HUDSON, OH 44236    | <b>5</b> |



|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

SHEET INDEX

- 1) REAR ELEVATION
- 2) SIDE ELEVATIONS
- 3) FOUNDATION
- 4) FLOOR PLAN
- 5) OVERALL PLAN
- 6) DETAILS



NOTE: VERIFY WITH ACTUAL MATERIALS TO BE USED

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)

|               |                       |       |
|---------------|-----------------------|-------|
| DATE: 3-30-21 | 6POHN RESIDENCE       | SHEET |
| REV:          | BEDROOM/BATH ADDITION | 6     |
|               | 6919 ST IVES BLVD     |       |
|               | HUDSON, OH 44236      |       |


|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

SHEET INDEX

- 1) REAR ELEVATION
- 2) SIDE ELEVATIONS
- 3) FOUNDATION
- 4) FLOOR PLAN
- 5) OVERALL PLAN
- 6) DETAILS



REAR ELEVATION  
1/8" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)


|              |   |       |
|--------------|---|-------|
| DATE: 4-5-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION<br>6919 ST IVES BLVD<br>HUDSON, OH 44236 | SHEET |
| REV:         |   | 1     |

|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |


NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

- SHEET INDEX
- 1) REAR ELEVATION
  - 2) SIDE ELEVATIONS
  - 3) FOUNDATION
  - 4) FLOOR PLAN
  - 5) OVERALL PLAN
  - 6) DETAILS



LEFT ELEVATION  
3/32" SCALE



LEFT ELEVATION  
3/32" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)


|              |  |       |
|--------------|--|-------|
| DATE: 4-5-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION | SHEET |
| REV:         | 6919 ST IVES BLVD<br>HUDSON, OH 44236    | 2     |

|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

- SHEET INDEX
- 1) REAR ELEVATION
  - 2) SIDE ELEVATIONS
  - 3) FOUNDATION
  - 4) FLOOR PLAN
  - 5) OVERALL PLAN
  - 6) DETAILS



FOUNDATION PLAN  
3/16" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)

|              |   |                   |
|--------------|---|-------------------|
| DATE: 4-5-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION<br>6919 ST IVES BLVD<br>HUDSON, OH 44236 | SHEET<br><b>3</b> |
| REV:         |   |                   |

|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |


NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

- SHEET INDEX
- 1) REAR ELEVATION
  - 2) SIDE ELEVATIONS
  - 3) FOUNDATION
  - 4) FLOOR PLAN
  - 5) OVERALL PLAN
  - 6) DETAILS

| WINDOW SCHEDULE                        |               |               |
|--|---------------|---------------|
| VERIFY WITH ACTUAL PRODUCTS TO BE USED |               |               |
| PRODUCT CODE                           | ROUGH OPENING | MEETS EGRESS? |
| 3624                                   | 3'-0" x 2'-0" |               |
| 3660                                   | 3'-0" x 5'-0" | Y             |

NOTE: SCISSOR PITCH T.B.D. UPON VERIFICATION OF EXISTING ROOF PITCH BEING TIED-INTO



FIRST FLOOR PLAN  
3/16" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)

|              |   |                   |
|--------------|---|-------------------|
| DATE: 4-5-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION<br>6919 ST IVES BLVD<br>HUDSON, OH 44236 | SHEET<br><b>4</b> |
| REV:         |   |                   |


|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

SHEET INDEX

- 1) REAR ELEVATION
- 2) SIDE ELEVATIONS
- 3) FOUNDATION
- 4) FLOOR PLAN
- 5) OVERALL PLAN
- 6) DETAILS



OVERALL PLAN  
1/10" SCALE

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)

|              |  |          |
|--------------|--|----------|
| DATE: 4-5-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION | SHEET    |
| REV:         | 6919 ST IVES BLVD<br>HUDSON, OH 44236    | <b>5</b> |



|                    | FENESTRATION U-FACTOR | SKYLIGHT U-FACTOR | GLAZED FENESTRATION SHGC | CEILING R-VALUE | WOOD FRAME WALL R-VALUE | MASS WALL R-VALUE | FLOOR R-VALUE | BASEMENT WALL R-VALUE | SLAB R-VALUE AND DEPTH | CRAWL SPACE WALL R-VALUE |
|--------------------|-----------------------|-------------------|--------------------------|-----------------|-------------------------|-------------------|---------------|-----------------------|------------------------|--------------------------|
| Compliance Path #1 | 0.32                  | 0.60              | N/R                      | 49              | 15 (OR 13+3)            | 13                | 30            | 10 (MIN FT)           | 10,2 FT                | 10                       |

NOTE: ABOVE VALUES ARE CODE-MINIMUM ONLY. INCLUDED FEATURES MAY TAKE THE PLACE OF THESE MINIMUMS. SEE WALL SECTION AND/OR CONTRACTOR'S SPECIFICATIONS.

2019 RESIDENTIAL CODE OF OHIO ENERGY EFFICIENT COMPLIANCE: OHBA PATH #1 (INCLUDING ALL MANDATORY REQUIREMENTS) (SECTION 1101 - 1104)

SHEET INDEX

- 1) REAR ELEVATION
- 2) SIDE ELEVATIONS
- 3) FOUNDATION
- 4) FLOOR PLAN
- 5) OVERALL PLAN
- 6) DETAILS



NOTE: VERIFY WITH ACTUAL MATERIALS TO BE USED

ALTERNATE PLAN  
(WINDOW OPTION ON EAST WALL)

|              |   |                   |
|--------------|---|-------------------|
| DATE: 4-5-21 | 6POHN RESIDENCE<br>BEDROOM/BATH ADDITION<br>6919 ST IVES BLVD<br>HUDSON, OH 44236 | SHEET<br><b>6</b> |
| REV:         |   |                   |