


# OHIO HISTORIC INVENTORY

Ohio Historical Center  
Columbus, Ohio 43211

1. No.  2. County Summit 3. Location of Negatives HI 6-24, 25, 26	4. Present Name(s) Residence, James Goetzel 5. Other Name(s)
6. Specific Location 40 Owen Brown Street  7. City or Town If Rural, Township & Vicinity Hudson 8. Site Plan with North Arrow  9. Coordinates Lat. _____ Long. _____ 10. U.T.M. Reference 7 462905 4565616 11. Easting Northing Site <input type="checkbox"/> Structure <input type="checkbox"/> Building <input checked="" type="checkbox"/> Object <input type="checkbox"/> 12. On National Register? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 13. Is It Eligible? Yes <input type="checkbox"/> No <input type="checkbox"/> 14. District Potent'l? Yes <input type="checkbox"/> No <input type="checkbox"/> 15. Name of Established District Hudson Historic District	16. Thematic Category D 17. Date(s) or Period c. 1913 18. Style or Design Colonial Revival 19. Architect or Engineer 20. Contractor or Builder 21. Original Use, if apparent residence 22. Present Use residence 23. Ownership Public <input type="checkbox"/> Private <input type="checkbox"/> 24. Owner's Name & Address, if known James Goetzel 40 Owen Brown Street Hudson, Ohio 44236 25. Open to Public? Yes <input type="checkbox"/> No <input type="checkbox"/> 26. Local Contact Person or Organization Hudson Heritage Association 27. Other Surveys in Which Included
Further Description of Important Features Steeply pitched roof; frieze, returns; full length porch with slender, turned supports, spindlework balustrade; single pane double-hung windows, with shorter panes at top; detached garage.	28. No. of Stories 2 1/2 29. Basement? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 30. Foundation Material cement block 31. Wall Construction wood frame 32. Roof Type & Material gable - asph shingle 33. No. of Bays Front 2 main Side 3 34. Wall Treatment drop siding 35. Plan Shape ell shape 36. Changes (Explain in #42) Addition <input type="checkbox"/> Altered <input checked="" type="checkbox"/> Moved <input type="checkbox"/> 37. Condition Interior _____ Exterior good 38. Preservation Underway? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 39. Endangered? By What? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> 40. Visible from Public Road? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 41. Distance from and Frontage on Road 48' 60'
History and Significance	Photo
Description of Environment and Outbuildings Quiet residential street of historic houses. Under jurisdiction of Architectural Review Board.	46. Prepared by F. Barlow, L. Newkirk 47. Organization OHIA 48. Date _____ 49. Revision Date(s) _____
Sources of Information Summit County Tax Records Personal inspection	

Summit  
Residence, James Goetzel







# Office Order Copy

Branch Number: 75900  
Window Store Name: Pella Window and Door  
Showroom of Akron


Order Number: 759ATG132  
Quote Number: 13853196  
Quote Description: Jennifer Wenger - 40 Owen Brown St, Hudson, OH, US  
Project Name: Jennifer Wenger - 40 Owen Brown St, Hudson, OH, US

Customer Information	Deliver To Address	Order Information	
Jennifer Wenger 40 Owen Brown St  HUDSON, OH 44236-2824 <b>Contact Name:</b> <b>Primary Phone:</b> (202) 2131277 <b>Mobile Phone:</b> <b>Fax Number:</b> <b>E-Mail:</b> jwwenger1@gmail.com <b>Great Plains #:</b> 1006150294 <b>Customer ID:</b> 23298680 <b>Customer Number:</b> 1009988392 <b>Customer Account:</b> 1006150294	<b>Lot #</b> <b>Address:</b> 40 Owen Brown St  HUDSON, OH 44236-2824 <b>County:</b> SUMMIT <b>Owner Name:</b> Jennifer Wenger  <b>Owner Phone:</b> (202) 2131277	<b>Sales Rep Name:</b> Bauer, Zach <b>Business Segment:</b> Retail <b>Market Segment:</b> Single Family Replacement <b>Order Type:</b> Installed Sales  <b>Payment Terms:</b> Install <b>Event #:</b> 17665706 <b>Order Verifier Name:</b> None <b>Scheduled Install Start Date:</b> <b>Install Crew:</b> None <b>Install Duration:</b> 0 DAY	<b>Cust Delivery Date:</b> 5/28/2021 <b>Quoted Date:</b> 3/25/2021 <b>Contract Date:</b> 4/30/2021 <b>Booked Date:</b> <b>Earliest LRD:</b>  <b>Tax Code:</b> OHINSTALL <b>Tax Exempt #:</b> <b>Customer PO #:</b> CC  <b>Order Verification Date:</b> <b>Scheduled Install End Date:</b>  <b>Install Status:</b> Pending

Installation Notes: \*\*Replaced as pockets  
\*\*R&R interior shutters. Main floor only.  
\*\* No exterior coil.

4 1 0 **POPLAR SHOEMOLD PAINTED PELLA BRIGHT WHITE 8-8' AND 8-12'**  
 Location:  
 Rough Opening: 0" X 0"  
 Frame Size:  
 Final Wall Depth:  
 Frame Perimeter (inches):  
 Assembly Type: Manual Line  
 Last Revision Date:

Outside View	Line #	Quote Qty	PO Qty	Description	Item Price	Ext'd Price
--------------	--------	-----------	--------	-------------	------------	-------------



10	1	1	<b>Pella® Reserve, Traditional, Double Hung, 43.5 X 60.5</b>		
Location: Family Rough Opening: 44.25" X 61.25" Frame Size: 43.5" X 60.5" Final Wall Depth: Frame Perimeter (inches): 208 Assembly Type: Branch Finished Last Revision Date:			<b>1: Traditional, Non-Standard Size Non-Standard Size Double Hung, Equal</b> <b>Frame Size:</b> 43 1/2 X 60 1/2 <b>General Information:</b> Standard, Luxury, Wood, Pine, 4 3/8", 4 3/16", No Certification <b>Exterior Color / Finish:</b> Primed, Primed Aluminum <b>Interior Color / Finish:</b> Bright White Paint Interior <b>Sash / Panel:</b> Putty Glaze, Ogee, Standard, No Sash Lugs <b>Glass:</b> Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude <b>Hardware Options:</b> Cam-Action Lock, White, No Window Opening Control Device, No Limited Opening Hardware, Order Sash Lift, No Integrated Sensor <b>Screen:</b> Full Screen, Standard EnduraClad, White, Standard, InView™ <b>Performance Information:</b> U-Factor 0.28, SHGC 0.28, VLT 0.53, CPD PEL-N-234-00253-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, Year Rated 08 11, Egress Meets Typical 5.7 sqft (E) (United States Only) <b>Grille:</b> No Grille, <b>Wrapping Information:</b> No Exterior Trim, 5 1/16", 5 1/4", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 208".		

**Shop Notes:** \*PREFINISH EXTERIOR OF WINDOW PAINTED PELLA WHITE  
 \*POPLAR SHOEMOLD PAINTED PELLA BRIGHT WHITE

Outside View	Line #	Quote Qty	PO Qty	Description	Item Price	Ext'd Price
--------------	--------	-----------	--------	-------------	------------	-------------



15 1 1


**Pella® Reserve, Traditional, Double Hung, 26 X 61.5**

**Location:** Family  
**Rough Opening:** 26.75" X 62.25"  
**Frame Size:** 26" X 61.5"  
**Final Wall Depth:**  
**Frame Perimeter (inches):** 175  
**Assembly Type:** Branch Finished  
**Last Revision Date:**

**1: Traditional, Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 26 X 61 1/2  
**General Information:** Standard, Luxury, Wood, Pine, 4 3/8", 4 3/16", No Certification  
**Exterior Color / Finish:** Primed, Primed Aluminum  
**Interior Color / Finish:** Bright White Paint Interior  
**Sash / Panel:** Putty Glaze, Ogee, Standard, No Sash Lugs  
**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, White, No Window Opening Control Device, No Limited Opening Hardware, Order Sash Lift, No Integrated Sensor  
**Screen:** Full Screen, Standard EnduraClad, White, Standard, InView™  
**Performance Information:** U-Factor 0.28, SHGC 0.28, VLT 0.53, CPD PEL-N-234-00253-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** No Grille,  
**Wrapping Information:** No Exterior Trim, 5 1/16", 5 1/4", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 175".

**Shop Notes:** \*\*PREFINISH EXTERIOR OF WINDOW PAINTED PELLA WHITE  
 \*POPLAR SHOEMOLD PAINTED PELLA BRIGHT WHITE

Outside View	Line #	Quote Qty	PO Qty	Description	Item Price	Ext'd Price
--------------	--------	-----------	--------	-------------	------------	-------------



20 1 1

**Pella® Reserve, Traditional, Double Hung, 24 X 45.25**

**Location:** Bath 2nd  
**Rough Opening:** 24.75" X 46"  
**Frame Size:** 24" X 45.25"  
**Final Wall Depth:**  
**Frame Perimeter (inches):** 139  
**Assembly Type:** Branch Finished  
**Last Revision Date:**

**1: Traditional, Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 24 X 45 1/4  
**General Information:** Standard, Luxury, Wood, Pine, 4 3/8", 4 3/16", No Certification  
**Exterior Color / Finish:** Primed, Primed Aluminum  
**Interior Color / Finish:** Bright White Paint Interior  
**Sash / Panel:** Putty Glaze, Ogee, Standard, No Sash Lugs  
**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, White, No Window Opening Control Device, No Limited Opening Hardware, Order Sash Lift, No Integrated Sensor  
**Screen:** Full Screen, Standard EnduraClad, White, Standard, InView™


**Performance Information:** U-Factor 0.28, SHGC 0.28, VLT 0.53, CPD PEL-N-234-00253-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements

**Grille:** No Grille,

**Wrapping Information:** No Exterior Trim, 5 1/16", 5 1/4", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 139".

**Shop Notes:** \*\*PREFINISH EXTERIOR OF WINDOW PAINTED PELLA WHITE  
\*POPLAR SHOEMOLD PAINTED PELLA BRIGHT WHITE

Outside View	Line #	Quote Qty	PO Qty	Description	Item Price	Ext'd Price
--------------	--------	-----------	--------	-------------	------------	-------------



**25**      **3**      **3**

**Pella 250 Series, Double Hung, 35.5 X 60.5, White**

Location: Liv/Dine, 1st  
 Rough Opening: 36" X 61"  
 Frame Size: 35.5" X 60.5"  
 Final Wall Depth:  
 Frame Perimeter (inches): 192  
 Assembly Type: Pella Assembled  
 Last Revision Date:

**1: Non-Standard Size Non-Standard Size Double Hung, Cottage**  
**Frame Size:** 35 1/2 X 60 1/2  
**General Information:** Standard, Vinyl, Block, Foam Insulated, 3 1/4", 3 1/4", Sill Adapter Included, Head Expander Included  
**Exterior Color / Finish:** White  
**Interior Color / Finish:** White  
**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, White, Standard Vent Stop, No Limited Opening Hardware  
**Screen:** Full Screen, Conventional Fiberglass  
**Performance Information:** U-Factor 0.29, SHGC 0.28, VLT 0.53, CPD PEL-N-211-00087-00001, Performance Class R, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** No Grille,  
**Wrapping Information:** Pella Recommended Clearance, Perimeter Length = 192".

**Shop Notes:** POPLAR SHOEMOLD PAINTED PELLA BRIGHT WHITE

Line #	Quote Qty	PO Qty	Description	Item Price	Ext'd Price
--------	-----------	--------	-------------	------------	-------------

# PELLA® RESERVE™ TRADITIONAL



**WOOD &  
ALUMINUM-  
CLAD WOOD  
WINDOWS  
& PATIO  
DOORS**

EXQUISITELY  
DESIGNED  
WINDOWS AND  
DOORS WITH  
UNPARALLELED  
HISTORICAL  
DETAILING.

NOW YOU SEE THEM, NOW YOU DON'T.  
Self-storing Integrated Rolscreen® retractable  
screens let in light, fresh air and nothing else.  
Close the windows and they roll out of sight.



## WHY YOU CAN TRUST PELLA

At Pella, we don't just create windows and doors. We innovate with purpose, design with passion, build with integrity and deliver with pride.

---

### RATED #1 BY HOMEOWNERS FOR INNOVATION<sup>1</sup>

We are continually striving to improve what we do and how we do it. That drive has earned us 150 patents and counting for amazing innovations. In 1925 we opened our doors with the patented Rolscreen® retractable screen, a time-tested innovation that is still one of our most desired features today.

---

### RATED #1 BY HOMEOWNERS FOR HIGHEST QUALITY<sup>1</sup>

We make products specifically for you with meticulous care and attention. Our wood craftsmen have been honing their skills, on average, for over 14 years – that's longer than it takes for most to earn their PhD. And it doesn't stop there. Our product designs are tested to extremes, so you can trust them to perform. Door designs are opened and closed 100,000 times, and double-hung and casement window designs are tested at least 6,000 times.

---

### #1 LIMITED LIFETIME WARRANTY FOR WOOD WINDOWS AND PATIO DOORS<sup>2</sup>

You can feel confident in your investment. We pride ourselves on providing exceptional quality, exceeding expectations and going beyond requirements. That's why we stand behind all of our windows and patio doors with a limited lifetime warranty.<sup>3</sup>

<sup>1</sup> Study of homeowner perceptions of leading national brands. Study commissioned by Pella, 2019.

<sup>2</sup> Based on comparing written limited warranties of leading national wood window and wood patio door brands. See written limited warranties for complete details, including exceptions and limitations, at [pella.com/warranty](http://pella.com/warranty), or contact Pella Customer Service.

<sup>3</sup> See written limited warranties for complete details, including exceptions and limitations, at [pella.com/warranty](http://pella.com/warranty), or contact Pella Customer Service.



**OUR DEDICATED  
TEAM IS PART OF  
YOUR PROJECT'S  
POTENTIAL. WE  
PROVIDE SOLUTIONS  
TO HELP COMPLETE  
YOUR PROJECT."**

– ALAN PICKETT,  
PELLA ARCHITECTURAL  
SERVICES

## WHY CHOOSE WOOD?

Get the beauty and warmth of natural wood, our most customizable designs and exceptional energy efficiency. All Pella wood products are made with high-quality wood, metal and manufacturing processes, regardless of product line.

## EXCLUSIVE WOOD PROTECTION

Pella's exclusive EnduraGuard® wood protection is applied after the pieces have been cut and milled, but prior to final assembly, providing advanced protection against the elements.

## DESIGNED FOR LONG-LASTING DURABILITY

Intentional jamb-on-sill design helps seal the end grain of the wood and elevates it off the rough opening, reducing the potential to absorb moisture. For added strength and durability, our three-way corner joints are made up of mortise-and-tenon, metal fasteners and commercial adhesive.

## QUALITY EXTERIOR AND INTERIOR FINISHES

Extruded aluminum-clad exteriors feature through-stile construction for exceptional durability and EnduraClad® finishes that resist fading and chalking. Interiors can be factory pre-finished to save time. Our prefinish is applied prior to final assembly and kiln-cured for a quality finish.



## #1 LIMITED LIFETIME WARRANTY FOR WOOD WINDOWS AND PATIO DOORS\*

You can be confident in your investment. At Pella, we are committed to designing and building wood products with exceptional quality and durability. This is supported by:

**ENDURAGUARD® WOOD PROTECTION**  
Advanced protection for wood against the effects of moisture, decay, stains from mold and mildew – as well as termite damage.

**EXTERIOR ALUMINUM CLADDING**  
Exceptionally durable aluminum cladding with EnduraClad® exterior finish helps protect windows and patio doors for years.

**INSULATING GLASS SEAL**  
A long-lasting insulating glass seal provides a clear view and exceptional energy efficiency.

\* Based on comparing written limited warranties of leading national wood window and wood patio door brands. See written limited warranty for details, including exceptions and limitations, at [pella.com/warranty](http://pella.com/warranty) or contact Pella Customer Service.



Winner of the 2019 Most Innovative Window from Window and Door Magazine



### EVERY DETAIL MATTERS

Created for those who refuse to settle for anything less than extraordinary, Pella Reserve products provide unparalleled historical detailing. From authentic hardware and a disappearing screen to sash lugs that allow tilting, we've thought of every detail.



## WHY CHOOSE PELLA® RESERVE™ – TRADITIONAL?

Revel in the authenticity and bring your design vision to life. Exuding the tenets of traditional designs, Pella Reserve products provide historical elements with uncompromised attention to detail.

### HISTORIC PUTTY PROFILE

Further your aesthetic with the putty profile, recreated with historically accurate angles – providing meaningful depth and a realistic shadow. Pella Reserve products offer the industry's deepest sash dimension.

### THROUGH-STILE CONSTRUCTION

Essential to the tradition of window making, butt joinery and through-stile construction create authentic proportions and emulate historic window design.


### INTEGRAL LIGHT TECHNOLOGY®

Featuring the industry's only foam spacer solution, Pella's Integral Light Technology helps capture the look of true-divided-light without sacrificing energy efficiency.

### AUTHENTIC HARDWARE

Complement your project with historically authentic spoon-lock window hardware. Our Antiek casement window hardware is inspired by period furniture to deliver authentic, traditional style. Add charm to patio doors with premium hardware created in collaboration with Baldwin®.


AVAILABLE IN THESE WINDOW AND PATIO DOOR STYLES:



Awning Window



Angle-Top Window



Bay or Bow Window



Casement Window



Corner Window



Double-Hung Window



Fixed Window



Single-Hung Window



Push-Out Casement Window



Sliding Patio Door



Hinged Patio Door



Bifold Patio Door



Multi-Slide Patio Door

Special shapes also available.

# ACHIEVE YOUR VISION WITHOUT CONCESSIONS

## TAILOR-MADE SOLUTIONS

Partner with Pella. From preliminary drawings to installation, Pella's expert team of architects, engineers, drafters and consultants can work to deliver custom window and door solutions for your project.

## THROUGH-STILE CONSTRUCTION

Essential to the authenticity of traditional window making, historical accuracy is achieved by using through-stile construction and butt joinery.

## INTEGRATED ROLSCREEN®

Winner of the 2019 Most Innovative Window from *Window and Door Magazine*, the Integrated Rolscreen retractable screen provides a cleaner, more polished look. The Integrated Rolscreen is a double- and single-hung screen that appears when you open the window, and rolls away, out of sight, when you close it.



## PUTTY GLAZE PROFILE


Our putty profile with historically accurate angles provides a realistic shadow. Pella® Reserve™ products offer the industry's deepest sash dimension.

## AUTHENTIC LOOK OF TRUE DIVIDED LIGHT

Featuring the industry's only foam spacer solution, our Integral Light Technology® grilles help capture the look of true-divided-light without sacrificing energy performance.

## EXTRUDED ALUMINUM EXTERIORS

Pella Reserve products are available with extruded aluminum-clad exteriors for exceptional durability. Create a custom exterior color to meet your design needs or choose from 27 standard color options.





**WE KNOW DETAILS  
MAKE ALL THE  
DIFFERENCE. THAT'S  
WHY PELLA FOCUSES  
ON THE HISTORICAL  
DETAILS TO DELIVER THE  
LEVEL OF AUTHENTICITY  
YOU DESIRE."**

– ALAN PICKETT,  
PELLA ARCHITECTURAL SERVICES

**THE BEST OF BOTH WORLDS**

The Integrated Rolscreen® is there when you need it and hidden when you don't. Stored safely inside the window when its closed the retractable screen gives a cleaner, more polished look and eliminates seasonal screen removal and storage.

SMITH  
FOUNDRIES  
BROOKLYN, NY

## COLORS & FINISHES

### Wood Types

Choose the wood species that best complements your project's interior.



### Prefinished Pine Interior Colors

When you select pine, we can prefinish in your choice of four paint colors or eleven stains. Unfinished or primed and ready-to-paint are also available.



### Extruded Aluminum-Clad Exterior Colors

Our low-maintenance EnduraClad® exterior finish resists chalking and fading. Take durability further with EnduraClad Plus protective finish, which meets the industry's highest exterior coating standard to defend against chalking and fading.\*




Custom colors are also available.

\* EnduraClad Plus protective finish is not available with all colors. See your local Pella sales representative for availability.

## WINDOW HARDWARE


### Classic Collection

Get a timeless look with authentic styles in classic finishes.



### Essential Collection

Select from popular designs and finishes to suit every style.



## PATIO DOOR HARDWARE

### Classic Collection

Choose timeless pieces, created in collaboration with Baldwin® Hardware, for a look that will never go out of style.

### BALDWIN



### Essential Collection

Elevate your style and transform your home with elegant selections.



Additional hardware collections available. Visit [pellaADM.com](http://pellaADM.com) for more information.


<sup>1</sup> Flush multi-slide handle is a Pella exclusive design.

<sup>2</sup> Flush multi-slide handle is not available in Antique Brass, Champagne or Polished Nickel.


## GRILLES

### Grilles


Choose the look of true divided light, removable roomside grilles or make cleaning easier by selecting grilles-between-the-glass.



**Putty Glaze  
Integral Light  
Technology® with  
Ogee Interior¹**  
5/8", 7/8" or 1-1/4"



**Roomside  
Removable  
Grilles¹**  
3/4", 1-1/4" or 2"



**Aluminum  
Grilles- Between-  
The-Glass 3/4"**



**Ogee  
Integral Light  
Technology\*¹**  
7/8", 1-1/4" or 2"

#### Grilles-between-the-glass Interior Colors:²



**White**



**Ivory**



**Tan³**



**Sand  
Dune**



**Putty³**



**Brown**



**Harvest**




**Morning  
Sky Gray**



**Brickstone**



**Cordovan**



**Black**

## GLASS

### InsulShield® Low-E Glass

Advanced Low-E insulating dual-pane glass with argon⁴

Advanced Low-E insulating triple-pane glass with argon or krypton⁴,⁵

AdvancedComfort Low-E insulating dual-pane glass with argon⁴

NaturalSun Low-E insulating dual-pane glass with argon⁴

NaturalSun Low-E insulating triple-pane glass with argon or krypton⁴,⁵

SunDefense™ Low-E insulating dual-pane glass with argon⁴

SunDefense Low-E insulating triple-pane glass with argon or krypton⁴,⁵

### Additional Glass Options

Laminated (non-impact-resistant)⁶,⁷, tinted⁴,⁶ or obscure⁴,⁶ glass also available on select products

STC (Sound Transmission Class)-improved dual-pane sound glass⁵,⁸

Impact-resistant glass⁵,⁶

## ADDED PEACE OF MIND

### Integrated Security Sensors

Choose optional, built-in security sensors powered by Insynctive® technology so you can monitor windows and doors while at home or away with the Pella Insynctive App.⁹ Learn more at [pella.com/insynctive](http://pella.com/insynctive).

¹ Color-matched to your product's interior and exterior color.

² Appearance of exterior grille color may vary depending on the Low-E insulating glass selection.

³ Only available with matching interior and exterior colors.

⁴ Optional high-altitude InsulShield Low-E glass is available with or without argon on select products.

⁵ Available on select products only. See your local Pella sales representative for availability.

⁶ Available with Low-E insulating glass with argon on select products.

⁷ For best performance, the laminated glass may be in the interior or exterior pane of the insulating glass, depending on the product.

⁸ Sound control glass consists of dissimilar glass thickness (3mm/5mm).

⁹ Requires the Pella Insynctive App on a smart device, an Insynctive Bridge and a wireless home internet router with internet connection.



REVEL IN THE AUTHENTICITY  
Featuring the industry's only foam spacer solution, Pella's Integral Light Technology® grilles help capture the look of true-divided-light without sacrificing energy performance.

# LET'S GO SHOPPING


Whether you are in a showroom or on your couch, Pella has the tools and expertise you need to make the right decision – and make it with greater ease.



## YOUR PELLA REPRESENTATIVE

Free In-Home Consultation

Get inspired from the comfort of your own home. Schedule a free in-home consultation and a Pella Design Expert will come to you. They'll help you find the right product for your home and budget and provide measurements and a free quote.



## DISCOVER PELLA EXPERIENCE CENTERS

Want to see products in person? Visit a Pella Experience Center to work with a dedicated window and door expert. They will curate products to perfectly complement your life and project. Touch products in person and see the latest innovations.



## VISIT PELLA.COM

Start from the comfort of your own home. Explore the possibilities online to match your home and personal style, and improve your home's curb appeal. Discover the innovations, features and options that make Pella® windows and doors an exceptional addition to your home.



## #1 LIMITED LIFETIME WARRANTY FOR WOOD WINDOWS AND PATIO DOORS\*

Pella wood products are backed by the best limited lifetime warranty for wood windows and patio doors.\*

A ten-year limited warranty for Baldwin hardware is included. See written limited warranty for details, including exceptions and limitations, at [pella.com/warranty](http://pella.com/warranty).

WANT TO LEARN MORE? CALL US AT 833-44-PELLA OR VISIT PELLA.COM

\* Based on comparing written limited warranties of leading national wood window and wood patio door brands. See Pella written Limited Warranty for details, including exceptions and limitations, at [pella.com/warranty](http://pella.com/warranty), or contact Pella Customer Service at 877-473-5527.



Connect with Pella:



## COLORS

### FRAME COLORS

Create a signature look with solid-color and dual-color frames. Dual-color frames allow you to choose a different color for the exterior with a White interior.

#### SOLID-COLOR:




#### DUAL-COLOR FRAMES:



## GRILLES

### GRILLES

Grilles are color-matched to your window or patio door interior and exterior frame color.



<sup>1</sup> Based on the force required to bend a window frame profile.

<sup>2</sup> Some Pella products may not meet ENERGY STAR® guidelines in Canada. For more information, contact your local Pella sales representative or go to [energystar.gc.ca](http://energystar.gc.ca).

<sup>3</sup> Window energy efficiency calculated in a computer simulation using RESFEN 5.0 default parameters for a 2000 sq. foot existing single-story home when comparing a Pella 250 Series vinyl window with InsulShield Advanced Low-E triple pane glass with argon to a single paned wood or vinyl window. The range of energy efficiency will vary from 54% to 77% and will vary by location. Your actual savings will vary. The average window energy efficiency is based on a national average of 94 modeled cities across the country with an adjustment based on population. For more details see [pella.com/methodology](http://pella.com/methodology).

<sup>4</sup> Exceeds AAMA 613 test requirements.

<sup>5</sup> Actual mullion span and combination size availability depends on design pressure requirements. Consider combination size, weight, and jobsite handling during design.

<sup>6</sup> Only available in the West region.

<sup>7</sup> Appearance of exterior grille color may vary depending on the Low-E insulating glass selection.

<sup>8</sup> Not available with triple-pane glass.

# Pella® 250 Series VINYL



Exceptional vinyl performance and style

Double-Hung



- PELLA'S FADE-RESISTANT VINYL FORMULA**  
 Pella 250 Series is made of high-grade vinyl that resists yellowing and never needs painting. The solid color throughout the vinyl keeps minor dings and scratches virtually invisible. Solid-color frames are available in White, Almond and Fossil.
- STRONGER FRAMES THAN ORDINARY VINYL**  
 Pella's precision welding process creates more durable products that resist warping or twisting over time. Pella 250 Series window frames are 52% stronger than ordinary vinyl.<sup>1</sup>
- EXCLUSIVE WEATHER PROTECTION SYSTEM**  
 Protect your home with our exclusive weather repel system on single- and double-hung windows. It has three points of protection to channel water away from the home – including triple weatherstripping.
- ENERGY STAR® MOST EFFICIENT 2019 WINDOW<sup>2</sup>**  
 Upgraded triple-pane glass windows are on average 62% more energy efficient than single-pane windows.<sup>3</sup> Pella 250 Series offers products that have been awarded the ENERGY STAR Most Efficient Mark in 2019.<sup>2</sup>
- DURABLE EXTERIOR FINISHES**  
 Dual-color frame options offer white interiors with a choice of nine DuraColor™ exterior finishes that exceed industry requirements for fade resistance.<sup>4</sup>
- STYLE AND INSTALLATION FLEXIBILITY**  
 Whether your project calls for a modern or traditional look, Pella 250 Series windows provide style flexibility to meet your project's needs. Multiple frame sizes available.
- FREE-FORM MULLING CAPABILITIES**  
 Create a large or unique combination for your project by mulling standard and custom-sized windows together. Combinations are factory-mulled and arrive ready for installation.<sup>5</sup>
- OPTIONAL PERFORMANCE ENHANCEMENTS**  
 Increase energy performance and structural strength with optional performance enhancements such as foam insulation and steel reinforcement.
- ADDITIONAL FEATURES AND OPTIONS**  
 We have the features and options that fit most any project. Choose from five frame types, dual- and triple-pane glazing, four grille options and a full lineup of window & patio door styles.
- LIMITED LIFETIME WARRANTY**  
 Pella products are backed by some of the strongest warranties in the business. See written limited warranty for details, including exceptions and limitations, at [installpella.com/warranties](http://installpella.com/warranties).
- TESTING BEYOND REQUIREMENTS**  
 At Pella, our products are tested beyond requirements to help ensure they have long-lasting performance and reduce call-backs for you.

#### AVAILABLE IN THESE WINDOW & PATIO DOOR STYLES:



Special shapes also available.

## PRODUCT SPECIFICATIONS

WINDOW & PATIO DOOR STYLES	MIN. WIDTH	MIN. HEIGHT	MAX. WIDTH	MAX. HEIGHT	PERFORMANCE CLASS & GRADE	PERFORMANCE VALUES			FRAME / INSTALL
						U-FACTOR	SHGC	STC	
<b>AWNING</b> DUAL-PANE VENT	16"	14-½"	59-½"	43-½"	LC35-LC50	0.26-0.30	0.17-0.43	30	Block Frame Integral Fin Fin with J-Channel Flush Flange* 5/8" Flange Frame
<b>AWNING</b> TRIPLE-PANE VENT	16"	14-½"	59-½"	43-½"	LC35-LC50	0.20-0.25	0.19-0.37	34	
<b>CASEMENT</b> DUAL-PANE VENT	14-½"	17-½"	35-½"	71-½"	LC35-LC50	0.26-0.30	0.17-0.43	30-33	
<b>CASEMENT</b> TRIPLE-PANE VENT	14-½"	17-½"	35-½"	71-½"	LC35-LC50	0.20-0.25	0.19-0.37	34	
<b>SLIDING WINDOW</b> DUAL-PANE VENT	21-½"	11-½"	96"	72" West Region 62" East Region	R25-R50	0.27-0.32	0.20-0.51	25	
<b>SLIDING WINDOW</b> TRIPLE-PANE VENT	21-½"	11-½"	96"	72" West Region 62" East Region	R25-R50	0.20-0.26	0.22-0.44	28	
<b>DOUBLE-HUNG</b> DUAL-PANE VENT	14-½"	23-½"	53-½"	78"	R20-R50	0.27-0.33	0.19-0.49	26	
<b>DOUBLE-HUNG</b> TRIPLE-PANE VENT	14-½"	23-½"	53-½"	78"	R20-R50	0.21-0.27	0.21-0.42	28	
<b>SINGLE-HUNG</b> DUAL-PANE VENT	14-½"	23-½"	53-½"	77-½"	R35-R50	0.27-0.33	0.20-0.51	25	
<b>SINGLE-HUNG</b> TRIPLE-PANE VENT	14-½"	23-½"	53-½"	77-½"	R35-R50	0.21-0.26	0.22-0.44	28	
<b>FIXED FRAME RECTANGLE</b> DUAL-PANE	11-½"	11-½"	108" 40 sq. ft. max.	108" 40 sq. ft. max.	CW30-CW50	0.26-0.31	0.21-0.58	26	
<b>FIXED FRAME RECTANGLE</b> TRIPLE-PANE	11-½"	11-½"	108" 40 sq. ft. max.	108" 40 sq. ft. max.	CW30-CW50	0.19-0.24	0.24-0.47	27	
<b>SLIDING PATIO DOOR</b> DUAL-PANE, OX or XO	46-½"	70-½"	95-½"	95-½"	R25-R50	0.27-0.40	0.19-0.49	26	
<b>SLIDING PATIO DOOR</b> TRIPLE-PANE, OX or XO	46-½"	70-½"	95-½"	95-½"	R25-R50	0.22-0.30	0.21-0.42	27	

### WINDOW SIZES AVAILABLE IN 1/8" INCREMENTS

Special sizes available. For more information regarding performance, visit [installpella.com/performance](http://installpella.com/performance). Visit [PellaADM.com](http://PellaADM.com) for specific sizes and glazings tested and for more information regarding frame and installation types.

\* See back cover for disclosures.

## WINDOW HARDWARE

### CASEMENT & AWNING

Folds neatly out of the way so it won't interfere with roomside window treatments. Finishes match interior frame colors.



FOLD-AWAY CRANK

#### COLOR-MATCHED FINISHES:

WHITE

ALMOND

FOSSIL

### SLIDING, SINGLE- & DOUBLE-HUNG

Pella's cam-action locks pull the sashes against the weatherstripping for a tighter seal. Optional AutoLock hardware automatically locks the window when it is shut, simply close the sash and confirm it latches.



CAM-ACTION LOCK



AUTOLOCK

#### COLOR-MATCHED FINISHES:

WHITE

ALMOND

FOSSIL

### INTEGRATED SASH LIFT

Make raising and lowering single- and double-hung window sashes easy with a standard, integrated sash lift.



WINDOW INTEGRATED SASH LIFT

#### COLOR-MATCHED FINISHES:

WHITE

ALMOND

FOSSIL

### WINDOW LIMITED OPENING DEVICES

A vent stop can be engaged or disengaged manually and restricts how far the bottom sash of a single- or double-hung window can open. A window opening control device (WOCD) complies with a safety standard and allows for ventilation, emergency escape and rescue when released. A WOCD automatically limits the sash opening to less than four inches, unless it is intentionally disengaged, enabling the sash to fully open.



VENT STOP



OPENING CONTROL DEVICE

#### COLOR-MATCHED FINISHES:

WHITE

ALMOND

FOSSIL

## PATIO DOOR HARDWARE

### SLIDING PATIO DOOR

Match the door's exterior color with a color-matched, corrosion-resistant handle, or upgrade the interior finish to add a touch of style.



SLIDING PATIO DOOR HANDLE  
Standard Multipoint Locking System

#### COLOR-MATCHED FINISHES:

WHITE

ALMOND

FOSSIL

#### ADDITIONAL FINISHES:

BRIGHT BRASS

OIL-RUBBED BRONZE

SATIN NICKEL