

Site Plan



Scope of Work

Detailed Explanation of Project *

GARAGE ROOF

1. Remove all roofing and accessories down to the bare wood roof deck.
2. If necessary, replace bad wood decking.
3. INSTALL ICE GUARD AT EVES.... Install synthetic roof underlayment to the remaining bare wood roof deck.
4. Install metal drip edge on all roof perimeters.
5. Install shingle over ridge vent.
6. Install closed cut valleys.
7. Install ATLAS BRAND dimensional roof shingles with 4 nails per shingle. Shingles will match/approximate the shingles on the home. COLOR IS WEATHERED WOOD
8. Clean up and dispose of all construction related debris.

SCREEN PORCH ROOF

1. Remove all roofing and accessories down to the bare wood roof deck.
2. If necessary, replace bad wood decking.
3. Install 1 course of ice guard at the roof eaves. Install ice guard around chimney and in the valleys.
4. Install synthetic roofing underlayment to the remaining bare wood roof deck.
5. Install metal drip edge on all roof perimeters.
6. Close the existing hat vents and replace them with a shingle over ridge vent system.
7. Install a new soil pipe stack boot.
8. Remove and replace the chimney flashing.
9. Install closed cut valleys.
10. Install ATLAS BRAND dimensional shingles with 4 nails per shingle. Shingles will match/approximate the shingles on the home. COLOR IS WEATHERED WOOD.
11. Clean up and dispose of all construction related debris.



For lasting protection against black streaks caused by algae, install shingles featuring the Atlas Lifetime* Algae Resistance Limited Warranty.

Weathered Wood

Pristine Appearance. Protected Appeal.


Pinnacle® Pristine architectural shingles provide stunning color that lasts.

Lifetime LIMITED WARRANTY

Pinnacle® Pristine shingles feature comprehensive warranty coverage for black streaks caused by algae, damage from high winds and manufacturer defects.

FEATURES

Available In 19 Colors
Scotchgard™ Protector
130 mph Wind Limited Warranty**
FASTAC® Double Sealant Lines
Atlas Lifetime* Algae Resistance Limited Warranty
Lifetime Limited Warranty**
Atlas Signature Select® Eligible¹



Length: 42" / 1066.8 mm
Width: 14" / 355.6 mm

Exposure: 6" / 152.4 mm
Shingles Per Bundle: 18-20



For maximum protection and warranty coverage, install an Atlas Signature Select® Roofing System with components designed and backed by an Atlas warranty.

ASTM

D7158, Class H Wind Resistance, Passed at 150 mph
D6381, Uplift Resistance
D3018, Type 1
D3161, Class F, Tested at 110 mph
D3462, As Manufactured
E108, Class A Fire Resistance

UL

790, Class A Fire Resistance
2390, Class H Wind Resistance

CODES AND COMPLIANCES

Meets AC438 Criteria
CAN/CSA-A123.5-M90
Florida Building Code Approved – FL 16305
Miami-Dade County Product Control Approved

SAFETY, STORAGE AND HANDLING

WARNING: Roofing application can be dangerous. Observe all precautions and safety guidelines in accordance with proper roofing trade practices. Minimize roof traffic. Perform regular roof maintenance in appropriate weather.

IMPORTANT PRECAUTIONS: Store on flat surface. Protect from weather during storage and on job site. Sealant protection tape is placed on back of each shingle and does not have to be removed before applying.

For additional safety, storage and handling instructions go to: AtlasRoofing.com/roof-shingles/sds

INSTALLATION AND SPECIFICATIONS

For warranty installation instructions go to: AtlasRoofing.com/roof-shingles/pinnacle-pristine

For detailed installation and complete 3-part specifications go to: AtlasRoofing.com/roof-shingles/specifications



PERFORMANCE. ENERGY EFFICIENCY. SAVINGS.

Pinnacle® Pristine Pearl shingles are Energy Star® certified. Both durable and beautiful, they reflect more of the sun's rays – which keeps the roof cooler, helps it last longer and lowers air conditioning costs.

Atlas Roofing Corporation (ATLAS) warrants to you, the original owner of its shingle products, that this product is free from any manufacturing defects that materially affect the performance of your shingle during the Premium Protection Period or that cause leaks for the balance of the applicable warranty period.

* In order to qualify for the Atlas Lifetime Algae Resistance Limited Warranty against black streaks caused by blue-green algae, installation must include Atlas Pro-Cut® Hip & Ridge shingles featuring Scotchgard™ Protector or Atlas Pro-Cut® High Profile Hip & Ridge shingles featuring Scotchgard™ Protector with Atlas shingles featuring Scotchgard™ Protector.

** Refer to the Atlas Roofing Limited Shingle Warranty for all coverage requirements.

¹ Refer to the Atlas Signature Select® Limited Warranty for all system coverage requirements.

Scotchgard and the Scotchgard Protector logo, including the plaid design and 3M logo, are all trademarks of 3M.

© Copyright 2018, Atlas Roofing Corporation ATL-184382-00 6/18



Natural Expressions



Coastal Granite



Copper Canyon



Morning Harvest



Pinnacle® Pristine

High Performance Architectural Shingles



Majestic Shake



Summer Storm




Classic



Pristine Black



Pristine Desert



Pristine Hearthstone



Pristine Heather



Pristine Hickory



Pristine Oyster



Pristine Pewter



Pristine Sienna



Pristine Tan



Pristine Weathered Wood



Special Order



Pristine Green



Pristine Pearl



Pristine Sunset



Pristine Weathered Shadow



Limited regional availability. Please contact your local supplier.

House - Front



House - Rear



Garage - Front



Garage - Rear

