


OHIO HISTORIC INVENTORY

Ohio Historic Preservation Office
Ohio Historical Center
Columbus, Ohio 43211

<p>1. No.</p> <p>2. County Summit</p> <p>3. Location of Negatives HHA 57-33</p>	<p>4. Present Name(s) Residence, James Angle</p> <p>5. Other Name(s)</p>	1. NO.	
<p>6. Specific Location 76 Church Street</p> <p>7. City or Town If Rural, Township & Vicinity Hudson</p> <p>8. Site Plan with North Arrow</p>  <p>9. Coordinates Lat. _____ Long. _____ U.T.M. Reference Zone 17 Easting 463433 Northing 4565354</p> <p>10. Site <input type="checkbox"/> Structure <input type="checkbox"/> Building <input checked="" type="checkbox"/> Object <input type="checkbox"/></p> <p>11. National Register? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p> <p>12. Is It Eligible? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>13. Part of Estab. Hist. Dist.? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>14. District Potent'l? Yes <input type="checkbox"/> No <input type="checkbox"/></p> <p>15. Name of Established District Hudson Local Historic District</p>	<p>16. Thematic Category C</p> <p>17. Date(s) or Period c. 1900</p> <p>18. Style or Design Colonial Revival</p> <p>19. Architect or Engineer</p> <p>20. Contractor or Builder</p> <p>21. Original Use, if apparent residence</p> <p>22. Present Use residence</p> <p>23. Ownership Public <input type="checkbox"/> Private <input checked="" type="checkbox"/></p> <p>24. Owner's Name & Address, if known James Angle 76 Church Street Hudson 44236</p> <p>25. Open to Public? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p> <p>26. Local Contact Person or Organization Hudson Heritage Association</p> <p>27. Other Surveys in Which Included</p>	<p>28. No. of Stories 2</p> <p>29. Basement? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>30. Foundation Material structural tile</p> <p>31. Wall Construction wood frame</p> <p>32. Roof Type & Material gable - asph shingle</p> <p>33. No. of Bays Front 3 Side 1</p> <p>34. Wall Treatment aluminum siding</p> <p>35. Plan Shape rect</p> <p>36. Changes (Explain in #42) Addition <input checked="" type="checkbox"/> Altered <input checked="" type="checkbox"/> Moved <input type="checkbox"/></p> <p>37. Condition Interior _____ Exterior good</p> <p>38. Preservation Underway? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>39. Endangered? By What? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p> <p>40. Visible from Public Road? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>41. Distance from and Frontage on Road 25' 62'</p>	2. County Summit
<p>42. Further Description of Important Features Boxed cornice, wide frieze board. Shelf cornice entryway with pilasters is replacement. Plain 6/6 windows, extending to frieze on upper story. Shutters added. Outside chimney west; additions to south.</p>		4. Present Inventory/ Residence, James Angle	
<p>43. History and Significance</p>			3. Other Inventory/
<p>44. Description of Environment and Outbuildings Detached garage. Residential area.</p>		Photo	
<p>45. Sources of Information Summit County Tax Assessment records Personal inspection</p>	<p>46. Prepared by L Newkirk, F Barlow</p> <p>47. Organization HHA</p> <p>48. Date</p> <p>49. Revision Date(s)</p>		

1.

Garage Roof Replacement

- Currently leaking
- Owens Corning Estate Gray Architectural Shingles (to match main structure)
- 2 Velux Fixed Skylight Model FS DO6 installed, one on each side, in the middle of the roofline (at approximate points of yellow arrows)
- The approximate dimension of this garage is 27' x 24'.



2.

Side Porch Roof Repair

- Currently leaking
- Owens Corning Estate Gray Architectural Shingles (same as existing)
- Existing acrylic bubble skylight replaced with Velux Fixed Skylight Model FS DO6



Fixed Skylights

Deck-Mounted, Curb-Mounted

The No Leak Skylight
No Leak Promise
No Worries

Dimensions:
22 1/2" x 45 3/4"





Deck-Mounted - FS
Mounts directly to the roof deck

Curb-Mounted - FCM
Mounts directly to a site-built curb



Benefits

- Pre-finished white wood frame and protective aluminum or copper cladding.
- Streamlined exterior profile does not obstruct your roofline.
- Streamlined exterior profile does not obstruct your roofline.
- Streamlined exterior profile does not obstruct your roofline.
- Pre-mounted Pick&Click!™ system brackets make the installation of sunscreen blinds a snap.
- Streamlined exterior profile does not obstruct your roofline.
- Pre-mounted Pick&Click!™ system brackets make the installation of sunscreen blinds a snap.



Safest Glass to Live Under

Clean, Quiet & Safe

When selecting a VELUX Fixed Skylight rest assured your skylight comes with our most-recommended, top-rated glass: Clean, Quiet & Safe. Named for its three biggest benefits, this glass comes with state-of-the-art, energy-conserving LowE glass, designed to keep your home warmer in the winter and cooler in the summer.

Clean: Skylights stay cleaner longer with Neat® glass coating.

Quiet: Reduces unwanted outside noise by up to 25% compared to a standard double pane glass and up to 50% compared to a plastic skylight.

Safe: Unlike tempered, this glass does not shatter into pieces when cracked.



ENERGY STAR certified products are the most straightforward way to help meet energy codes.

Most VELUX residential products are ENERGY STAR certified in all 50 states. By specifying or using ENERGY STAR certified products, architects and builders can use windows and skylights to bring much needed daylight and fresh air inside, creating more attractive buildings and livable spaces while still meeting the local energy codes.

3 Layers of Protection

The No Leak Skylight

- Pre-attached Seal**
Pre-attached deck seal (deck-mounted) or gasket (curb-mounted) provides a tight seal for leak-proof installation.
- Adhesive Underlayment**
Adhesive underlayment for secondary water protection against the harshest weather conditions.
- Engineered Flashing**
Engineered flashing for easy installation and primary water protection.



**Existing Shingles on Main
Structure,**

- to be used in all repairs & garage roof replacement
- Owens Corning Estate Gray Architectural Shingles
Item #: 10020285

