



AWNING FRAME ISOMETRIC RENDERING

AWNING FRAME DETAILS


- 1" SQ. PLAIN MEMBERS
- 1" SQ. STAPLE MEMBERS

AWNING FRAME / FABRIC NOTES:



1. FRAMEWORK TO BE CONSTRUCTED OF WELDED 1" SQ. (0.090 WALL 6063-T6), MILL FINISHED, ALUMINUM STAPLE CHANNEL TUBING.
2. FRAME HAS OPEN LEFT / RIGHT ENDS.
3. FABRIC ATTACHMENT: STAPLE
4. FABRIC MFG / COLOR: FERRARI 502 #8255 POPPY
5. POWDERCOAT COLOR: BLACK

FOR THE PURPOSE OF ANALYSIS THIS AWNING / CANOPY STRUCTURE HAS BEEN LOADED AS FOLLOWS AS PER OBC 1607.12.4:

- LIVE LOAD 5.0 PSF OBC 1607.1 & TABLE 1607.1.26
- WIND LOAD 20.7 PSF (90 mph) OBC 1609
- SNOW LOAD 30.0 PSF OBC 1608



AWNING FRAME
TOP VIEW
SLIP FIT BRACES
FRAMES #1 & #6



TYPICAL AWNING FRAME
ISOMETRIC VIEW

SHEET

FS

4 OF 5

DRAWN BY:

ZS

ORD NO.

24-320-W

DATE:

2/10/25

REV:

0.0

CLIENT:

TALBOTS

82 FIRST ST.

HUDSON, OH 44236

OHIO AWNING

& MANUFACTURING COMPANY

5777 GRANT AVE.

CLEVELAND OHIO 44105

216-861-2400

OHIOAWNING.COM

CELEBRATING

150


years

AWNING FRAME / FABRIC NOTES:


- 1. FRAMEWORK TO BE CONSTRUCTED OF WELDED 1" SQ. (0.090 WALL 6063-T6), MILL FINISHED, ALUMINUM STAPLE CHANNEL TUBING.
- 2. FRAME HAS OPEN LEFT / RIGHT ENDS.
- 3. FABRIC ATTACHMENT: STAPLE
- 4. FABRIC MFG / COLOR: FERRARI 502 #8255 POPPY
- 5. POWDERCOAT COLOR: BLACK

FOR THE PURPOSE OF ANALYSIS THIS AWNING / CANOPY STRUCTURE HAS BEEN LOADED AS FOLLOWS AS PER OBC 1607.12.4:


- LIVE LOAD 5.0 PSF OBC 1607.1 & TABLE 1607.1.26
- WIND LOAD 20.7 PSF (90 mph) OBC 1609
- SNOW LOAD 30.0 PSF OBC 1608



AWNING FRAMES (A)
SIDE PROFILE



AWNING FRAMES (B)
SIDE PROFILE



AWNING FRAMES (C)
SIDE PROFILE

AWNING FRAME DETAILS

- 1" SQ. PLAIN MEMBERS
- 1" SQ. STAPLE MEMBERS



Google



