



OHIO HISTORIC INVENTORY

Ohio Historic Preservation Office
Ohio Historical Center
Columbus, Ohio 43211

1. No. 2. County Summit 3. Location of Negatives b. 2-6	4. Present Name(s) 5. Other Name(s)
6. Specific Location 31 Church Street	16. Thematic Category C 17. Date(s) or Period c. 1853
7. City or Town if Rural, Township & Vicinity Hudson	18. Style or Design Gothic Revival
8. Site Plan with North Arrow 	19. Architect or Engineer 20. Contractor or Builder 21. Original Use, if apparent residence 22. Present Use residence
9. Coordinates Lat. _____ Long. _____ U.T.M. Reference 7 463213 4565393	23. Ownership Public <input type="checkbox"/> Private <input checked="" type="checkbox"/> 24. Owner's Name & Address, if known
10. Building <input checked="" type="checkbox"/> Structure <input type="checkbox"/> 11. Object <input type="checkbox"/> 12. Is it Eligible? Yes <input type="checkbox"/> No <input type="checkbox"/> 13. Part of Estab. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 14. District Potent'l? Yes <input type="checkbox"/> No <input type="checkbox"/>	25. Open to Public? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> 26. Local Contact Person or Organization Hudson Heritage Association 27. Other Surveys in Which Included
Name of Established District Hudson Historic District	28. No. of Stories 1 1/2 29. Basement? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 30. Foundation Material sandstone/brick facing 31. Wall Construction wood frame 32. Roof Type & Material gable - asph shingle 33. No. of Bays Front 2 Side 2 34. Wall Treatment beveled siding 35. Plan Shape rect 36. Changes (Explain in #42) Addition <input checked="" type="checkbox"/> Altered <input type="checkbox"/> Moved <input type="checkbox"/> 37. Condition interior _____ Exterior good
Further Description of important Features Plain pediment at entrance; porch on east side; addition west.	38. Preservation Underway? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 39. Endangered? By What? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> 40. Visible from Public Road? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 41. Distance from and Frontage on Road 18' 46'
History and Significance Much Gothic Revival character lost through alterations.	Photo 
Description of Environment and Outbuildings Quiet residential street of historic houses.	46. Prepared by B Burke, P Kurowski 47. Organization HHA 48. Date 49. Revision Date(s)
Source of information Summit County Tax Assessment records Personal inspection	48. Date 49. Revision Date(s)

Summit
Present Name(s)
Other Name(s)

Site Plan: 31 Church Street (Historic District)





Office Order Copy

Branch Number: 75900
 Window Store Name: Pella Window and Door
 Showroom of Akron

Order Number: 759DDG223
 Quote Number: 14558432
 Quote Description: Melissa KASS - 31 Church St, Hudson, OH, US 44236
 Project Name: Melissa KASS - 31 Church St, Hudson, OH, US 44236

Customer Information	Deliver To Address	Order Information	
Melissa KASS 31 Church St HUDSON, OH 44236-3006 Contact Name: Primary Phone: (917) 7508914 Mobile Phone: Fax Number: E-Mail: mkass23@yahoo.com Great Plains #: 1006434377 Customer ID: 25619384 Customer Number: 1010257678 Customer Account: 1006434377	Lot # Address: 31 Church St Hudson, OH 44236 County: Owner Name: Melissa KASS Owner Phone: (917) 7508914	Sales Rep Name: Petrosky, Dennis Business Segment: Retail Market Segment: Single Family Replacement Order Type: Installed Sales Payment Terms: SF3048 -48 mth, 0 Int, EqI Pmt Event #: 18126994 Order Verifier Name: None Scheduled Install Start Date: 1/19/2022 Install Crew: Feciuch, Jefferey-Jeffs Carpentry Install Duration: 1 DAY	Cust Delivery Date: 10/18/2021 Quoted Date: 9/8/2021 Contract Date: 9/21/2021 Booked Date: Earliest LRD: Tax Code: OHINSTALL Tax Exempt #: Customer PO #: SF Order Verification Date: Scheduled Install End Date: 1/19/2022 Install Status: Reserved

Installation Notes: Lead Safe Install - front door - remove storm door, remove interior trim, remove exterior side trim - LEAVE header trim in place, remove door, install new door, install interior trim - 2 pc install to match existing trim, exterior install new side trim, rip to fit filler piece if required between top of door and existing header trim left in place, install new storm door to match existing storm door swing, side door - remove existing storm door, remove existing trim interior/exterior, install new door, install exterior trim to match existing, install interior trim - NOTE existing trim is stacked on latch side of door and header with a wedge piece fit in on the hing side - match existing installation of interior trim, install new storm door to match existing storm door swing

Shop Notes: all trim finished at Gunton in bright white
 front door trim is all 5/4" x 6" actual in poplar
 - 7 pcs x 8'
 front door interior trim 1 1/4" quarter round in poplar
 - 4 pcs x 8'
 side door exterior door trim is 5/4" x 4" nominal in poplar
 - 4 pcs x 8'
 side door exterior trim cap 1" wide x 1/4" thick actual in poplar lattice
 - 1 pc x 8'
 side door interior trim is 1" x 4" nominal in poplar
 - 5 pcs x 8'
 send stock shoe KD 3601 finished in bright white
 - 2 pcs x 12'
 send quart touch up paint in bright white

12 1 0 side door exterior trim cap 1" wide x 1/4" thick actual in poplar lattice

Location:
 Rough Opening: 0" X 0"
 Frame Size:
 Final Wall Depth:
 Frame Perimeter (inches):
 Assembly Type: Manual Line
 Last Revision Date:

Line #	Quote Qty	PO Qty	Description	Item Price	Ext'd Price
--------	-----------	--------	-------------	------------	-------------

13 1 0 side door interior trim is 1" x 4" nominal in poplar - 5 pcs x 8'

Location:
 Rough Opening: 0" X 0"
 Frame Size:
 Final Wall Depth:
 Frame Perimeter (inches):
 Assembly Type: Manual Line
 Last Revision Date:

Line #	Quote Qty	PO Qty	Description	Item Price	Ext'd Price
--------	-----------	--------	-------------	------------	-------------

15 1 0 ENTRYSYST - ENTRY SYSTEMS

Location: front door
 Rough Opening:
 Frame Size:
 Final Wall Depth:
 Frame Perimeter (inches):
 Assembly Type: Branch Catalog
 Last Revision Date:

Shop Notes: all trim finished at Gunton in bright white
 front door trim is all 5/4" x 6" actual in poplar
 - 7 pcs x 8'
 front door interior trim 1 1/4" quarter round in poplar

- 4 pcs x 8'
- send stock shoe KD 3601 finished in bright white
- 1 pc x 12'

Installation Notes: remove storm door, remove interior trim, remove exterior side trim - LEAVE header trim in place, remove door, install new door, install interior trim - 2 pc install to match existing trim, rip to fit if required, exterior install new side trim - rip to fit if required, rip to fit filler piece if required between top of door and existing header trim left in place

Customer Notes: 3' 0" x 7' 0" 70-S6021-LE Smooth-Star Fiberglass Door w/Low E Glass - Right Hand Inswing 1
 2-3/4" Backset - Double Bore (2-1/8" Dia. Bore w/Standard 5-1/2" Spacing) w/Faceplate Lockset Latch Prep 1
 w/Standard Strike Prep w/Deadbolt 9220 Schlage 1-1/8" x 2-3/4" Strike Prep
 Set of Ball Bearing - Black Nickel Hinges 1
 White Stipple Dura-Tech Frame - 5-15/16" Jamb w/No Exterior Trim w/(1)Black Nickel Adjustable Security Strike 1
 Plate (for Lockset only)
 Bronze Compression Weatherstrip 1
 Tru-Defense Composite Adj. w/Dark Cap - Bronze Sill 1
 Custom Cut 1-7/8" from Height (Limitations may exist) 1
 PREFINISH: Paint Door Panel Exterior 110 ONYX (BLACK), Paint Door Panel Interior 112 ALPINE (BRIGHT 1
 WHITE)
 Schlage - F Series Addison Handleset and Accent Interior Trim w/Matte Black (622) Finish ***KEYED ALIKE*** 1
 Tru-Loc Door Anchors - Installed 1
 Version

Line #	Quote Qty	PO Qty	Description	Item Price	Ext'd Price
20	1	0	ENTRYSYST - ENTRY SYSTEMS		
Location: front storm					
Rough Opening:					
Frame Size:					
Final Wall Depth:					
Frame Perimeter (inches):					
Assembly Type: Branch Catalog					
Last Revision Date:					

Installation Notes: install new storm door to match existing storm door swing

Customer Notes: 36" x 82-5/8" (Custom Size) Larson Full-View 159-FVE Elegant Selection™ ElegantXTR Low-E Glass White 1
 Storm Door Left Hinge ; {Features: 1-5/8" thick aluminum frame; Maintenance-free finish; Double
 weatherstripping; bottom expander adjusts to uneven sills; Limited lifetime warranty; REVERSA-HINGE for right
 or left mounts, Built-in Hidden Closer}
 QuickFit Curved Handle Set Aged Bronze 1
 Version

Line #	Quote Qty	PO Qty	Description	Item Price	Ext'd Price
25	1	0	ENTRYSYST - ENTRY SYSTEMS		

Location: side door

Rough Opening:

Frame Size:

Final Wall Depth:

Frame Perimeter (inches):

Assembly Type: Branch Catalog

Last Revision Date:

Shop Notes: all trim finished at Gunton in bright white
 side door exterior door trim is 5/4" x 4" nominal in poplar
 - 4 pcs x 8'
 side door exterior trim cap 1" wide x 1/4" thick actual in poplar lattice
 - 1 pc x 8'
 side door interior trim is 1" x 4" nominal in poplar
 - 5 pcs x 8'
 send stock shoe KD 3601 finished in bright white
 - 1 pc x 12'

Installation Notes: remove existing storm door, remove existing trim interior/exterior, install new door, install exterior trim to match existing, install interior trim - NOTE existing trim is stacked on latch side of door and header with a wedge piece fit in on the hing side - match existing installation of interior trim - trim - rip to fit if required

Customer Notes: 2' 6" x 6' 8" S118-LE Smooth-Star Fiberglass Door w/Low E Glass - Right Hand Inswing 1
 2-3/4" Backset - Double Bore (2-1/8" Dia. Bore w/Standard 5-1/2" Spacing) w/Faceplate Lockset Latch Prep 1
 w/Standard Strike Prep w/Deadbolt 9220 Schlage 1-1/8" x 2-3/4" Strike Prep **Boring selected may not be available, contact office to verify!**
 Set of Ball Bearing - Black Nickel Hinges 1
 White Stipple Dura-Tech Frame - 5-1/8" Jamb w/No Exterior Trim w/(1)Black Nickel Adjustable Security Strike 1
 Plate (for Lockset only)
 Bronze Compression Weatherstrip 1
 Tru-Defense Composite Adj. w/Dark Cap - Bronze Sill 1
 Custom Cut 2" from Height (Limitations may exist) 1
 PREFINISH: Paint Door Panel Exterior 110 ONYX (BLACK), Paint Door Panel Interior 112 ALPINE (BRIGHT 1 WHITE)
 Schlage - F Series Accent w/Addison Backplate Lever Set and B60 Addison Backplate Deadbolt w/Matte Black 1 (622) Finish ***KEYED ALIKE***
 Tru-Loc Door Anchors - Installed 1

Line #	Quote Qty	PO Qty	Description	Item Price	Ext'd Price
--------	-----------	--------	-------------	------------	-------------

30	1	0	ENTRYSYST - ENTRY SYSTEMS		
----	---	---	---------------------------	--	--

Location: side storm
 Rough Opening:
 Frame Size:
 Final Wall Depth:
 Frame Perimeter (inches):
 Assembly Type: Branch Catalog
 Last Revision Date:

Installation Notes: install new storm door to match existing storm door swing

Customer Notes: 3' 0" x 6' 9" Larson Screen-Away® 156FVE Easy Vent®XTR Fullview w/Low E Glass White Storm Door 1 QuickFit Curved Handle Set Aged Bronze 1

Line #	Quote Qty	PO Qty	Description	Item Price	Ext'd Price
--------	-----------	--------	-------------	------------	-------------

35	1	0	INSTALL - INSTALLATION LABOR		
----	---	---	------------------------------	--	--

Location: None Assigned
 Rough Opening:
 Frame Size:
 Final Wall Depth:
 Frame Perimeter (inches):
 Assembly Type: Branch Catalog
 Last Revision Date:

Line #	Quote Qty	PO Qty	Description	Item Price	Ext'd Price
--------	-----------	--------	-------------	------------	-------------

40	1	0	ENVIRON - ENVIRONMENTAL FEE		
----	---	---	-----------------------------	--	--

Location: None Assigned
 Rough Opening:
 Frame Size:
 Final Wall Depth:
 Frame Perimeter (inches):



Proposed Side Entry



Proposed Front Entry



Replacing these doors



Side Entry



Replacing these doors



31 Church St.
Hudson OH 44236