



UTILITY TRUCK EQUIPMENT, INC.
23893 U.S. 23 SOUTH
P.O. BOX 130
CIRCLEVILLE OH 43113

Telephone 740-474-5151

Fax 740-474-4402

60' AERIAL UNIT

AERIAL TOWER AND ACCESSORIES

Versalift model VST-6000-I insulated aerial tower with a maximum working height of 65', and a maximum horizontal side reach of 40'. Includes the following features and accessories:

- 24" x 48" x 42" enclosed fiberglass platform with liner and cover.
- Full pressure platform mounted 3-function single handle control.
- Full pressure individual lower controls, with upper control override.
- Hydraulic platform leveling system with upper and lower tilt controls.
- 180 degree hydraulic platform rotator system with platform mounted control.
- Combination articulating/telescoping boom assembly.
- Upper fiberglass telescoping boom with outer boom insert.
- Articulating lower boom with 24" fiberglass insert.
- ANSI category "C" insulation rating for 46KV and below.
- 360 degree continuous rotation.
- Center mount pedestal ahead of rear axle, with booms stowed to the rear.
- Four (4) hydraulic outriggers with integral full length subframe.
- Outrigger / boom interlock system.
- 25 gallon integral oil reservoir located in pedestal.
- 8 GPM open center hydraulic system.
- Electric shift power take off and flange mounted hydraulic pump.
- One (1) set of hydraulic tool outlets located at platform with pressure limit.
- Remote engine stop/start system with upper and lower controls.
- 2-speed engine throttle system with upper, lower, and curbside rear controls.
- 12 volt emergency power system with upper and lower controls.
- Lighted 12 volt switch panel on dash.
- Lower boom rest at front of body.
- Upper boom storage cradle with ratchet type tie down strap.
- Dual tubular rubber platform supports.
- Two (2) safety harnesses with lanyards.
- Two (2) operator/service manuals.
- Finish paint standard white urethane.
- ANSI A92.2 data plate.
- Inclinator installed each side on rear of body.
- Complete installation and testing of aerial tower and accessories.



AERIAL LINE BODY

Fiberglass line body, 150" long, 94" wide, with 18" deep side compartments. Includes the following features and accessories:

- 6" steel body understructure with steel treadplate cargo area floor.
- Body modification for installation of aerial tower and subframe.
- Stainless steel hinges and recessed two stage paddle latches.
- Door holders on all side compartment doors.
- Automotive bulb type rubber door seals on all body doors.
- Deluxe interior package with material trays, hooks, and long shelf storage.
- Curbside #2 access opening with steps to cargo area.
- 30" full width steel treadplate rear tailshelf.
- ICC rear bumper with gripstrut step each side.
- Curbside rear grab rail.
- Four (4) composite outrigger pads and holders.
- Four (4) rubber wheel chocks and holders.
- BP100A heavy duty pintle hook assembly.
- Fire extinguisher, first aid kit, and triangle reflector kit.
- Standard LED lighting package.
- LED rope lighting in each compartment with dash switch.
- Four (4) light amber strobe system, including two (2) Hella amber strobes at front of body, and two (2) 417SA amber strobe type flashers in tailshelf.
- Lighted master switch on dash.
- Electric back up alarm.
- Rear trailer receptacle.
- Rear mud flaps.
- Standard FX body white gelcoat finish on sideboxes.
- Chassis spring build up as required.
- Complete installation of body and accessories.

STANDARD UNIT PRICE.....\$138,668.00.

CONTRACT DISCOUNT.....(\$11,093.00).

TOTAL F.O.B. DESTINATION.....\$127,575.00.



COMPARTMENTATION:

Curbside:

- #1 vertical Five (5) locking swivel hooks mounted 1-3-1
- #2 vertical Three (3) access steps into cargo area with angled grab handle
- #3 vertical **Three (3)** adjustable divider shelves
- #4 horizontal One (1) adjustable divider shelf with 12 dividers on bottom
- #5 vertical **Three (3)** adjustable divider shelves

Through shelf located in the top of the curbside sidebox, 12" down from top, running from the front of the horizontal compartment to the rear of the body, with a drop down access door on the rear body panel. An aluminum treadplate door and opening shall be installed on the top of the curbside sidebox over the horizontal compartment for access to this shelf. Door opening shall be approximately 40" long and 15" wide, with weatherproof rubber seals, and a spring loaded strut to hold the door vertically in the open position. Door shall be hinged to the outside of body, and shall be furnished with locking hasp.

Streetside:

- #1 vertical Five (5) locking swivel hooks mounted 1-3-1
- #2 vertical Two (2) adjustable divider shelves
- #3 vertical Two (2) adjustable divider shelves
- #4 horizontal One (1) adjustable divider shelf with 12 dividers on bottom
- #5 vertical **Three (3)** adjustable divider shelves
- #6 rear Full length hot stick shelf with a rear door. 10" down from top.



STANDARD 60' UNIT OPTIONS

<u>OPTION #</u>	<u>PRICE EACH</u>
BASE PACKAGE 60' AERIAL AND ACCESSORIES	\$127,575.00
1) Heavy duty unit with up to 750# platform capacity. Includes HD rotator and counterweight as required.	\$3900.00
2) VST-5500-I aerial tower in lieu of VST-6000-I. DEDUCT	(\$6000.00)
3) 4-function single handle upper control in lieu of 3-function.	\$745.00
4) Heavy duty hydraulic platform rotator and support.	\$875.00
5) Hydraulic platform elevator with HD rotator (reduces platform capacity by 100 lbs.).	\$3595.00
6) Jib and winch preparation package only for use with existing customer furnished top mount Versalift winch with hydraulic jib.	\$1715.00
7) Top mount material handling winch and <u>manual</u> jib package.	\$3705.00
8) Top mount material handling winch and <u>hydraulic</u> jib package.	\$6150.00
9) Top mount material handling winch and <u>dual arm</u> hyd. jib package.	\$6780.00
10) Auto boom latch for mounting on outer boom Electroguard.	\$1535.00
11) Hydraulic tool outlets at curbside rear of tailshelf.	\$905.00
12) Standard non-metallic chassis colors other than white. Includes matching color on tower and body.	\$1845.00
13) Ziebart rustproof chassis cab and body understructure.	\$985.00
14) Aluminum understructure with aluminum treadplate cargo floor.	\$1650.00
15) Aluminum treadplate cargo wall liners and compartment tops.	\$1125.00
16) 12" wide through tunnel under tailshelf, door each side.	\$625.00
17) Through shelf from horizontal to rear in top of curbside sidebox with rear door and top opening lid above horizontal compartment.	\$605.00
18) Fiberglass transverse compartment with aluminum treadplate overlay, between front verticals, with full width top shelf. Includes vertical partition on body centerline, with three (3) pull-out drawers on curbside, and one (1) extra deep drawer on streetside. Shelf and drawers extend fully into each #1 compt.	\$3775.00
19) Aluminum ladder rack assembly, installed.	\$920.00
20) #2 curbside compt. with shelving in lieu of access opening.	No Charge
21) Curbside rear access opening in lieu of #2 access opening.	No Charge
22) Aluminum gripstrut installed full length of sidebox, per side.	\$710.00
23) Rod lock door system for side compartments.	\$550.00



24) D-ring 3-point latches in lieu of rotary latches on side compts.	\$1180.00
25) Additional divider shelves, (3) @ \$100.00 each.	\$300.00
26) Two (2) pull-out material drawers with criss-cross dividers under shelf in horizontal.	\$700.00
27) Aluminum wheel well liners.	\$360.00
28) Arbortech cab guard assembly – will affect outer boom stow ht.	\$5010.00
29) 165" long fiberglass body for 108" CA in lieu of 150". Includes larger rear verticals and extended length subframe.	\$2390.00

NOTES

- Requires selection of the appropriate chassis. Customer furnished chassis must meet minimum requirements for installation of equipment.
- Delivery: Approximately 240-270 days after receipt of order.
- Terms: 1%-20 days or Net 30 days.



UTILITY TRUCK EQUIPMENT, INC.
23893 U.S. 23 SOUTH
P.O. BOX 130
CIRCLEVILLE OH 43113

Telephone 740-474-5151

Fax 740-474-4402

GENERAL OPTIONS FOR ALL UNITS

STANDARD UNIT OPTIONS

<u>OPTION #</u>	<u>PRICE EACH</u>
1) Lower boom operation from 3 function Unitrol handle with Telescoping boom on individual lever, SST and VST units.	\$290.00
2) Hard plastic lower boom saddle (not avail. on all units).	\$350.00
3) Boom out-of-stow light on chassis dash.	\$305.00
4) Outrigger warning alarms, per set of two (2).	\$440.00
5) 1TB bucket tool tray.	\$135.00
6) 3TB inside bucket tool tray.	\$165.00
7) Hastings tool board with pouch.	\$235.00
8) Hastings tool tray / tool board combination.	\$425.00
9) Hastings hang-on bucket step.	\$225.00
10) Hastings saw scabbard, inside or outside mount.	\$325.00
11) Hastings hydraulic impact holster.	\$195.00
12) Bucket scuff pad with step, with or without liner.	\$310.00
13) Hastings single conductor holder, for square jib.	\$925.00
14) Hastings single conductor holder, for round jib.	\$375.00
15) Chance PST4002856 conductor holder for 4" square jib.	\$1550.00
16) Winch and Jib storage post for cargo area.	\$380.00
17) Two (2) Dica D1818 outrigger pads and holders.	\$905.00
18) Two (2) Dica D24242 outrigger pads and holders.	\$1225.00
19) D-ring 3-point latches in lieu of standard, per door (glass body).	\$135.00
20) 72" x 18" x 12" aluminum top box with center top lid.	\$1850.00
21) 96" x 18" x 12" aluminum top box with two (2) lids.	\$2275.00
22) Rear frame rail enclosure with drop down rear access door	\$1340.00
23) Weatherguard 304-3 Rat Pack Drawer unit at rear	



between frame rails (if space permits).	\$1785.00
24) Ring style cone holder on front bumper.	\$405.00
25) Post type cone holder – any location.	\$400.00
26) Swing out horizontal cone holder on front bumper.	\$800.00
27) Reese receiver with removable “L” shaped vice bracket.	\$530.00
28) Bicycle style aluminum wire storage rack.	\$605.00
29) Slide-N-Lock rail with two (2) sliding hooks, one (1) side.	\$340.00
30) UTE swing-out style ground spool carrying rack.	\$400.00
31) UTE ground spool spindle on frame with retainer pin, each.	\$185.00
32) 4” or 6” PVC storage tube with aluminum canister kit, each, up to 10’ long, installed exterior. (2) @ \$400.00 ea	\$800.00
33) Golight Stryker model 3067 wireless remote control spotlight.	\$995.00
34) Golight Stryker 30004 LED remote control spotlight.\$1325.00 X (2)	\$2650.00
35) Night Ray NR-755-20KFDW Wireless remote control spotlight.	\$1250.00
36) Streamlight 45861 LED spotlight with charger base.	\$450.00
37) Unity standard 6” post mount spotlight, per side.	\$460.00
38) Unity LED 6” post mount spotlight, per side.	\$700.00
39) Additional Hella 12 volt amber LED strobes in grill, \$540.00 ea x 2	\$1080.00
40) Whelen L31HAF strobes in lieu of standard, \$340.00 ea X 2	\$680.00
41) Additional Whelen L32LAF or L31HAF strobes, each.	\$860.00
42) Additional Whelen 2GA00FAR LED amber warning lights, each.	\$695.00
43) Soundoff Signal NRoads LED high dome double beacon in lieu standard.	\$410.00
44) Additional NRoads LED high dome double beacon, each.	\$880.00
45) Soundoff Signal Pinnacle mini LED light bar, each.	\$1010.00
46) Tomar model 970L-4980-0102 light bar assembly installed on roof with controller in cab.	\$3885.00
47) Ecco LED cargo spot or flood light.	\$460.00
48) LED underbody lighting kit for night operations.	\$1025.00
49) LED tractor mount lights at rear under tailshelf, wired to back up light circuit or a dash mounted control switch.	\$450.00
50) 1200 watt pure sine wave inverter, dash switch, rear receptacle.	\$2355.00
51) 1800 watt pure sine wave inverter, dash switch, rear receptacle.	\$3050.00
52) Whelen TAM83 LED traffic control light bar at rear center under tailshelf with dash mounted controller.	\$1450.00



- | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 53) Mobile Awareness VisionStat backup camera system. | \$1180.00 |
| 54) Mobile Awareness VisionStat Plus backup camera w/ sensors. | \$1755.00 |
| 55) UTE grounding system with tower, body, and grounding stirrup attached to a single point on chassis frame. Includes curbside rear grounding stirrup. | \$745.00 |
| 56) Hannay SGCR10-17-19 spring retractable ground wire reel with 50' of 1/0 cable and clamp. Reel to be grounded to a single location on chassis frame. | \$1645.00 |
| 57) Hastings yellow retractable grounding reel with 50' of 1/0 yellow Cable and grounding clamp. Reel to be grounded to a single Location on chassis frame. | \$2370.00 |
| 58) Ram computer mount in chassis cab. | \$560.00 |
| 59) Warn 16,500# winch mounted on the front bumper. Includes heavy duty grille guard, 90' x 7/16" wire rope, 4-way roller, hand-held control pendant and complete installation (Ford F550 or Dodge 5500 only). | \$5350.00 |
| 60) Remote engine stop/start switch at curbside rear (aerial unit only). | \$285.00 |



UTILITY TRUCK EQUIPMENT, INC.
23893 U.S. 23 SOUTH
P.O. BOX 130
CIRCLEVILLE OH 43113

Telephone 740-474-5151

Fax 740-474-4402

FREIGHTLINER M2 CAB AND CHASSIS #1

- 2019 or newer M2 106 conventional chassis cab.
- 33,000# GVWR
- 84" Clear C.A.
- Two (2) front tow hooks.
- 120,000 PSI high strength steel frame.
- Heavy duty painted steel front bumper.
- Cummins B 6.7 diesel engine, 250 H.P.
- Current OBD diagnostics.
- Allison 3000-RDS-P 5-speed automatic transmission with PTO gear.
- Recommended Transmission shift schedules and speeds.
- Transmission oil cooler and temperature gauge.
- 21,000# single speed rear axle for up to 75 mph.
- Driver controlled traction rear differential.
- 23,000# rear springs with rubber helper.
- 12,000# front axle and tapered leaf springs with front shock absorbers.
- Anti-lock air brake system with dash mounted parking brake.
- Automatic front and rear slack adjusters.
- Manual air tank drain valve.
- Front and rear brake dust shields.
- Wabco heated air dryer located under hood.
- 18.7 CFM air compressor.
- Power steering with tilt type steering wheel.
- RH exhaust behind steps under passenger side of cab.
- 2010 EPA emission certification.
- Cummins exhaust brake.
- Cigar lighter.
- Dual electric horns.
- 200 amp alternator.
- Dual maintenance free batteries L.H. side under cab, 2250 CCA.
- Remote jump start posts on frame near starter.
- AM/FM stereo radio with weatherband and mirror mounted antenna.
- Electronic engine integral shut down protection system.
- Smartplex hub module with overhead switch mounting.



- Center overhead console with eight (8) lighted on/off switches.
- Dash mounted PTO switch with neutral / parking brake interlock.
- Body builder wiring.
- Electric trailer brake/lighting accommodation package.
- Integral headlights with daytime running lights.
- Solid state circuit protection and fuses.
- Chrome front grille.
- Engine block heater.
- Heavy duty radiator.
- Horton fan clutch.
- Electronic hand throttle.
- Fuel / water separator with heater.
- 50 gallon L.H. short aluminum step fuel tank.
- 6 gallon L.H. DEF tank aft of fuel tank.
- Conventional cab with standard interior trim.
- Air suspension cloth driver seat with two-man cloth passenger seat.
- High visibility orange seat belts.
- Standard gauge cluster with tachometer.
- Pre-trip lamp inspection with smart switch.
- Engine hour meter.
- Factory air conditioning.
- West coast mirrors with matching convex
- Interior grab handles.
- 22.5 x 8.25 10-hole hub piloted steel disc wheels, painted white.
- 11R22.5G Michelin radial tires, traction type rear.
- Freightliner standard white.

STANDARD UNIT PRICE.....\$81,442.00.

CONTRACT DISCOUNT.....(\$6515.00).

TOTAL FOR FREIGHTLINER CHASSIS..\$74,927.00.

STANDARD OPTIONS



1) 128" C.A. dimension as required by aerial package.		\$650.00
2) Extended cab chassis in lieu of regular cab (w/ rear seat).		\$7650.00
3) 4-door crew cab chassis in lieu of regular cab (w/ rear seat).		\$11,775.00
4) Air ride passenger seat in lieu of 2-man bench.		\$75.00
5) 6-speed manual transmission in lieu of automatic.	DEDUCT	(\$3400.00)
6) Power door locks, power windows, heated mirrors.		\$990.00
7) Air trailer brake controls.		\$950.00
8) Vertical exhaust.		\$890.00
9) Bluetooth radio.		\$275.00
10) Bluetooth radio / CD /Sirius.		\$545.00
11) Chrome front bumper.		\$325.00
12) 300 HP B6.7 Cummins engine.		\$2449.00
13) 350 HP L9 Cummins engine.		\$4780.00
14) Aluminum wheels.		\$975.00



SUMMARY CITY OF HUDSON 60' AERIAL PACKAGE

BASE 60' AERIAL PACKAGE	\$127,575.00
Heavy duty unit with up to 750# platform capacity. Includes HD rotator and counterweight as required.	\$3900.00
Hydraulic platform elevator with HD rotator (reduces platform capacity by 100 lbs.).	\$3595.00
Top mount material handling winch and <u>dual arm</u> hyd. jib package.	\$6780.00
Aluminum understructure with aluminum treadplate cargo floor.	\$1650.00
Aluminum treadplate cargo wall liners and compartment tops.	\$1125.00
12" wide through tunnel under tailshelf, door each side.	\$625.00
Through shelf from horizontal to rear in top of curbside sidebox with rear door and top opening lid above horizontal compartment.	\$605.00
Additional divider shelves, (3) @ \$100.00 each.	\$300.00
GENERAL OPTIONS	
Lower boom operation from 3 function Unitrol handle with Telescoping boom on individual lever, SST and VST units.	\$290.00
Hard plastic lower boom saddle (not avail. on all units).	\$350.00
72" x 18" x 12" aluminum top box with center top lid.	\$1850.00
96" x 18" x 12" aluminum top box with two (2) lids.	\$2275.00
Rear frame rail enclosure with drop down rear access door	\$1340.00
UTE ground spool spindle on frame with retainer pin, each.	\$185.00
4" or 6" PVC storage tube with aluminum canister kit, each, up to 10' long, installed exterior. (2) @ \$400.00 ea	\$800.00
Golight Stryker 30004 LED remote control spotlight.\$1325.00 X (2)	\$2650.00
Additional Hella 12 volt amber LED strobes in grill, \$540.00 ea x 2	\$1080.00
Whelen L31HAF strobes in lieu of standard, \$340.00 ea X 2	\$680.00
Ecco LED cargo spot or flood light.	\$460.00
LED underbody lighting kit for night operations.	\$1025.00
1200 watt pure sine wave inverter, dash switch, rear receptacle.	\$2355.00
Mobile Awareness VisionStat Plus backup camera w/ sensors.	\$1755.00
UTE grounding system with tower, body, and grounding stirrup attached to a single point on chassis frame. Includes curbside rear grounding stirrup.	\$745.00
Delete two (2) harness and lanyard. (\$150) x 2	<u>(-\$300.00)</u>
TOTAL EQUIPMENT WITH OPTIONS	\$163,695.00
FREIGHTLINER 33,000# GVWR CHASSIS BASE PRICE	\$74,927.00
128" C.A. dimension as required by aerial package.	\$650.00
Air ride passenger seat in lieu of 2-man bench.	\$75.00
Power door locks, power windows, heated mirrors.	\$990.00
Bluetooth radio.	\$275.00
350 HP L9 Cummins engine.	<u>\$4780.00</u>
TOTAL CHASSIS WITH OPTIONS	\$81,697.00
TOTAL WITH OPTIONS IN RED INCLUDED	\$245,392.00
UPDATED STS CONTRACT MID-END OF JAN.2019.....ADD.....	\$4,975.00