

Front




Proposed



Rear



Existing



Adding additional square footage on 2nd floor over existing walkout flat roof/balcony to make home more functional. New roof line will match existing shed roof, siding will be blended in using same wood lap siding on rest of home, windows will match existing windows in home (currently replacement windows).


- ADDITION -
NEW
WINDOW AND
REAR ENTRY DOOR

Proposed

Left



SIDE ELEVATION
Existing



SIDE ELEVATION


Proposed

Right




SIDE ELEVATION

Existing



Proposed




HEADER SPANS ABOVE WINDOWS

BUILDING DEPTH/ TOP FLOOR ONLY				
HEADER	28' DR LESS	36'	40'	MORE THAN 40'
(2) 2x10	7'-3"	6'-6"	5'-7"	NEED
(2) 2x12	8'-9"	7'-6"	6'-7"	ENGINEER
BUILDING DEPTH/ LOWER FLOOR 2 STORY				
HEADER	28' DR LESS	36'	40'	MORE THAN 40'
(2) 2x10	6'-6"	5'-6"	4'-10"	NEED
(2) 2x12	7'-1"	6'-5"	5'-9"	ENGINEER

SINGLE WINDOWS= SINGLE JACK
 DOUBLE WINDOWS= DOUBLE JACK
 PICTURE WINDOWS= DOUBLE JACK



- NOTES:
1. OUTSIDE WALLS DRAWN AT 4"
 2. INSIDE WALLS DRAWN AT 3.5"
 3. DIMENSIONS ARE ROUGH-IN, NOT FINISHED ROOM SIZES
 4. STEPS INTO HOME WILL VARY ACCORDING TO GRADE



HEADER SPANS ABOVE WINDOWS				
BUILDING DEPTH/ TOP FLOOR ONLY				
HEADER	28' DR LESS	36'	40'	MORE THAN 40'
(2) 2x10	7'-3"	6'-6"	5'-7"	NEED
(2) 2x12	8'-5"	7'-6"	6'-7"	ENGINEER
BUILDING DEPTH/ LOWER FLOOR 2 STORY				
HEADER	28' DR LESS	36'	40'	MORE THAN 40'
(2) 2x10	6'-8"	5'-6"	4'-10"	NEED
(2) 2x12	7'-11"	6'-5"	5'-9"	ENGINEER
SINGLE WINDOWS= SINGLE JACK				
DOUBLE WINDOWS= DOUBLE JACK				
PICTURE WINDOWS= DOUBLE JACK				



NOTES:

1. OUTSIDE WALLS DRAWN AT 4'
2. INSIDE WALLS DRAWN AT 3.5'
3. DIMENSIONS ARE ROUGH-IN, NOT FINISHED ROOM SIZES
4. IF ROOF IS TO BE STICK BUILT, PROVIDE PROPER RIDGE SUPPORT, COLLAR TIES, PURLINS, STRINGBACKS, AND RAFTER TIES AS REQ'D.



VINYL

Pella® 250 Series

\$\$



Pella 250 Series double-hung window

FEATURES


Smooth, clean lines for a higher quality look than ordinary vinyl
 Exceptional energy efficiency with double- and triple-pane glass options
 Popular colors and features and Pella's exclusive weather repel system

WINDOW STYLES

Specialty shapes, custom sizes and fixed configurations are also available.



AWNING



BAY OR BOW



CASEMENT



DOUBLE-HUNG



SINGLE-HUNG



SLIDING

PATIO DOOR STYLES*



SLIDING



*Sliding patio door available Summer 2019. See your Pella sales representative for availability.

Colors & Finishes PELLA® 250 SERIES

FRAME COLORS

Create a signature look with solid-color and dual-color frames. Dual-color frames allow you to choose a different color for the exterior with a white interior.




Grilles PELLA® 250 SERIES

GRILLES


Choose the look of simulated divided light or make cleaning easier by selecting grilles-between-the-glass.

COLOR-MATCHED SIMULATED-DIVIDED-LIGHT:¹



CONTOUR 7/8"

GRILLES-BETWEEN-THE-GLASS:²



CONTOUR 3/4"
Color-Matched Interior
and 11 Exterior Colors




CONTOUR 1"
White or Almond Only




FLAT 5/8"
White or Almond Only

GRILLE PATTERNS


Choose from a variety of grille patterns for the traditional look of divided light.³



6-LITE PRAIRIE



9-LITE PRAIRIE




9-LITE PRAIRIE
Top Sash Only



TRADITIONAL



TRADITIONAL
Top Sash Only



TOP ROW



CUSTOM
Equally Divided



STARBURST⁴



SUNBURST⁴



PERIMETER⁴



TRADITIONAL



PRAIRIE

¹ Available on dual-pane products only

² Appearance of exterior grille color may vary depending on the Low-E insulating glass selection.

³ Grille patterns offered may vary per product. See specific product information for availability.

⁴ Only available with a curved product or curved glass.

Window Hardware PELLA® 250 SERIES

FOLD-AWAY CRANK

Folds neatly out of the way so it won't interfere with roomside window treatments. Finishes match frame colors.



FOLD-AWAY CRANK

COLOR-MATCHED FINISHES:



WHITE



ALMOND



FOSSIL

CAM-ACTION LOCK

Pella's cam-action locks pull the sashes against the weatherstripping for a tighter seal. Optional AutoLock hardware automatically locks the window when it is shut, simply close the sash and confirm it latches.



CAM-ACTION LOCK



AUTOLOCK

COLOR-MATCHED FINISHES:



WHITE



ALMOND



FOSSIL

INTEGRATED SASH LIFT

Make raising and lowering single- and double-hung window sashes easy with a standard, integrated sash lift.



WINDOW INTEGRATED SASH LIFT

COLOR-MATCHED FINISHES:



WHITE



ALMOND



FOSSIL

WINDOW LIMITED OPENING DEVICES

A vent stop can be engaged or disengaged manually and restricts how far the bottom sash of a double-hung window can open. A window opening control device (WOCD) complies with a safety standard and allows for ventilation, emergency escape and rescue when released. A WOCD automatically limits the sash opening to less than four inches, unless it is intentionally disengaged, enabling the sash to fully open.



VENT STOP



OPENING CONTROL DEVICE

COLOR-MATCHED FINISHES:



WHITE



ALMOND



FOSSIL

Glass PELLA® 250 SERIES

INSULSHIELD® LOW-E GLASS

Advanced Low-E insulating dual- or triple-pane glass with argon¹

NaturalSun Low-E insulating dual- or triple-pane glass with argon¹

SunDefense™ Low-E insulating dual-pane glass with argon¹

ADDITIONAL GLASS OPTIONS

Bronze-tinted Advanced Low-E insulating glass with argon¹

High-altitude InsulShield Low-E insulating glass¹

Obscure insulating glass^{1,2}

Tempered glass

Screens³

FLAT

Durable and functional, conventional fiberglass screens are available on all venting vinyl windows.

¹ InsulShield Low-E insulating glass is available without argon in most products.

² Available in both dual-pane and triple-pane glass.

³ Warning: Screen will not stop child or pet from falling out of window or door. Keep child or pet away from open window or door.

Want to learn more? Call us at 833-44-PELLA or visit pella.com



The confidence of Pella's warranty.

Pella® products are backed by some of the strongest warranties in the business. See written limited warranty for details, including exceptions and limitations, at pella.com/warranty.



Connect with Pella:













