


OHIO HISTORIC INVENTORY

Ohio Historic Preservation Office
Ohio Historical Center
Columbus, Ohio 43211

1. No.		4. Present Name(s) Residence, June Mohler		1. No.	
2. County Summit		5. Other Name(s)			2. County Summit
3. L n of Negatives H. 50-4					
6. Specific Location 145 Aurora Street		16. Thematic Category C		4. Present Name(s) Residence, June Mohler	
7. City or Town If Rural, Township & Vicinity Hudson		17. Date(s) or Period 1826			
8. Site Plan with North Arrow 		18. Style or Design Federal		5. Other Name(s)	
9. Coordinates Lat. _____ Long. _____ U.T.M. Reference 17 463655 4565838		19. Architect or Engineer			
10. Site <input type="checkbox"/> Building <input checked="" type="checkbox"/> Structure <input type="checkbox"/> Object <input type="checkbox"/>		20. Contractor or Builder			
11. Q onal Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> R? No <input checked="" type="checkbox"/>		21. Original Use, If apparent residence			
12. Is It Yes <input checked="" type="checkbox"/> Eligible? No <input type="checkbox"/>		22. Present Use residence			
13. Part of Estab. Yes <input checked="" type="checkbox"/> Hist. Dist.? No <input type="checkbox"/>		23. Ownership Public <input type="checkbox"/> Private <input checked="" type="checkbox"/>			
14. District Yes <input type="checkbox"/> Potent'l? No <input type="checkbox"/>		24. Owner's Name & Address, If known June Mohler 145 Aurora Street Hudson, 44236			
15. Name of Established District Hudson Local Ordinance		25. Open to Public? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
16. Further Description of Important Features Federal styling evident in the roof pitch, delicate frieze, corner boards and attic fanlight. Boxed cornice, single pane double hund windows in front gable (replacement); portico over front entrance, glazed top entry door. Former triple window (two 4-pane windows joining full windows) on front facade changed to remove small windows. Interior greatly changed in the early 1900's to Arts and Crafts influence. Two-story west wing on structural tile foundation. Evidence of early log cabin found in		26. Local Contact Person or Organization Hudson Heritage Association			
17. History and Significance recent repair work on dining room.		27. Other Surveys in Which Included			
18. Description of Environment and Outbuildings Home of the Reverend William Hanford, first permanent minister of the Congregational Church and first Secretary of the Board of Trustees of Western Reserve College; later owned by the first pastor of the Western Reserve College Church, the Reverend Beriah Green, who, between 1830 and 1833, used that pulpit to preach abolitionist sermons, later became nationally prominent for his anti-slavery writings. Emily Metcalf, who conducted a school for young ladies, lived here from 1887 until 1915. Note the stylistic resemblance to 129 Aurora Street, which the Reverend Hanford built for his sister. Mary Raymond. Residential street of historic houses, with heavy traffic.		28. No. of Stories 2			
19. 3 of Information Summit County Tax Assessment records Hudson Library and Historical Society, archives Personal inspection		29. Basement? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
		30. Foundation Material sandstone, cement plaster			
		31. Wall Construction wood frame			
		32. Roof Type & Material gable, asphalt shingle			
		33. No. of Bays Front 3 Side 2			
		34. Wall Treatment clapboard			
		35. Plan Shape upright/wing			
		36. Changes Addition <input checked="" type="checkbox"/> (Explain in #42) Altered <input checked="" type="checkbox"/> Moved <input type="checkbox"/>			
		37. Condition Interior good Exterior good			
		38. Preservation Underway? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
		39. Endangered? Yes <input type="checkbox"/> By What? No <input checked="" type="checkbox"/>			
		40. Visible from Public Road? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
		41. Distance from and Frontage on Road 93' 87'			
		Photo			
		46. Prepared by L. Newkirk, F. Barlow			
		47. Organization HHA			
		48. Date		49. Revision Date(s) 5/88	

145 AURORA STREET



23

Home of the Reverend William Hanford, first minister for the Congregational Church and first secretary of the Board of Trustees of Western Reserve College. The house is documented in the 1826 tax duplicate as "frame house" under the name of William Hanford. It was later owned by the first pastor of the Western Reserve College Church, Beriah Green, who, between 1830 and 1833, used that pulpit to preach abolitionist sermons, becoming nationally prominent for his anti-slavery writings. It has been blessed with long-term owners; Emily Metcalf, who conducted a local school for young ladies, lived here from 1887 until 1915; the Heidenreich family owned it for nearly 65 years.

Despite many alterations, the Federal styling is still evident in the roof pitch, delicate frieze and corner boards and attic fanlight. There is some evidence that the house was built around a log cabin.

The Crisp-Raymond House (20) at 129 Aurora Street, the home of Reverend Hanford's sister, Mary Raymond, once stood at the foot of his garden, space now occupied by two contemporary houses.

Notice the similarity in design between 129 and 145.

Detailed Explanation of Project:

(3) second floor double hung wood windows will be removed and replaced with Pella Architect Series windows, one in the front of the home 36" x 54 1/2" and two on the side of the house 32" x 54 1/2" with single vertical grill to match existing. (2) first floor double hung windows, both on the front of the home, will be removed and replaced with Pella Architect Series windows, each measuring 27 3/4" x 60 1/4" with single vertical grill to match existing.





1



4

5

145



2

1

3

4



2



3









MEASUREMENT SHEET
BECKWITH WINDOWS

WINDOW #	WIDTH	HEIGHT	WINDOW TYPE	FRAME MATERIAL	TOP SASH GRID PATTERN	BOTTOM SASH GRID PATTERN	NOTES
1	36"	54 1/2"	Double Hung	Wood	1V	1V	
2	32"	54 1/2"	Double Hung	Wood	NA	NA	
3	32"	54 1/2"	Double Hung	Wood	NA	NA	
4	27 3/4"	60 1/4"	Double Hung	Wood	1V	1V	
5	27 3/4"	60 1/4"	Double Hung	Wood	1V	1V	

Pella Architect Series® Traditional – Hung Windows

Aluminum EnduraClad® Exterior — LX and SE Double-, Single- and Simulated-Hung

Detailed Product Descriptions

Frame

- Select softwood, immersion treated with Pella's EnduraGuard® wood protection formula in accordance with WDMA I.S.-4. The EnduraGuard formula includes three active ingredients for protection against the effects of moisture, decay, stains from mold and mildew. Plus, an additional ingredient adds protection against termite damage.
- Interior exposed surfaces are [LX: [clear pine] [mahogany] [douglas fir]] [SE: clear pine].
- Exterior surfaces are clad with aluminum.
- Components are assembled with screws, staples and concealed corner locks.
- Overall frame depth is 5" (127 mm) for a wall depth of 3-11/16" (94 mm).
- Optional factory applied jamb extensions available between 4-9/16" (116 mm) and 7-3/16" (183 mm) wall depths.
- Vinyl jamb liner [LX includes wood / clad inserts].
- Optional factory installed fold-out installation fins with flexible fin corners.
- Optional factory-applied EnduraClad® exterior trim.

Sash

- Select softwood, immersion treated with Pella's EnduraGuard® wood protection formula in accordance with WDMA I.S.-4. The EnduraGuard formula includes three active ingredients for protection against the effects of moisture, decay, stains from mold and mildew. Plus, an additional ingredient adds protection against termite damage.
- Interior exposed surfaces are [LX: [clear pine] [mahogany] [douglas fir]] [SE: clear pine]. Any curved member may have visible finger-jointed surfaces.
- Exterior surfaces are clad with aluminum and sealed.
- Corners mortised and tenoned, glued and secured with metal fasteners.
- Sash thickness is 1-7/8" (47 mm).
- Sash exterior and interior profile is ogee.
- Double-Hung: Upper sash has surface-mounted wash locks] [Single-Hung: Fixed upper sash has surface-mounted wash locks] [Arch Head units have no wash locks].
- Lower sash has concealed wash locks in lower check rail.
- Sashes tilt for easy cleaning.
- Simulated-Hung units have non-operable upper and lower sashes.

Weatherstripping

- Water-stop santoprene-wrapped foam at head and sill.
- Thermoplastic elastomer bulb with slip-coating set into lower sash for tight contact at check rail.
- Vinyl-wrapped foam inserted into jamb liner to seal against sides of sash.

Glazing System

- Quality float glass complying with ASTM C 1036.
- Custom and high altitude glazing available.
- Silicone-glazed 11/16" dual-seal insulating glass [[annealed] [tempered]] [[clear] [[Advanced Low-E] [SunDefense™ Low-E] [AdvancedComfort] [NaturalSun Low-E] with argon]] [[bronze] [gray] [green] Advanced Low-E with argon].

Exterior

- Aluminum-clad exteriors shall be finished with EnduraClad® protective finish, in a multi-step, baked-on finish.

- Color is [standard] [custom]₁.

– or –

- Aluminum-clad exteriors shall be finished with EnduraClad Plus protective finish with 70% fluoropolymer resin in a multi-step, baked-on finish.
 - Color is [standard] [custom]₁.

Interior

- [Unfinished, ready for site finishing] [factory primed with one coat acrylic latex] [factory prefinished [paint] [stain] ₁].

Hardware

- Galvanized block-and-tackle balances are connected to self-locking balance shoes which are connected to the sashes using zinc die cast terminals and concealed within the frame.
- Sash lock is [standard (cam-action)] [historic spoon-style] [air-conditioner lock] [simulated lock (Single-piece lock ties upper and lower sash together. When removed, lower sash becomes operable)]. Two sash locks on units with frame width 37" and greater.
- Optional sash lift furnished for field installation. Two lifts on units with frame width 37" and greater.
- Hardware finish is [baked enamel [Champagne] [White] [Brown] [Matte Black]] [Bright Brass] [Satin Nickel] [Oil-rubbed Bronze] [Antique Brass] [Distressed Bronze] [Distressed Nickel].

Optional Products

Grilles

- Integral Light Technology® grilles
 - Interior grilles are [5/8"] [7/8"] [1-1/4"] [2"] ogee profile that are solid [LX: [pine] [mahogany] [douglas fir]] [SE: pine]. Interior surfaces are [unfinished, ready for site finishing] [factory primed] [pine: factory prefinished [paint] [stain] ₁].
 - Exterior grilles are [5/8" putty glaze profile] [7/8" [putty glaze] [ogee] profile] [1-1/4" [putty glaze] [ogee] profile] [2" ogee profile] that are extruded aluminum.
 - Patterns are [Traditional] [Prairie] [Top Row] [New England] [Victorian].
 - Insulating glass contains non-glare spacer between the panes of glass.
 - Grilles are adhered to both sides of the insulating glass with VHB acrylic adhesive tape and aligned with the non-glare spacer.
- or –
- Grilles-Between-the-Glass₂
 - Insulating glass contains 3/4" contoured aluminum grilles permanently installed between two panes of glass.
 - Patterns are [Traditional] [9-Lite Prairie] [Cross] [Top Row]
 - Interior color is [White] [Black] [Tan₃] [Brown₃] [Putty₃] [Ivory] [Brickstone] [Harvest] [Cordovan].
 - Exterior color₅ is [standard₁].

– or –

- Roomside Removable grilles
 - [[3/4"] [1-1/4"] [2"] regular] [[1-1/4"] [2"] colonial] profile, with [Traditional] [Prairie] patterns that are removable solid pine wood bars steel-pinned at joints and fitted to sash with steel clips and tacks.
 - Interior [unfinished, ready for site finishing] [factory primed] [pine: factory prefinished [paint] [stain] ₁].
 - Exterior [unfinished, ready for site finishing] [factory primed] [finish color matched to exterior cladding₅].

Screens

- InView™ screens
 - [Half-Size] [Full-Size₄] black vinyl-coated 18/18 mesh fiberglass screen cloth complying with the performance requirements of SMA 1201, set in aluminum frame fitted to outside of window, supplied complete with all necessary hardware.
 - Full screen spreader bar placed on units > 37" width or > 65" height.
 - Screen frame finish is baked enamel, color to match window cladding.
- or –
- Vivid View® screens
 - [Half-Size] [Full-Size₄] PVDF 21 / 17 mesh, minimum 78 percent light transmissive screen, set in aluminum frame fitted to outside of window, supplied complete with all necessary hardware.
 - Full screen spreader bar placed on units > 37" width or > 65" height.

- Screen frame finish is baked enamel, color to match window cladding.

Hardware

- Optional factory applied limited opening device available for vent units in stainless steel; nominal 3-3/4" opening. Limiting device concealed from view.
- Optional factory applied window opening control device available. Device allows window to open less than 4" with normal operation, with a release mechanism that allows the sash to open completely. Complies with ASTM F2090-10.


(1) Contact your local Pella sales representative for current designs and color options.

(2) Available in clear or Low-E insulating glass with argon, and obscure insulated glass.

(3) Tan, Brown and Putty Interior GBG colors are available in single-tone (Brown/Brown, Tan/Tan or Putty/Putty). Other interior colors are also available with Tan or Brown exterior.

(4) Full screens are available on units \leq 96" height.

(5) Appearance of exterior grille color will vary depending on Low-E coating on glass.




GRILLE TYPES

Typical Grille Profiles




Integral Light Technology®


Putty and Ogee Glaze Grilles
Clad Exterior - Wood Interior




Putty and Ogee Glaze Grilles
Wood Exterior - Wood Interior




Ogee Glaze Grilles
Clad Exterior - Wood Interior



Contoured Aluminum -
Grilles-Between-the-Glass



Removable Interior Pine Grilles



Interior wood ILT grilles available in Pine, Mahogany or Douglas Fir to match complete unit.
Exterior wood ILT grilles available in Pine or Mahogany to match complete unit.



PELLA®

Architect Series®

TRADITIONAL AND CONTEMPORARY
WOOD WINDOWS AND PATIO DOORS



A modern tradition.

It's the place you long for at the end of the day. Your sanctuary. It's a showplace that you love to share with family and friends. Whatever you envision your home to be – calling for the fine, thoughtful details of our traditional styling or the clean, smart lines of our contemporary products – Architect Series® windows and patio doors are artfully designed in harmony with your view.



Because we're always working to further refine our products and develop new ones, specifications may change without notice. Actual products may vary slightly from illustrations and photos. Due to printing limitations, actual colors may vary from those shown.



Traditional windows and doors for a timeless look.



Simple sophistication with a modern edge.

FOR THE CHOOSING 4 - 9

WHY WOOD?

FIND YOUR TYPE

COMFORT IN. WEATHER OUT.

ARCHITECT SERIES® TRADITIONAL 10 - 11

THOUGHTFUL DESIGN

ARCHITECT SERIES CONTEMPORARY 12 - 13

ULTIMATE VIEWS

FEATURES AND OPTIONS 14 - 19

CUSTOM-CRAFTED VIEWS

BEAUTIFULLY FUNCTIONAL HARDWARE

IMPECCABLY COORDINATED

Why Wood?

Pella® Architect Series® wood windows and patio doors give you more options when it comes to style, low-maintenance features and customization flexibility. Choose traditional or contemporary styles in beautiful wood species, glass options designed for your lifestyle and superb performance features – all backed by some of the best warranties in the industry.

TRADITIONAL



Protect your investment.

Advantage Plus protection system helps Pella's doors stand up to the elements and stay looking great longer. This system includes:

Low-maintenance exterior frame. Our durable low-maintenance aluminum exterior door frames feature our EnduraClad® finish that resists fading and provides years of protection.

Rot-resistant design. Pella's low sill is convenient and helps prevent water from entering the home.

Exclusive PerformaSeal® technology. Featuring our exclusive weathertight seal technology, this provides exceptional energy efficiency and helps block out the damaging effects of extreme wind and rain.



CONTEMPORARY

Seals tight and locks easily.

Architect Series® casement windows feature the SureLock® System that reaches out to pull the window sash against the weatherstripping to form a tight seal against drafts, making them more energy-efficient. Plus, Pella's patented Unison Lock System secures casement and awning windows in two places with a single, easy-to-reach handle.




Lasting beauty.

EnduraGuard® wood protection offers advanced protection against the effects of moisture, decay, stains from mold and mildew – as well as termite damage. This proven immersion-treatment method will help ensure that Pella® wood windows and patio doors look and perform beautifully for years.




Pella EnduraGuard wood protection.



Pella's casement window after 7 months of exposure to moisture.*



Competitor's pressure-treated wood.



Stain mold present after 7 months of field-testing a competitor's pressure-treated wood.*



The confidence of added protection.

Pella products are backed by some of the strongest warranties in the business. See written limited warranty for details, including exceptions and limitations, at pella.com/warranty.

*For testing purposes, the seal between the bottom rail and the glass was compromised in both casement units tested.

Find your *type*.

WINDOWS



Casement and Awning Windows

Nothing between you and your view.
Open and close with the turn of a handle – great for spots that are difficult to reach.

Years of smooth openings and closings.
Stainless steel operating arms and hinges resist rust and corrosion.

More convenient handle design.
Fold-away handle won't get in the way of window treatments.

Easier cleaning.
Easy-clean wash feature makes it simple to clean the exterior glass from inside your home.

Double-Hung and Single-Hung Windows*

Traditional and practical.
The sashes on double- and single-hung windows slide open and closed vertically, providing efficient ventilation.

Years of smooth, easy operation.
Our balance systems help ensure your windows will open and close easily for years.

A tight seal against the elements.
Pella's cam-action locks pull the sashes against the weatherstripping.

Easier cleaning.
Opening sashes tilt in – making it easy to clean the exterior glass from inside your home.

Fixed and Special Shape Windows

Virtually endless design possibilities.
Special Shape windows are available in curves and angles to add architectural interest and natural light.*

Create a custom design.
Assembling a combination of fixed windows makes a contemporary design statement.

A quality, seamless look.
Special Shape windows are available with grille options to match other Pella® windows and doors.

For more information on Pella's window and patio door offering, see your local Pella sales representative or visit:

CHOOSEPELLA.COM/OFFERING

PATIO DOORS



Sliding Patio Doors

A precise fit.

Maximize your floor space with sliding patio doors – since they don't swing, you can place furniture nearby.

Smooth operation for years.

Stainless steel track and adjustable dual rollers allow the panel to glide easily.

Better draft protection.

Pella's unique design on Architect Series® doors puts the sliding panel on the outside. When the wind blows against it, it creates a tighter seal and the screen is protected.

Hinged Patio Doors

Stunning design and functional passages.

Choose from single or double in-swing or out-swing doors.

Extra security.

Pella's advanced multipoint locking system secures the door at the top, middle and bottom for more peace of mind.

Bring the outside in.

Hinged patio doors draw the eye outdoors and highlight your yard, patio or deck.

Scenescape™ Patio Doors*

Expand your horizons.

Our multipanel patio doors accommodate a range of designs that create breathtaking scenic views.

Invite the outdoors in.

Capture a wide-open view with patio door panels that can tuck out of sight within a wall pocket or stack together to blur the lines of indoor and outdoor living.

Transform your room in a breeze.

Lift-and-slide panels are lifted off the track with a turn of the handle, allowing the panels to roll open or closed.

Comfort in. Weather out.

Pella® products offer exceptional energy-efficient performance wherever you live.



Glass at a glance.

Pella's InsulShield® Low-E Glass Collection¹ features our most innovative and energy-saving choices, designed for your specific needs.



Alaska

For many U.S. climates.

GLASS TYPE: Advanced
Low-E Insulating Glass with Argon²

Unique Low-E technology delivers balanced insulation for cold winters and hot summers.



For very hot, sunny climates.

GLASS TYPE: SunDefense™
Low-E Insulating Glass with Argon²

Allows in visible light and provides a clear view, while helping to block the heat of the sun.



Hawaii

For more information on glass, see your local Pella sales representative or visit:

CHOOSEPELLA.COM/GLASS

For cold climates – like northern U.S. and Canada.

GLASS TYPE: NaturalSun
Low-E Insulating Glass with Argon²

Allows the sun's heat to flow in and warm your home, while providing excellent insulation from the cold.



For Northern U.S. climates.

GLASS TYPE: AdvancedComfort
Low-E Insulating Glass with Argon²

Unique Low-E technology delivers balanced insulation for colder winters and moderate summers.



Improved safety and security.

Added protection against intruders. Pella's HurricaneShield[®] impact-resistant glass⁵ offers protection from flying debris and added security against intruders. The interlayer cannot be easily penetrated, even if the glass is shattered – helping to prevent forced entry.




Helping you save on heating and cooling costs.

Installing ENERGY STAR[®] certified windows and doors can lower energy costs.³ With more efficient windows, you can also use less energy, which reduces greenhouse gas emissions from power plants.


For a typical home, when replacing single-pane windows with ENERGY STAR certified windows, you can save on average:

\$101 to
\$583 per year

And 1,006 – 6,205 pounds of carbon dioxide (CO₂), which is equivalent to 51 to 317 gallons of gasoline a year.⁴



Available on most Pella[®] products.



Available on select windows and patio doors.

More panes, more gains. Many older homes have single-pane windows, which can lead to higher heating and cooling costs and drafty interiors. Multiple panes of glass create an air chamber that can dramatically increase energy efficiency and comfort.

HurricaneShield[®]

¹ Glass options can be upgraded to offer the benefits of our InsulShield[®] Low-E Glass Collection. Glass options may vary per product. See specific product information for availability.

² Optional high-altitude Low-E insulating glass does not contain argon in most products. Please see your local Pella sales representative for more information.

³ Some Pella products may not meet ENERGY STAR certification in Canada. For more information, contact your local Pella sales representative or go to nrcan.gc.ca/energy/products/categories/fenestration/13739.

⁴ Ranges are based on the average savings among homes in modeled cities. Actual savings will vary based on local climate conditions, utility rates and individual home characteristics. For more information on the benefits of ENERGY STAR certified windows and doors, go to energystar.gov/products/building_products/residential_windows_doors_and_skylights/benefits.

⁵ Pella's impact-resistant glass in HurricaneShield products is made up of a sheet of standard or tempered glass combined with a sheet of laminated glass. For best performance, the laminated glass may be in the interior or exterior pane of insulating glass, depending on the product.

TRADITIONAL

Thoughtful design.





With more than 25 years of expertise behind their design, Pella® Architect Series® traditional products offer the classic style you love. In an elegant expression of the window-crafting art, these wood windows and patio doors feature fine-furniture detailing and beauty to welcome you home.



Timeless Style

Pella Architect Series traditional products are crafted to exemplify the classic Americana aesthetic. Designed with intricate details like Ogee profiles and spoon-lock hardware, these windows and doors stand the test of time.



Natural Beauty

Pella believes nothing man can create rivals the beauty of wood. That's why Pella wood windows and doors are designed to simply harness the earth's handiwork. No two pieces of wood are identical, so every traditional window and patio door is one of a kind.

Get more ideas and inspiration:

CHOOSEPELLA.COM/TRADITIONAL

CONTEMPORARY

Ultimate views.



Sleek from sash to frame. Pella® Architect Series® contemporary wood windows and patio doors are the ultimate view of modern style. Products can arrive unfinished; or choose from a wide variety of prefinished paint or stain colors – including Black – to create the sophisticated space you envisioned.



Inside Out

Pella's contemporary offering helps balance exposure to the outside with maintaining comfort inside. Our windows feature expansive glass without compromising on energy efficiency.



Minimalist Finishes

Exclusive, patent-pending hardware enhances the clean, modern look while options like Black stain transform your window into a design statement.

Get more ideas and inspiration:

[CHOOSEPELLA.COM/CONTEMPORARY](https://www.choosepella.com/contemporary)

Custom-crafted Views.

Spectacular shapes and sizes.

Customize your Architect Series® window or patio door to fit your home's aesthetic. Create a pleasing symmetry by choosing windows or doors with angled or curved frames that mirror the lines of other architectural details in your home.




Stylish grilles.

Whether you prefer a traditional or modern look, Pella has grille styles to match your aesthetic. Choose Ogee or Putty Glaze profile grilles that coordinate with your traditional windows, or square grilles that complement the sleek frame of your contemporary windows.

Imagine the possibilities of wood windows and patio doors. Get the traditional or contemporary look you want by specifying every aspect of your Pella® Architect Series® products. With shapes, sizes, grilles and glass, indulge in your imagination.

A touch of glass.

As with all art, beauty is in the details. And when it comes to Pella's exclusive decorative glass collection, those details start with unique glass types and textures. Then our artisans create exclusive patterns and distinctive coming colors, resulting in glass that delivers unmatched elegance.



Countless exterior colors.

EnduraClad® low-maintenance exterior finish helps keep the exterior of your window or patio door protected from the elements and is fade-resistant. So your windows and patio doors will look great for years.



Beautifully functional hardware.

Our exclusive new selection of window hardware and Baldwin® patio door collaborations were designed to add the perfect finishing touch to your Pella® products. Each traditional or contemporary style is available in a diverse palette of striking finishes – allowing for a personal design statement.


HARDWARE STYLES



Styles from the Essential collection shown.

HARDWARE FINISHES

Pella's hardware is available in a variety of complementary finishes for windows and patio doors to help you curate a cohesive look.



Complement a modern frame.

The sleek design of your Architect Series® contemporary casement window hardware balances the frame's minimalist style with your home's modern aesthetic. And you'll love the convenience of our fold-away cranks.

Complete the look you love.

Architect Series® traditional double-hung windows are available with beautifully detailed historical spoon-style locks and sash lifts.




See the entire collection of Pella® wood hardware:

[CHOOSEPELLA.COM/HARDWARE](https://www.choosepella.com/hardware)

Impeccably coordinated.


PREFINISHED PINE INTERIORS

Pella's factory finish on the wood interiors of your windows and patio doors gives you instant wow. Choose a stunning stained finish to match the color of other wood in your home or a painted White finish for a fresh, bright look. Also available primed and ready-to-paint.



WOOD TYPES

Your Architect Series® windows or patio doors can be made from your choice of today's most desirable woods – so they'll tastefully complement your home's other interior finishes.



ALUMINUM-CLAD EXTERIORS

Pella's low-maintenance EnduraClad® exterior finish resists fading, so your windows and patio doors stay looking great for years. Take this beauty and durability one step further with Pella EnduraClad Plus² protective finish that provides exceptional weatherability. Plus, Pella offers virtually unlimited custom color options for a unique look.



wood window and patio door DESIGN GUIDE

TRADITIONAL


CONTEMPORARY

GRILLES

Choose the look of true divided light or grilles-between-the-glass that make cleaning the glass easier.



Ogee Integral Light
Technology* Grilles
2", 1-1/4" or 7/8"



Square Integral Light
Technology Grilles
7/8"



Roomside Removable Grilles
2", 1-1/4", 3/4"



Aluminum Grilles-
Between-the-Glass
3/4"



Optional interior grille colors with exterior
color that matches the EnduraClad®
color you choose.

ADDED PROTECTION

For additional window fall protection, our Window Opening Control Device (WOCD) is available with optional factory application.⁴ Allowing the window to only open a few inches, the WOCD sits discreetly on the window and is easy to operate.

¹ Available on a custom basis. For more information on wood type availability, contact your local Pella sales representative.

² EnduraClad Plus protective finish is not available with all colors. See your local Pella sales representative for availability.

³ Only available with matching interior and exterior colors.

⁴ Factory-applied WOCD may not be available on all products. See your local Pella sales representative for availability.

GLASS

INSULSHIELD® LOW-E GLASS COLLECTION



Advanced Low-E insulating double-pane glass with argon ¹	•	•
AdvancedComfort Low-E insulating double-pane glass with argon ¹	•	•
NaturalSun Low-E insulating double-pane glass with argon ¹	•	•
SunDefense™ Low-E insulating double-pane glass with argon ¹	•	•
Low-E insulating triple-pane glass with argon or krypton ²	•	-

ADDITIONAL GLASS OPTIONS

HurricaneShield® products with impact-resistant glass ³	•	•
Laminated (non-impact-resistant) ³ , tinted ^{1,3} or obscure ^{1,3} glass also available on select products	•	•
STC-improved double-pane sound glass ²	•	•

¹ Optional high-altitude InsulShield Low-E glass is available with argon in select products.

² Available on select products only. See your local Pella sales representative for availability.

³ Available with Low-E insulating glass with argon on select products.

INTERIORS

WOOD TYPES

Mahogany, Douglas Fir, Pine, White Oak*, Cherry*, Red Oak*, Maple*	•	•
--	---	---

INTERIOR FINISHES

Unfinished	•	•
Primed, ready-to-paint (Pine)	•	•
Prefinished stain or paint (Pine)	•	•

* Available on a custom basis. For more information on wood type availability, contact your local Pella sales representative.

EXTERIORS

EXTERIOR FINISHES

Aluminum-clad with EnduraClad® protective finish	•	•
Aluminum-clad with EnduraClad Plus® protective finish	•	•
Primed, ready-to-finish (Mahogany or Pine)	•	•
Unfinished (Mahogany)	•	•

EXTERIOR TRIM

EnduraClad factory-applied trim	•	•
---------------------------------	---	---

LOW-MAINTENANCE ENDURA CLAD EXTERIORS

27 standard colors	•	•
Virtually unlimited Custom colors	•	•

* EnduraClad Plus is not available in all colors. See your local Pella sales representative for availability.

HARDWARE

HARDWARE STYLE COLLECTIONS

Classic	•	-
Modern	-	•
Rustic	•	-
Essential	•	-

HARDWARE FINISHES*

Champagne, White, Brown, Matte Black, Bright Brass, Satin Nickel or Oil-Rubbed Bronze	•	•
Antique Brass	•	-
Distressed Bronze or Distressed Nickel	•	-
Polished Chrome or Polished Nickel	-	•

* Hardware finish availability may vary by style.

GRILLES

Integral Light Technology® grilles (wood roomside and EnduraClad or wood exterior with nonglare spacer between)	•	•
Aluminum grilles-between-the-glass	•	•
Roomside removable grilles	•	-

SCREENS*

Vivid View® high-transparency screen (windows only)	•	•
InView™ flat screen	•	•
Rolscreen® soft-closing retractable screen (casement windows and sliding patio doors only)	•	-
Self-closing top-hung screen door (sliding patio doors only)	•	•

* ⚠ WARNING: Screen will not stop child or pet from falling out of window or door. Keep child or pet away from open window or door.

(•) Full offering (-) Partial offering

Because we're always working to further refine our products and develop new ones, specifications may change without notice. Actual products may vary slightly from illustrations and photos. See your local Pella sales representative for specific details and options available.



VIEWS TO BE THE BEST.®

Want to learn more about Pella® windows and doors? Call us at **866-209-4260** or visit **pella.com**.



Always read the Pella limited warranties before purchasing or installing Pella products. See written limited warranty for details, including exceptions and limitations, at pella.com/warranty.



Pella Corporation is a proud volunteer partner in the U.S. Environmental Protection Agency and the Department of Energy's ENERGY STAR® program to promote the use of high-efficiency products.



Connect with Pella:

