

# Proposed window replacement





## Office Order Copy

Branch Number: 75900

Window Store Name: Pella Window and Door  
Showroom of Akron

Order Number: 759ASD125

Quote Number: 18295889

Quote Description: Tom Betts - 39 Church St, Hudson, OH, US 44236

Project Name: Tom Betts - 39 Church St, Hudson, OH, US 44236

Customer Information	Deliver To Address	Order Information	
Tom Betts 39 Church St  Hudson, OH 44236-3006 <b>Contact Name:</b> <b>Primary Phone:</b> (330) 7152761 <b>Mobile Phone:</b> <b>Fax Number:</b> <b>E-Mail:</b> tlreasbetts@gmail.com <b>Great Plains #:</b> 1007918806 <b>Customer ID:</b> 50801121 <b>Customer Number:</b> 1011645250 <b>Customer Account:</b> 1007918806	<b>Lot #</b> <b>Address:</b> 39 Church St  HUDSON, OH 44236-3006 <b>County:</b> SUMMIT <b>Owner Name:</b> Tom Betts  <b>Owner Phone:</b> (330) 7152761	<b>Sales Rep Name:</b> Allen, Megan <b>Business Segment:</b> Retail <b>Market Segment:</b> Single Family Replacement <b>Order Type:</b> Installed Sales   <b>Payment Terms:</b> Install <b>Event #:</b> <b>Order Verifier Name:</b> <b>Scheduled Install Start Date:</b> <b>Install Crew:</b> <b>Install Duration:</b>	<b>Cust Delivery Date:</b> 7/24/2024 <b>Quoted Date:</b> 6/12/2024 <b>Contract Date:</b> 6/27/2024 <b>Booked Date:</b> 06/27/2024 <b>Earliest LRD:</b>  <b>Tax Code:</b> OHINSTALL <b>Tax Exempt #:</b> <b>Customer PO #:</b> Check - Deposit  <b>Order Verification Date:</b> <b>Scheduled Install End Date:</b>  <b>Install Status:</b>



4 2 0 \* QTY (2) 12' PCS AZEK TRIM SMOOTH 5/4 X 6

Location:

Rough Opening: 0" X 0"


Frame Size:

Final Wall Depth:

Frame Perimeter (inches):

Assembly Type: Manual Line

Last Revision Date:

Outside View	Line #	Quote Qty	PO Qty	Description
	10	1	1	<p><b>Pella® Reserve, , Traditional Double Hung, 42 X 63.5, White</b></p> <p><b>1: Non-Standard Size Non-Standard Size Double Hung, Cottage</b>  <b>Frame Size:</b> 42 X 63 1/2  <b>General Information:</b> Standard, Luxury, Clad, Pine, 5", 3 11/16", No Certification  <b>Exterior Color / Finish:</b> Painted, Standard Enduraclad, White  <b>Interior Color / Finish:</b> Unfinished Interior  <b>Sash / Panel:</b> Putty Glaze, Ogee, Standard, No Sash Lugs  <b>Glass:</b> Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  <b>Hardware Options:</b> Spoon-Style Lock, Oil Rubbed Bronze, No Window Opening Control Device, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor  <b>Screen:</b> Full Screen, Standard EnduraClad, White, Standard, InView™  <b>Performance Information:</b> U-Factor 0.29, SHGC 0.28, VLT 0.53, CPD PEL-N-232-01141-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 28, OITC 24, Egress Does not meet typical United States egress, but may comply with local code requirements  <b>Grille:</b> No Grille,  <b>Wrapping Information:</b> No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 211".</p>

Location: None Assigned

Rough Opening: 42.75" X 64.25"

Frame Size: 42" X 63.5"

Final Wall Depth:

Frame Perimeter (inches): 211

Assembly Type: Branch Finished

Last Revision Date:

Shop Notes: \* SUPPLY ONE PIECE UNFINISHED 2X4

Installation Notes: \* FULL FRAME INSTALL

\* REMOVE OLD FRAME

\* INSTALL 2X4 WHERE WEIGHT POCKET IS FLUSH WITH EDGE OF DRYWALL. (BEHIND DRYWALL AS SHOWN IN OV PHOTO).

\* WINDOW WILL BUTT UP TO THE EXTERIOR TRIM.

\* MATCH EXTERIOR TRIM TO THE EXISTING.













































