



CALCEI RESIDENCE



PROJECT INFORMATION

CITY	HUDSON
COUNTY	SUMMIT COUNTY
PARCEL NO	3201572
ZONING	ZONE 3 - OUTER VILLAGE RESIDENTIAL NEIGHBORHOOD
LOT	.7825 ACRE

PROJECT NEW ADDITION OFF REAR OF EXISTING RESIDENCE

APPLICABLE CODE	BUILDING:	2019 OHIO RESIDENTIAL BUILDING CODE
	ZONING:	CITY OF HUDSON

PROJECT AREA

FIRST FLOOR	2,664 SF
ADDITION	1,216 SF
	TOTAL 3,880 SF

SCREENED PORCH	393 SF
UNCOVERED PATIO	117 SF

PROJECT TEAM

ARCHITECT:

HARA ARCHITECTS
HUDSON, OHIO
P: 419.410.6241

CONTACT: NATE BAILEY

INTERIOR DESIGNER:

HANNAH GRAY INTERIORS
CANTON, OHIO
P: 330.265.1805

CONTACT: HANNAH BURNWORTH

DRAWING INDEX

G100	COVER SHEET	02/02/2026
G101	GENERAL NOTES	02/02/2026
G102	EXISTING HOUSE PHOTOS	02/02/2026
C100	SITE PLAN	02/02/2026
D100	DEMOLITION PLAN	02/02/2026
A100	FOUNDATION PLAN	02/02/2026
A101	FIRST FLOOR PLAN	02/02/2026
A102	SECOND FLOOR PLAN	02/02/2026
A103	CEILING PLANS	02/02/2026
A103	ROOF PLAN	02/02/2026
A200	EXISTING EXTERIOR ELEVATIONS	02/02/2026
A201	EXTERIOR ELEVATIONS	02/02/2026
A202	EXTERIOR ELEVATIONS	02/02/2026
A203	EXTERIOR ELEVATIONS	02/02/2026
A204	BUILDING SECTIONS	02/02/2026
A205	BUILDING SECTIONS	02/02/2026

haraarchitects.com

PROJECT TEAM:

CIVIL ENGINEER

STRUCTURAL ENGINEER

ARCHITECT

HARA ARCHITECTS

INTERIOR DESIGNER

CALCEI RESIDENCE

22 Essex Circle, Hudson, Ohio 44236

PROJECT #: 2519

ISSUE	ID	DATE
AHBR	A	02/02/2026

PROGRESS

NOT FOR
CONSTRUCTION

2/2/2026

COVER SHEET

ABBREVIATIONS

ABV	ABOVE	HC	HOLLOW CORE
A/C	AIR CONDITIONING	HDWR.	HARDWARE
AFF	ABOVE FINISHED FLOOR	HM	HOLLOW METAL
ALT	ALTERNATE	HVAC	HEATING, VENTILATION, AND AIR
AJH	AUTHORITY HAVING JURISDICTION	COND.	
ALUM	ALUMINUM	HT	HEIGHT
APPROX.	APPROXIMATELY	INSUL	INSULATION
ARCH	ARCHITECTURAL	JST	JOIST
ASPH	ASPHALT		
BD	BOARD	LAM	LAMINATED
BLDG	BUILDING	LF	LINEAR FOOT
BOTT	BOTTOM OF		
BRG	BEARING	MAS	MASONRY
BOTT	BOTTOM	MATL	MATERIAL
BTW	BETWEEN	MAX.	MAXIMUM
		MECH	MECHANICAL
CF	CUBIC FEET	MFG.	MANUFACTURER
CIP	CAST IN PLACE	MIN.	MINIMUM
CJ	CONTROL JOINT	MISC	MISCELLANEOUS
CLG	CEILING	NO	MASONRY OPENING
CLR	CLEAR	MTD	MOUNTED
CMU	CONCRETE MASONRY UNIT	MTL	METAL
CONC	CONCRETE		
CO	CLEAN OUT	NOM	NOMINAL
CONT	CONTINUOUS	NTS	NOT TO SCALE
		Q/	OVER
DBL	DOUBLE	O.C.	ON CENTER
DEPT	DEPARTMENT	OPN	OPENING
DIA	DIAMETER		
DM	DIMENSION	PREFAB	PREFABRICATED
DN	DOWN	PLYWD	PLYWOOD
DR	DOOR	P. LAM	PLASTIC LAMINATE
DS	DOWNSPOUT	PR	PAIR
DTL	DETAIL	PSI	POUNDS PER SQUARE INCH
DWG	DRAWING		
EA	EACH	REF	REFERENCE
ELEC	ELECTRICAL	RM	ROOM
EQ	EQUAL	RO	ROUGH OPENING
EXH	EXHAUST	REQ	REQUIRED
EXIST	EXISTING		
EXP	EXPOSED	SC	SOLID CORE
EXT	EXTERIOR	SECT	SECTION
		SIM.	SIMILAR
FD	FLOOR DRAIN	STRUC	STRUCTURAL
FDN	FOUNDATION		
FIN.	FINISHED	TYP	TYPICAL
FLR	FLOOR		
FT	FOOT	UNO	UNLESS NOTED OTHERWISE
FTO	FOOTING	W/	WITH
FUR	FURRING	WWF	WELDED WIRE FABRIC
GALV	GALVANIZED		
GA	GAUGE		
GC	GENERAL CONTRACTOR		
GYP. BD.	GYPSUM BOARD		
GYP	GYPSUM		

DRAWING SYMBOLS

	DETAIL
	EXTERIOR ELEVATION
	BUILDING SECTION
	INTERIOR ELEVATION
	WALL SECTION
	CENTERLINE AND GRID
	DOOR TAG
	WINDOW TAG

PROJECT GENERAL NOTES

THE CONTRACTOR WILL FURNISH ALL LABOR, MATERIAL, EQUIPMENT, PERMITS, TAXES, AND INSURANCE NECESSARY TO COMPLETE THE WORK INDICATED AND/OR IMPLIED IN THE CONSTRUCTION DOCUMENTS UNLESS NOTED OTHERWISE AND WILL COORDINATE THE WORK RESPONSIBILITIES OF ALL SUBCONTRACTORS. ALL LABOR AND MATERIALS TO CARRY OUT FULLY THE INTENTIONS OF THE PLANS AND SPECIFICATIONS ARE PART OF THE CONTRACT, WHETHER OR NOT SPECIFICALLY DOCUMENTED.

ALL WORK WILL CONFORM TO THE CURRENT OHIO BUILDING, MECHANICAL & PLUMBING CODES, AS WELL AS THE CURRENT NATIONAL BOARD OF FIRE UNDERWRITERS AND ALL OTHER APPLICABLE CITY CODES, LOCAL LAWS, AND AUTHORITIES HAVING JURISDICTION. CODE STANDARDS AND PUBLICATIONS OF PRIVATE AND PUBLIC BODIES MENTIONED WITHIN THE SPECIFICATIONS OR ON THE DRAWINGS, WILL BE CONSIDERED TO BE THOSE IN FORCE AT THE TIME OF THE CONTRACT AWARD.

THE CONTRACTOR WILL BE RESPONSIBLE FOR ALL CONTROLLED INSPECTIONS AND ANY TECHNICAL TESTING REQUIRED FOR CONTROLLED INSPECTIONS AS STIPULATED BY ALL APPLICABLE CODES.

ALL MANUFACTURED ARTICLES, MATERIALS, AND EQUIPMENT WILL BE NEW AND FREE OF DEFECTS AND WILL BE SUPPLIED, INSTALLED, CONNECTED, ERECTED, USED, CLEANED, AND CONDITIONED AS DIRECTED BY THE RESPECTIVE MANUFACTURERS, UNLESS SPECIFIED OTHERWISE.

THE CONTRACTOR WILL NOTIFY THE ARCHITECT OF ANY ERRORS, OMISSIONS, CONFLICTS, OR AMBIGUITIES IN AND BETWEEN THE DRAWINGS AND THE SPECIFICATIONS PRIOR TO PROCEEDING WITH THE WORK. IF SUCH NOTICE IS NOT FURNISHED TO THE ARCHITECT, THE CONTRACTOR WILL BE DEEMED TO HAVE INSPECTED THE DRAWINGS AND SPECIFICATIONS AND TO HAVE FOUND THEM IN PROPER FORM FOR EXECUTION.

THE CONTRACTOR REPRESENTS THAT HE HAS HAD ADEQUATE ACCESS TO THE JOB SITE AND BUILDING AREA IN WHICH THE WORK IS TO BE PERFORMED, THAT HE HAS SATISFIED HIMSELF AS TO THE NATURE AND LOCATION OF WORK, INCLUDING ANY OBSTRUCTIONS. SCOPE OF WORK, ACTUAL LEVELS, THE EQUIPMENT AND FACILITIES NEEDED PRELIMINARY TO AND DURING THE EXECUTION OF THE WORK AND ALL OTHER MATTERS, WHICH CAN IN ANY WAY AFFECT THE WORK OR THE COST THEREOF, UNDER THIS CONTRACT, AND THAT HE HAS STUDIED THE CONTRACT DOCUMENTS AND ALL OTHER DOCUMENTS PERTAINING TO THE INSTALLATION OF OTHER TRADES WHICH MAY INFLUENCE HIS WORK.

THE CONTRACTOR WILL ASSUME FULL RESPONSIBILITY, INCLUDING RESPONSIBILITY FOR ALL RELATED COSTS FOR ANY AND ALL WORK DONE WITHOUT THE APPROVAL OF THE ARCHITECT IF SUCH WORK IS IN CONFLICT WITH THE CONTRACT, DRAWINGS, OR SPECIFICATIONS.

THE OWNER WILL ESTABLISH THE LIMITS OF THE CONSTRUCTION SITE IN ADDITION TO ANY CONTRACT LIMIT LINES SHOWN IN THE DRAWINGS. THE CONTRACTOR WILL CONTINUE HIS OPERATIONS WITHIN THESE LIMITS, UNLESS UPON WRITTEN REQUEST AND REPLY, A VARIANCE IS AGREED TO BY THE OWNER. THE CONTRACTOR WILL BE RESPONSIBLE FOR TRESPASS ON AND/OR DAMAGE TO OTHER PROPERTY BY ANY OF HIS EMPLOYEES OR HIS SUBCONTRACTORS EMPLOYEES.

THE CONTRACTOR WILL BE RESPONSIBLE FOR THE SAFE WORKING CONDITIONS AT THE SITE. THE ARCHITECT AND OWNER WILL NOT BE DEEMED TO HAVE ANY RESPONSIBILITY OR LIABILITY IN CONNECTION HEREWITH.

CONSTRUCTION OPERATIONS WILL NOT INVOLVE INTERRUPTION OF HEATING, WATER, ELECTRICAL, OR OTHER SERVICES TO ANY PORTION OF THE BUILDING OUTSIDE THE LIMITS OF THE CONSTRUCTION SITE DESCRIBED IN NOTE 9.

THE CONTRACTOR WILL BE RESPONSIBLE FOR CORRECTING ANY DEFICIENCIES CAUSED BY DEFECTIVE OR ILL TIMED WORK AT NO ADDITIONAL COST TO THE OWNER.

NO SUBSTITUTIONS ARE PERMITTED EXCEPT WHERE THE TERM "APPROVED EQUAL" APPEARS. ALL SUBSTITUTIONS MUST BE APPROVED IN WRITING BY THE ARCHITECT. THE CONTRACTOR IS TO SUBMIT SAMPLES OR CATALOG CUTS OF ALL VISIBLE MATERIALS AND EQUIPMENT FOR THE ARCHITECT'S APPROVAL PRIOR TO INSTALLATION.

G100



PROJECT #: 2519		
ISSUE	ID	DATE
AHBR	A	02/02/2026

CALCEI RESIDENCE

22 Essex Circle, Hudson, Ohio 44236

PROJECT #: 2519


ISSUE	ID	DATE
AHBR	A	02/02/2026

PROGRESS

NOT FOR
CONSTRUCTION

2/2/2026

SITE PLAN



PROJECT #: 2519


ISSUE	ID	DATE
AHBR	A	02/02/2026

PROGRESS

NOT FOR CONSTRUCTION

2/2/2026

DEMOLITION PLAN



ISSUE	ID	DATE
AHBR	A	02/02/2026

FOUNDATION PLAN GENERAL NOTES

GENERAL NOTES

BLOCK WEBS SOLID AT BEARING WALL LOCATIONS ABOVE
CONTRACTOR TO EXTEND ALL POSTS DOWN TO SOUND FOUNDATION.
INSTALL FULL DEPTH SOLID BLOCKING AT ALL POINT LOAD LOCATIONS

ALL FOOTINGS TO EXTEND DOWN TO FROST LEVEL MIN.

INDICATES LOCATION OF POINT LOAD ABOVE

INDICATES LOCATION OF BEARING WALL ABOVE

COORDINATE EXACT LOCATIONS OF FLOOR DRAIN WITH MECH CONTRACTOR

SECTION 502.8

NOTCHES IN THE TOP OR BOTTOM OF JOISTS SHALL NOT EXCEED ONE-SIXTH THE DEPTH OF THE JOIST AND SHALL NOT BE LOCATED IN THE MIDDLE THIRD OF THE SPAN. WHERE JOISTS ARE NOTCHED ON THE ENDS FOR A LEDGER, THE NOTCH SHALL NOT EXCEED ONE-FOURTH THE JOISTS DEPTH. CANTILEVERED JOISTS SHALL NOT BE NOTCHED UNLESS THE REDUCED SECTION PROPERTIES AND LUMBER DEFECTS ARE CONSIDERED IN THE DESIGN.
HOLES DRILLED OR BORED IN JOISTS SHALL NOT BE WITHIN 2 INCHES OF THE TOP OR BOTTOM OR THE JOISTS AND THEIR DIAMETER SHALL NOT EXCEED ONE-THIRD THE DEPTH OF THE JOIST.


SECTION 502.8

ANY STUD IN AN EXTERIOR BEARING PARTITION MAY BE CUT OR NOTCHED TO A DEPTH NOT EXCEEDING 25% OF ITS WIDTH. STUDS IN NON-BEARING PARTITIONS MAY BE NOTCHED TO A DEPTH NOT TO EXCEED 40% OF A SINGLE STUD WIDTH. ANY STUD MAY BE BORED OR DRILLED, PROVIDED THAT THE DIAMETER OF THE RESULTING HOLES IS NO GREATER THAN 40% OF THE STUD WIDTH, THE EDGE OF THE HOLE IS NO CLOSER THAN 5/8 INCH TO THE EDGE OF THE STUD, AND THE HOLE IS NOT LOCATED IN THE SAME SECTION AS A CUT OR NOTCH.



FOOTING SCHEDULE

F1 3'-6" x 3'-6" x 12" FOOTING
W/ #5 BARS @ 12" OC EW

F2




TYPICAL FOUNDATION





22 Essex Circle, Hudson, Ohio 44236





PROJECT #: 2519		
ISSUE	ID	DATE
AHBR	A	02/02/2026




1 SECOND FLOOR PLAN DEMOLITION PLAN
SCALE: 1/4" = 1'-0"




2 SECOND FLOOR PLAN
SCALE: 1/4" = 1'-0"



ISSUE	ID	DATE
AHBR	A	02/02/2026






1 ROOF PLAN
SCALE: 1/4" = 1'-0"



2 Roof Perspective #1



3 Roof Perspective #2



5 Roof Perspective #3

SCALE: 1:217.03

ROOF PLAN GENERAL NOTES		MATERIAL SCHEDULE	
OVERHANG DIMENSIONS ARE NOTED FROM THE EXTERIOR FACE OF SHEATHING TO THE EXTERIOR FACE OF THE 1X FASCIA BOARD.		ROOF #1 ASPHALT SHINGLE ROOF O/ MANUFACTURER'S RECOMMENDED UNDERLAYMENT O/ 17/32" APA RATED EXTERIOR GRADE SHEATHING. ICE GUARD SHOULD BE INSTALLED AT ALL EAVES AND VALLEYS, UP 72", AND WRAPPED OVER THE FACE OF ALL FASCIAS.	
ALL BEARING ELEVATIONS NOTED ARE FROM THE INSIDE FACE OF THE 2X FRAMING U.N.O.		ROOF #2 METAL ROOF O/ MANUFACTURER'S RECOMMENDED UNDERLAYMENT O/ 17/32" APA RATED EXTERIOR GRADE SHEATHING. ICE GUARD SHOULD BE INSTALLED AT ALL EAVES AND VALLEYS, UP 72", AND WRAPPED OVER THE FACE OF ALL FASCIAS.	
OVERFRAMING AND CRICKETS TO BE CONSTRUCTED OF A MINIMUM 2 X 8 FRAMING.		ROOF #3 RUBBER ROOF MEMBRANE O/ MANUFACTURER'S RECOMMENDED UNDERLAYMENT O/ 17/32" APA RATED EXTERIOR GRADE SHEATHING. ICE GUARD SHOULD BE INSTALLED AT ALL EAVES AND VALLEYS, UP 72", AND WRAPPED OVER THE FACE OF ALL FASCIAS.	
ALL ROOF PENETRATIONS TO BE COORDINATED WITH ARCHITECT PRIOR TO INSTALLATION TO INSURE AESTHETIC EXPECTATIONS ARE MAINTAINED.			
FLASH AND TERMINATE ALL ROOF PENETRATIONS PER MANUFACTURERS RECOMMENDATIONS U.N.O.			
GUTTER PROFILES SHALL BE SUBMITTED FOR APPROVAL PRIOR TO ORDERING.			
INDICATES DOWNSPOUT AND GUTTER LOCATION		DS ○	
		GUTTER □ □ □	

ISSUE	ID	DATE
AHBR	A	02/02/2026

EXTERIOR ELEVATION GENERAL NOTES

ALL TRIM AT WINDOWS AND DOORS TO AZEK, PAINTED.

ALL EXPOSED WOOD ELEMENTS AND TONGUE AND GROOVE CEILINGS IS TO BE PINE, STAINED AND SEALED. COORDINATE FINAL COLOR WITH OWNER.

ALL ROOF PENETRATIONS TO BE COORDINATED WITH ARCHITECT PRIOR TO INSTALLATION TO ENSURE AESTHETIC EXPECTATIONS ARE MAINTAINED.

MATERIAL SCHEDULE

SIDING 01 HORIZONTAL SIDING

FIBER CEMENT LAP SIDING

COLOR: PREFINISHED OR COLOR BY OWNER

SIDING 02 VERTICAL SIDING

FIBER CEMENT BOARD AND BATTEN SIDING

COLOR: PREFINISHED OR COLOR BY OWNER

BRICK 01 BRICK VENEER

MASONRY VENEER W/ BRICK TIES, MATCH EXISTING RESIDENCE

ROOF 01 ASPHALT SHINGLE ROOF

LANDMARK PRO, COLOR BY OWNER

ROOF 02 METAL STANDING SEAM ROOF

METAL ROOF

ROOF 03 RUBBER ROOF

LOW SLOPE RUBBER ROOF MEMBRANE ROOF

WINDOWS

ALUMINUM CLAD WOOD WINDOW

ANDERSEN A SERIES, PELLA LIFESTYLES, OR APPROVED ALTERNATE

SCREENS



MOTORIZED AND FIXED SCREENS BY CENTAUR OR PHANTOM SCREEN

EXTERIOR WALL TYPES

NOTE: WALL INFORMATION IS DEMONSTRATED IN PLAN VIEW

INTERIOR

EXTERIOR



CALCEI RESIDENCE

22 Essex Circle, Hudson, Ohio 44236

PROJECT #: 2519

ISSUE	ID	DATE
AHBR	A	02/02/2026


PROGRESS

NOT FOR
CONSTRUCTION

2/2/2026

EXISTING EXTERIOR
ELEVATIONS

A200



EXISTING SOUTH ELEVATION

SCALE: 3/16" = 1'-0"



EXISTING WEST ELEVATION

SCALE: 3/16" = 1'-0"



EXISTING NORTH ELEVATION

SCALE: 3/16" = 1'-0"



EXISTING EAST ELEVATION

SCALE: 3/16" = 1'-0"



WINDOW SCHEDULE		
ID	QTY	W x H
W01	4	3'-0"x5'-0"
W02	8	3'-0"x5'-6"
W03	1	11'-0"x5'-0"
W04	3	3'-0"x4'-0"

EXTERIOR ELEVATION GENERAL NOTES

ALL TRIM AT WINDOWS AND DOORS TO AZEK, PAINTED.

ALL EXPOSED WOOD ELEMENTS AND TONGUE AND GROOVE CEILINGS IS TO BE PINE, STAINED AND SEALED. COORDINATE FINAL COLOR WITH OWNER.

ALL ROOF PENETRATIONS TO BE COORDINATED WITH ARCHITECT PRIOR TO INSTALLATION TO ENSURE AESTHETIC EXPECTATIONS ARE MAINTAINED.

MATERIAL SCHEDULE

SIDING 01 HORIZONTAL SIDING

FIBER CEMENT LAP SIDING
COLOR: PREFINISHED OR COLOR BY OWNER

SIDING 02 VERTICAL SIDING

FIBER CEMENT BOARD AND BATTEN SIDING
COLOR: PREFINISHED OR COLOR BY OWNER

BRICK 01 BRICK VENEER

MASONRY VENEER W/ BRICK TIES, MATCH EXISTING RESIDENCE

ROOF 01 ASPHALT SHINGLE ROOF

LANDMARK PRO, COLOR BY OWNER

ROOF 02 METAL STANDING SEAM ROOF

METAL ROOF

ROOF 03 RUBBER ROOF

LOW SLOPE RUBBER ROOF MEMBRANE ROOF

WINDOWS


ALUMINUM CLAD WOOD WINDOW
ANDERSEN A SERIES, PELLA LIFESTYLES, OR APPROVED ALTERNATE

SCREENS

MOTORIZED AND FIXED SCREENS BY CENTAUR OR PHANTOM SCREEN

EXTERIOR WALL TYPES

NOTE: WALL INFORMATION IS DEMONSTRATED IN PLAN VIEW



CALCEI RESIDENCE

22 Essex Circle, Hudson, Ohio 44236

PROJECT #: 2519


ISSUE	ID	DATE
AHBR	A	02/02/2026

PROGRESS

NOT FOR
CONSTRUCTION



2/2/2026

EXTERIOR ELEVATIONS





PROPOSED WEST ELEVATION

SCALE: 1/4" = 1'-0"




PARTIAL PROPOSED WEST ELEVATION

SCALE: 1/4" = 1'-0"




PROPOSED NORTH ELEVATION

SCALE: 1/4" = 1'-0"



PARTIAL PROPOSED NORTH ELEVATION

SCALE: 1/4" = 1'-0"



WINDOW SCHEDULE		
ID	QTY	W x H
W01	4	3'-0"x5'-0"
W02	8	3'-0"x5'-6"
W03	1	11'-0"x5'-0"
W04	3	3'-0"x4'-0"

A202

EXTERIOR ELEVATION GENERAL NOTES

ALL TRIM AT WINDOWS AND DOORS TO AZEK, PAINTED.

ALL EXPOSED WOOD ELEMENTS AND TONGUE AND GROOVE CEILINGS IS TO BE PINE, STAINED AND SEALED. COORDINATE FINAL COLOR WITH OWNER.

ALL ROOF PENETRATIONS TO BE COORDINATED WITH ARCHITECT PRIOR TO INSTALLATION TO ENSURE AESTHETIC EXPECTATIONS ARE MAINTAINED.

MATERIAL SCHEDULE

SIDING 01 HORIZONTAL SIDING

FIBER CEMENT LAP SIDING

COLOR: PREFINISHED OR COLOR BY OWNER

SIDING 02 VERTICAL SIDING

FIBER CEMENT BOARD AND BATTEN SIDING

COLOR: PREFINISHED OR COLOR BY OWNER

BRICK 01 BRICK VENEER

MASONRY VENEER W/ BRICK TIES, MATCH EXISTING RESIDENCE

ROOF 01 ASPHALT SHINGLE ROOF

LANDMARK PRO, COLOR BY OWNER

ROOF 02 METAL STANDING SEAM ROOF

METAL ROOF

ROOF 03 RUBBER ROOF

LOW SLOPE RUBBER ROOF MEMBRANE ROOF

WINDOWS

ALUMINUM CLAD WOOD WINDOW

ANDERSEN A SERIES, PELLA LIFESTYLES, OR APPROVED ALTERNATE

SCREENS



MOTORIZED AND FIXED SCREENS BY CENTAUR OR PHANTOM SCREEN

EXTERIOR WALL TYPES

NOTE: WALL INFORMATION IS DEMONSTRATED IN PLAN VIEW

INTERIOR

EXTERIOR



CALCEI RESIDENCE

22 Essex Circle, Hudson, Ohio 44236

PROJECT #: 2519

ISSUE ID DATE

AHBR A 02/02/2026


PROGRESS

NOT FOR CONSTRUCTION

2/2/2026



EXTERIOR ELEVATIONS

A203




1 PROPOSED SOUTH ELEVATION

SCALE: 1/4" = 1'-0"




2 PROPOSED EAST ELEVATION

SCALE: 1/4" = 1'-0"



3 PARTIAL PROPOSED EAST ELEVATION

SCALE: 1/4" = 1'-0"



WINDOW SCHEDULE		
ID	QTY	W x H
W01	4	3'-0"x5'-0"
W02	8	3'-0"x5'-6"
W03	1	11'-0"x5'-0"
W04	3	3'-0"x4'-0"